

## CITY OF RYE

### NOTICE

There will be a regular meeting of the City Council of the City of Rye on Wednesday, June 10, 2015, at 7:30 p.m. in Council Chambers at City Hall. *The Council will convene at 7:00 p.m. and it is expected they will adjourn into Executive Session at 7:01 p.m. to discuss collective bargaining.*

### AGENDA

1. Pledge of Allegiance.
2. Roll Call.
3. General Announcements.
4. Draft unapproved minutes of the regular meeting of the City Council held May 20, 2015 and the Special Meeting of the City Council held June 1, 2015.
5. Issues Update/Old Business.
6. Continuation of the Public Hearing to amend local law Chapter 177, "Taxation", Article XII, "Exemption for Historic Districts" by adding Section §177-82, "Historic Districts", to designate portions of downtown Rye as one historic district to allow property owners to apply for the real property tax exemption.
7. Public Hearing to amend local law Chapter 133, "Noise", of the Rye City Code by amending Section §133-8, "Construction work restricted to certain hours and days" to set a moratorium on mechanical rock removal.
8. Consideration to set a Public Hearing for July 8, 2015 to amend local law Chapter 133, "Noise", of the Rye City Code regarding regulations on mechanical rock removal.
9. Discussion and Consideration to set a Public Hearing for July 8, 2015 to amend local law Chapter 197, "Zoning", of the Rye City Code by amending Section §197-2, "Districts, A: Residence Districts" to change the zoning designation of a property at 120 Old Post Road from the B-4, Office Building, District to a New RA-6, Active Senior Residence, District; and amending Section §197-86, "Tables of Regulations: Table A, Residence Districts – Area Yard, Height and Miscellaneous Regulations" to add the proposed RA-6 zone.
10. Presentation on the S.A.F.E. Program (Stuffed Animals for Emergencies, Inc).
11. Discussion on improvements in the Forest Avenue corridor.
12. Presentation of the City of Rye Stormwater Management Program 2014 Annual Report.
13. Presentation by the Sustainability Committee on the Climate Smart Communities Pledge.

14. Residents may be heard on matters for Council consideration that do not appear on the agenda.
15. Resolution to amend the City of Rye's FOIL procedures.
16. Bid Award for the Rye Free Reading Room Interior Renovations contract.  
Roll Call.
17. Resolution to amend the 2015 Adopted Fees and Charges for the Rye Golf Club Enterprise Fund.  
Roll Call.
18. Consideration of a request by Wendy Baruchowitz for the use of City streets for a 1 mile run/walkathon for the Dysautonomia International Fund on Sunday, October 4, 2015 from 10:00 a.m. to 12:00 p.m.
19. Appeal of denial of FOIL request by Timothy Chittenden.
20. Miscellaneous communications and reports.
21. New Business.
22. Adjournment.

\* \* \* \* \*

The next regular meeting of the City Council will be held on Wednesday, July 8, 2015 at 7:30 p.m.

\*\* City Council meetings are available live on Cablevision Channel 75, Verizon Channel 39, and on the City Website, indexed by Agenda item, at [www.ryeny.gov](http://www.ryeny.gov) under "RyeTV Live".

\* Office Hours of the Mayor by appointment by emailing [jsack@ryeny.gov](mailto:jsack@ryeny.gov) or contacting the City Manager's Office at (914) 967-7404.



# CITY COUNCIL AGENDA

NO. 4

DEPT.: City Clerk

DATE: June 10, 2015

CONTACT: Dawn Nodarse

**AGENDA ITEM** Draft unapproved minutes of the regular meeting of the City Council held May 20, 2015 and the Special Meeting of the City Council held June 1, 2015.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:** That the Council approve the draft minutes.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** Approve the minutes of the regular meeting of the City Council held May 20, 2015 and the Special Meeting of the City Council held June 1, 2015, as attached.

***DRAFT UNAPPROVED MINUTES*** of the  
Regular Meeting of the City Council of the City of  
Rye held in City Hall on May 20, 2015 at 7:30 P.M.

PRESENT:

JOSEPH A. SACK Mayor  
LAURA BRETT  
KIRSTIN BUCCI  
JULIE KILLIAN  
TERRENCE McCARTNEY  
RICHARD MECCA  
RICHARD SLACK  
Councilmembers

ABSENT: None

Prior to the regular meeting a site walk of the proposed Historic District (Agenda Item 6) was held from 6:30 p.m. to 7: 25 p.m. All members of the Council were present with Councilwoman Killian joining at approximately 6:40 p.m. Several other people were in attendance including members of the Landmarks Advisory Committee. Sheri Jordan, Director of the Rye Historical Society, commented on where the proposed boundaries are drawn and described how and why the boundaries were proposed. She referred to the Arcade building, the area down Elm Place and Locust Avenue, and School Street. She mentioned that the “downtown” area is not simply Purchase Street but also the feeder streets leading to Purchase Street.

Members of the public raised questions regarding whether only the value of the “historic” improvements would be eligible for the “taxation exemption” or would the entire structure be eligible for the exemption (even if part of it was not “historic”). Different rooflines were discussed and the process of designating a building/structure as “historic” was reviewed. The Mayor raised the question regarding the significance and/or desire to include the multi-family houses along Locust in the proposed boundaries of the historic district. Architect Rex Gedney explained how the houses along Locust could be “renovated” to remain historic whereas others may not be deemed “historic” and would not be entitled to apply for the tax exemption. Near School Street, Sheri Jordan explained the history of School Street, where the original schools were located, including Resurrection, and the migration history of the early immigrants. General discussion took place regarding the authority to designate structures/buildings “historic” and whether it should be Landmarks Advisory Committee or City Council. Structures meeting the 100 yr. old threshold were also identified.

1. Pledge of Allegiance

Mayor Sack called the meeting to order and invited the Council to join in the Pledge of Allegiance.

2. Roll Call

Mayor Sack asked the City Clerk to call the roll; a quorum was present to conduct official city business.

3. General Announcements by the Council

Announcements were made regarding various events and activities that may be of interest to residents.

4. Draft unapproved minutes of the regular meeting of the City Council held May 6, 2015 and the Special Meeting of the City Council held May 12, 2015

Councilwoman Brett made a motion, seconded by Councilman Slack and unanimously carried, to approve the minutes of the regular meeting of the City Council held on May 6, 2015, as amended and the special meeting held on May 12, 2015.

5. Issues Update/Old Business

There was nothing discussed under this agenda item.

6. Continuation of the Public Hearing to amend local law Chapter 177, "Taxation", Article XII, "Exemption for Historic Districts" by adding Section §177-82, "Historic Districts", to designate portion of downtown Rye as one historic district to allow property owners to apply for the real property tax exemption

Mayor Sack said that prior to the commencement of the regular meeting the Council took a walking tour led by members of the Landmarks Committee (see above) to look at the contours of the proposed district and samples of structures that might qualify for the tax exemption. Councilwoman Brett said the tour of the proposed district gave a clear idea of what is and isn't included and to discuss what kinds of renovations would qualify under the law. Ms. Brett added that she felt it was important to designate a historic district but was flexible as to the size of the district and whether the designation of properties should be referred to the Council. Mayor Sack said that based on the tour there may need to be alterations made to the proposed local law. Councilwoman Killian and Councilman Mecca both endorsed the size of the proposed historic district but did not think that decisions related to the district should come before the Council. Councilman McCartney said that the Council should be encouraging historic restorations and that the Council should have a role in the process. It was also mentioned that some buildings in the district would not qualify due to their age. Councilman Slack pointed out that there is nothing currently in the law that restricts the tax deduction to buildings based on age.

*Paula Slater, 35 Orchard Drive, said she believed that a historic district was a great idea.*

Mayor Sack made a motion, seconded by Councilwoman Brett and unanimously carried, to adjourn the public hearing to the June 10, 2015 City Council meeting.

6A. Consideration to set a Public Hearing for June 10, 2015 to amend to amend local law Chapter 133, "Noise" of the Rye City Code by amending Section §133-8, "Construction work restricted to certain hours and days" to set a moratorium on mechanical rock removal

Mayor Sack said that a study group was appointed in November to look into the issue of rock chipping and report back to the Council with recommendations to tighten the regulations and restrictions. The group has been working hard to raise all the issues and develop consensus around the recommendations that will be presented to the Council. In the meantime, it may be prudent to freeze things and impose a moratorium until the Council is ready to adopt a local law. The proposal is for a six month moratorium on any rock chipping or mechanical excavation that would last longer than 30 days. Councilman Slack updated the Council on the progress of the Rock Chipping Committee. One item being discussed is a recommendation to limit the duration of rock chipping and the proposed moratorium would put a limit into effect while the law is worked on and public hearings are held. As currently proposed, for any rock chipping project that has not yet commenced, the builder/owner would have to provide notification to the City on the day they will commence and then will have 30 calendar days to finish the project, without the imposition of penalties, which could include fines, imposition of a stop work order, or imprisonment. Councilman Mecca added that imposing a moratorium would give the Council the time to get the law right the first time. Councilwoman Killian asked for clarification of how the enforcement of the moratorium would work.

Members of the public also commented, including: *Carolyn Cunningham, Irwin Lefkowitz, Emily Hurd, Gaston and Arlene Alegre and Leslie Winters*. All were in favor of the proposed moratorium and urged the Council to make the regulations as stringent as possible. Questions were raised about what would be done for properties that cannot finish chipping within the allotted timeframe; reducing the hours that chipping would be allowed; what would be done about areas where there are multiple projects that may require rock chipping; and where complaints would be directed when the building department is not open.

Councilman Mecca made a motion, seconded by Councilwoman Killian and unanimously carried, to adopt the following Resolution:

**WHEREAS**, the Council wishes to consider amending Chapter 133, "Noise" by amending §133-8, "Construction work restricted to certain hours and days" of the Code of the City of Rye in order to set a moratorium on mechanical rock removal; and

**WHEREAS**, it is now desired to call a public hearing on such proposed amendments to the law, now, therefore, be it

**RESOLVED**, by the Council of the City of Rye as follows:

Section 1. Pursuant to Section 20 of the Municipal Home Rule Law and the Charter of the City of Rye, New York, a public hearing will be held by the Council of said City on June 10, 2015 at 7:30 P.M. at City

Hall, Boston Post Road, in said City, for the purpose of affording interested persons an opportunity to be heard concerning such proposed local law.

Section 2. Such notice of public hearing shall be in substantially the following form:

**PUBLIC NOTICE  
CITY OF RYE**

**Notice of Public Hearing on a proposed local law to be known and cited as the Mechanical Rock Removal Moratorium of the City of Rye**

Notice is hereby given that a public hearing will be held by the City Council of the City of Rye on the 10th day of June, 2015 at 7:30 P.M. at City Hall, Boston Post Road, in said City, at which interested persons will be afforded an opportunity to be heard concerning the proposed local law to be known and cited as the Mechanical Rock Removal Moratorium of the City of Rye.

Copies of said local law may be obtained from the office of the City Clerk.

Dawn F. Nodarse  
City Clerk  
Dated: June 3, 2015

7. Residents may be heard on matters for Council consideration that do not appear on the agenda

*Joseph Murphy*, Chair of the Rye Senior Advocacy Committee announced that the Senior Directory has been completed. There are two copies in the Library, one is at the Recreation Department and another is for the Council. The Council asked that the document be put on the City website.

8. Authorization for the City Manager to enter into an Agreement with the County of Westchester for 2015-2016 Prisoner Transportation Services  
Roll Call

This agenda item was deferred.

9. Resolution to authorize expenditure of police donation funds for the purchase of police boots or shoes  
Roll Call.

Councilman McCartney made a motion, seconded by Councilwoman Brett to adopt the following Resolution:

**WHEREAS** the City Manager and Police Commissioner have approved a request of the Rye Police Benevolent Association (“PBA”) dated May 12, 2015 to purchase dress boots/shoes in the amount of \$3,800 for the Rye Police Department with funds available in the police donations account, and

**WHEREAS**, sufficient funds exist in the police donations account to comply with the aforementioned request of the PBA; now, therefore, be it

**RESOLVED**, that the City Comptroller is authorized to transfer \$3,800 from the police donations account to increase 2015 General Fund appropriations for Police uniforms.

**ROLL CALL:**

**AYES:** Mayor Sack, Councilmembers Brett, Bucci, Killian, McCartney, Mecca and Slack  
**NAYS:** None  
**ABSENT:** None

The Resolution was adopted by a 7-0 vote.

10. Consideration of a request by the Rye Chamber of Commerce for the use of City Car Park #2 on Sundays from May 24, 2015 through December 6, 2015 from 8:30 a.m. to 2:00 p.m. for the Rye Farmers Market

Councilman Mecca made a motion, seconded by Councilwoman Killian and unanimously carried, to adopt the following Resolution:

**RESOLVED**, that the City Council of the City of Rye hereby approves the request of the Rye Chamber of Commerce for the use of City Car Park #2 on Sundays from May 24, 2015 through December 6, 2015 from 8:30 a.m. to 2:00 p.m. for the Rye Farmers Market.

11. Consideration of a request by the Rye Chamber of Commerce for the use of City streets for the Annual Sidewalk Sale to be held on Thursday, July 23, 2015 through Saturday, July 25, 2015 from 9:00 a.m. to 5:00 p.m.

Councilman Mecca made a motion, seconded by Councilwoman Killian and unanimously carried, to adopt the following Resolution:



**RESOLVED**, that the City Council of the City of Rye hereby approves the request of the Rye Chamber of Commerce for use of City streets and sidewalks for the Annual Sidewalk Sale to be held on Thursday, July 23, 2015 through Saturday, July 25, 2015 from 9:00 a.m. to 5:00 p.m.

12. One appointment to the Boat Basin Commission, by the Council, to fill a term expiring on January 1, 2016

Mayor Sack made a motion, seconded by Councilman Mecca and unanimously carried, to appoint Brendon Hartman to the Boat Basin Commission to fill out a term expiring on January 1, 2016.

Councilman Slack made a motion, seconded by Councilwoman Brett and unanimously carried, to adjourn into executive session to discuss attorney/client privileged matters related to a FOIL appeal at 9:05 p.m. Councilwoman Brett made a motion, seconded by Councilman Mecca and unanimously carried to adjourn the executive session at 9:34 p.m. The regular meeting reconvened at 9:35 p.m.

12A. Appeal of denial of FOIL request by Timothy Chittenden

Councilwoman Brett said that Timothy Chittenden had requested a series of the City Council's confidential packets and was provided with records that contained redactions. He is appealing the redactions.

Councilwoman Brett made a motion, seconded by Mayor Sack, to adopt the following Resolution:

**RESOLVED** that the appeal of the redactions made to documents provided in response to a FOIL request submitted by Timothy Chittenden for "All official, unofficial and confidential city council packets and all other materials transmitted or distributed to the Rye City Council since March 30, 2015" is hereby decided as follows:

- With respect to the April 3, 2015 City Council packet, no redactions were made, therefore, there is no appeal to consider.
- With respect to the April 10, 2015 City Council packet, the appeal is denied in part and granted in part. The City Manager's letter was redacted initially under Public Officer's Law (POL) §87(2)(b). The City Council will change the basis of the redactions to the first sentence to POL §87(2)(g) and the basis of the redactions to the final sentence to POL §87(2)(c). The redactions to a portion of a sentence that was mistakenly

redacted will be removed and the record provided to the requestor without the redaction.

- With respect to the April 17, 2015 City Council packet, the appeal is granted in connection with the redaction of item #3 from the confidential list and in connection with two emails which were redacted in their entirety. The emails will be provided to the requestor with a portion of one email redacted under POL §87(2)(b).
- With respect to the April 24, 2015 City Council packet, several items were redacted including information that was not FOILable under POL §87(2)(b). The appeal will be denied with respect to that information and the Council also believes that the entire letter could have been denied under §87(2)(g) as an inter-agency communication. The appeal is granted with respect to an email dated 4-24-2015. A memorandum regarding transitions that was denied under POL §87(2)(g) will be upheld and the Council believes that the entire document could have been exempt under POL §87(2)(g).

**ROLL CALL:**

**AYES:** Mayor Sack, Councilmembers Brett, Bucci, Killian, McCartney, Mecca and Slack

**NAYS:** None

**ABSENT:** None

The Resolution was adopted by a 7-0 vote.

13. Miscellaneous Communications and Reports

Mayor Sack asked for an update on repairs to a pothole located near Citibank. Interim City Manager Militana said she would find out if ConEdison or United Water was responsible for making the repair.

Councilwomen Brett and Killian reported on their attendance at a meeting with the County that was held in order to hear the City Council's perspective on the contract with Standard Amusements for the operation of Playland.

14. New Business

There was nothing reported under this Agenda item.

15. Adjournment

There being no further business to discuss Councilwoman Brett made a motion, seconded by Mayor Sack and unanimously carried, to adjourn into executive session to discuss the City Manager search and not return to public session at 9:50 p.m.

Respectfully submitted,

Dawn F. Nodarse  
City Clerk

***DRAFT UNAPPROVED MINUTES*** of the  
Special Meeting of the City Council of the City of  
Rye held in City Hall on June 1, 2015 at 8:00 A.M.

PRESENT:

JOSEPH A. SACK Mayor  
LAURA BRETT  
KIRSTIN BUCCI  
JULIE KILLIAN  
TERRENCE McCARTNEY  
RICHARD MECCA  
RICHARD SLACK  
Councilmembers

ABSENT:     None

1.     The City Council will convene into Executive Session to discuss the employment of a City Manager

The Council convened at 8:01 a.m. and Councilman McCartney immediately made a motion, seconded by Councilman Mecca and unanimously carried, to adjourn into executive session to discuss the employment of a City Manager. Councilman McCartney made a motion, seconded by Councilman Mecca and unanimously carried, to adjourn the meeting at 8:41 a.m.

Respectfully submitted,

Dawn F. Nodarse  
City Clerk



# CITY COUNCIL AGENDA

NO. 5

DEPT.: City Council

DATE: June 10, 2015

CONTACT: Mayor Joseph A. Sack

**AGENDA ITEM:** Issues Update/Old Business

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:** That an update be provided on outstanding issues or Old Business.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:**



# CITY COUNCIL AGENDA

NO. 6

DEPT.: Corporation Counsel

DATE: June 10, 2015

CONTACT: Kristen K. Wilson, Corporation Counsel

**AGENDA ITEM:** Continuation of the Public Hearing to amend local law Chapter 177, "Taxation", Article XII, "Exemption for Historic Districts" by adding Section §177-82, "Historic Districts", to designate portions of downtown Rye as one historic district to allow property owners to apply for the real property tax exemption.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHARTER

SECTION 177

**RECOMMENDATION:** That the City Council continue the Public Hearing to amend Chapter 177, "Taxation".

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** The City Council amended Chapter 177, "Taxation" of the City of Rye Code at their December 18, 2013 City Council meeting by adding, Article XII "Exemption for Historic Districts" to provide tax exemptions for improvements to historic properties. To qualify for the tax exemption a property must lie within a historic district. The Landmarks Advisory Committee requests approval to designate portions of downtown Rye (B-2 zone plus portions of contiguous B-1 zones) as one historic district. The Council is asked to hold a Public Hearing to amend the Chapter 177 to include this change.

See attached request from the Landmarks Advisory Committee and draft Local Law.



**Proposed Historic District  
for the City of Rye  
Central Business Area**

Prepared by the  
Landmarks Advisory Committee

November, 2014

## **Background**

In December 18 , 2013 the Rye City Council enacted local law 4-2013, a real property tax exemption for historic property, the terms of which are described in Article 177 XII of the City Code. The legislative intent of the law is to provide owners of properties with historical significance a concrete incentive to restore or improve those properties while maintaining the character of the original construction.

In order to qualify for the tax exemption, a property must lie within a historic district. The Landmarks Advisory Committee requests approval to designate portions of downtown Rye (B-2 zone plus portions of contiguous B-1 zones as designated on the accompanying map) as one historic district.



## Chapter 177. TAXATION

### Article XII. Exemption for Historic Districts

[Adopted 12-18-2013 by L.L. No. 4-2013]

#### **§ 177-78. Legislative intent; review process; historic determination; rights of property owner.**

- A. This real property tax exemption for historic property is being enacted in order to achieve the following goals: to increase incentives for property owners in historic districts to invest in the upkeep and rehabilitation of properties; to provide an incentive for the restoration and rehabilitation of commercial structures which qualify as landmarks in order to provide financial advantages, not available elsewhere in the country at this time, which may help to attract and retain businesses in the City of Rye; to assist homeowners who are interested in restoring their own properties but may not be able to afford to do so when faced with potential increases in taxation as the result of alterations which would qualify for this exemption; and to provide a concrete benefit for restoring or improving historically or architecturally significant properties which are subject to the regulations of Chapter **117**, Landmarks Preservation.
- B. The City of Rye real property tax exemption is intended to apply to alterations or rehabilitations of historic property as authorized pursuant to §§ 96-a and 119-aa through 119-dd of the General Municipal Law and § 444-a of the Real Property Tax Law and all other powers granted to the City of Rye to provide such exemptions.
- C. This article is intended to create a real property tax exemption that preserves or increases the historic character of real property located within the City of Rye.

#### **§ 177-79. Definitions.**

For the purposes of this article, the following words and phrases shall have the following meanings.

**ALTERATION**

Only exterior work on a building that requires a building permit or demolition permit.

**CERTIFICATE OF APPROPRIATENESS**

A certificate issued by the Board of Architectural Review authorizing a material change of appearance of a Protected Site or Structure or within a district, subject to other applicable permit requirements.

**DEMOLITION**

The destruction of the exterior of a building, in whole or in part, whether or not the foundation is also destroyed pursuant to the requirements of a duly issued demolition permit.

**HISTORIC BUILDING**

Any building that the Landmarks Advisory Committee has determined to be of a historic nature consistent with the criteria outlined in Chapter 117 of the Rye City Code and is located within an historic district. A historic building does not have to be designated as a Protected Site or Structure.

**LANDMARK**

Any parcel or building or structure designated as a Protected Site or Structure not located in a Preservation District, which nonetheless meets one or more of the criteria enumerated in § 117-5 and is designated as a Protected Site or Structure pursuant to § 117-5E.

**§ 177-80. Amount of exemption granted; qualifying criteria.**

Real property within the City of Rye altered or rehabilitated subsequent to the effective date of this article shall be exempt from City real property and special ad valorem levies, subject to and in accordance with the schedule set forth in § 177-8A and conditions outlined in § 177-80B and C.

- A. Historic property which shall be defined hereafter shall be exempt from taxation to the extent of any increase in value attributable to such alteration or rehabilitation pursuant to the following schedule:

<b>Year of Exemption</b>	<b>Percentage of Exemption</b>
1	100%
2	100%
3	100%
4	100%
5	100%
6	80%

7	60%
8	40%
9	20%
10	0%

B. No such exemption shall be granted for such alterations or rehabilitation unless all of the following criteria are met.

- (1) Such property must be "historic," which means that:
  - (a) The property has been designated as a landmark pursuant to Chapter 117 of the Rye City Code; or
  - (b) The structure has been found to meet the criteria of being an historic building by the Landmarks Advisory Committee and is part of a historic district.
- (2) Alterations or rehabilitation are consistent with the character of the historic building.
- (3) Such alterations or rehabilitation or reconstruction of the historic building are approved by the Landmarks Advisory Committee and the Board of Architectural Review prior to the commencement of work and a certificate of appropriateness issued.
- (4) The alterations or rehabilitation or reconstruction must otherwise result in an increase in the assessed valuation of the real property.
- (5) Alterations or rehabilitation or reconstruction are commenced subsequent to the effective date of this article.

C. In the event a historic building is substantially demolished due to fire or other act of nature not caused by the property owner, the reconstruction of such building consistent with its historic character as reviewed and approved by the Board of Architectural Review shall qualify for the partial tax exemption, but in no event shall the assessment for the taxes to be paid be less than the assessment that existed prior to the substantial demolition.

### § 177-81. Application for exemption; approval.

- A. The exemption may be granted only upon application of the owner or owners of such historic building on a form prescribed by the New York State Office of Real Property Services, or any successor agency.
- B. The application must be filed with the Assessor on or before the appropriate taxable

status date.

- C. The exemption shall be granted where the Assessor is satisfied that the applicant is entitled to an exemption pursuant to this section.
- D. All of the terms, conditions and exceptions as set forth in § 444-a of the Real Property Tax Law of the State of New York, as amended, are adopted herein unless otherwise specified, as though fully set forth within this article.


# City of Rye, NY Central Business District




 B-2 Central Business District




 Property Boundary (Approx.)

Last Revised: 12/2/14




# City of Rye, NY Central Business District



-  Proposed Historic District Boundary
-  B-2 Central Business District
-  Property Boundary (Approx.)

Last Revised: 12/2/14





## ALL BUILDINGS IN THE PROPOSED RYE HISTORIC DISTRICT

### Summary:

115 Total Properties

11 City Owned Properties

51 Properties Over 100 Years Old

Section/Lot/Block	Address	Date Built/Renovated
146-7-1-15 City	Purchase & First St.	
146-7-1-16	100 Purchase Street	1962
146-7-1-17	1 Depot Plaza	(1860) 2008
146-7-1-18 City	First & Second Sts.	
146-7-1-19	2 Second Street	1915/1923
146-7-1-20	28 Second Street	2001
146-7-1-21	13 McCullough Place	1937
146-7-1-22	21 McCullough Place	1936
146-7-1-23 City	End of Third Street	
146-7-1-24	1175 Boston Post Rd	2006
146-7-1-31	1151 Boston Post Rd	1927
146-7-1-32	1141 Boston Post Rd	1952
146-7-1-33	Purdy Ave Post Office	1935
146-7-1-34	25 Purdy Avenue	1923/1980
146-7-1-35	21-23 Purdy Avenue	1923
146-7-1-36	17 Purdy Avenue	1870/1987
146-7-1-37	15 Purdy Avenue	1850/1981
146-7-1-38	11-13 Purdy Avenue	1915
146-7-1-39 City	Purdy Ave and First St	
146-7-1-40	96 Purchase Street	2014
146-7-1-41	88 Purchase Street	1800/1810/1900
146-7-1-42	83 Purchase Street	No Date
146-7-1-43	81 Purchase Street	1952
146-7-1-44	77 Purchase Street	1905/1929
146-7-1-45	73 Purchase Street	1921
146-7-1-46	67 Purchase Street	1919/1977 Reno
146-7-1-47	61 Purchase Street	1874
146-7-1-48	59 Purchase Street	1989
146-7-1-49	57 Purchase Street	1900
146-7-1-50	55 Purchase Street	1904
146-7-1-51	53 Purchase Street	1870/1922
146-7-1-52 City	Theodore Fremd Ave	
146-7-1-53	14-16 Elm Place	1974
146-7-1-54	18-22 Elm Place	1947
146-7-1-56	32 Elm Place	No Date
146-7-1-57	37-43 Theodore Fremd	1960/1981 Reno
146-7-1-58	38 Elm Place	1875/1975
146-7-1-65 City	Theodore Fremd	
146-7-1-66	99 Purchase Street	1926/1963
146-7-2-1	69 Theodore Fremd	1928
146-7-2-2	56 Locust	1890
146-7-2-3	41 Elm Place	1900
146-7-2-4	46 Locust Avenue	1900/2002 Reno



Section/Lot/Block	Address	Date Built/Renovated
146-7-2-5	37 Elm Place	1895
146-7-2-6	44 Locust Avenue	No Date
146-7-2-7	40 Locust Avenue	1900
146-7-2-8	34 Locust Avenue	1923 +/-
146-7-2-9	30 Locust Avenue	1895
146-7-2-10	22 Locust Avenue	1905 +/-
146-7-2-11 City	Elm and Locust	
146-7-2-12	19-21 Elm Place	1900 +/-
146-7-2-13	17 Elm Place	1900
146-7-2-14	15 Elm Place	1900
146-7-2-15	11 Elm Place	1969
146-7-2-16	7 Elm Place	1920/2005
146-7-2-17	3 Elm Place	1920
146-7-2-18	51 Purchase Street	1880/1994 Reno
146-7-2-19	49 Purchase Street	1890
146-7-2-20	45 Purchase Street	1939
146-7-2-21	43 Purchase Street	1929
146-7-2-22.1	41 Purchase Street	1905
146-7-2-22.2	39 Purchase Street	1905
146-7-2-23	37 Purchase Street	1919/1991
146-7-2-24	31-33 Purchase Street	1880/1988 Reno
146-7-2-25	27-29 Purchase Street	1882
146-7-2-26	23-25 Purchase Street	No Date
146-7-2-27	19-21 Purchase Street	1895
146-7-2-28	15-17 Purchase Street	1908
146-7-2-29 City	1 Purchase Street	1903
146-7-2-30 Library	1061 Boston Post Rd	1900
146-7-2-32 YMCA	21 Locust Avenue	1954-57
146-7-2-34	29 Locust Avenue	1904 +/-
146-7-2-35	35 Locust Avenue	No Date
146-7-2-36	41 Locust Avenue	1909
146-7-2-37	43 Locust Avenue	1919
146-7-2-38	47 Locust Avenue	1925
146-7-2-39	51 Locust Avenue	No Date
146-7-2-40	55 Locust Avenue	1920
146-7-2-41	75 Theodore Fremd	1952
146-7-3-1	84-86 Purchase Street	Various (no date)
146-7-3-2	12 Purdy Avenue	1962/1975
146-7-3-3	18 Purdy Avenue	1959
146-7-3-4	22 Purdy Avenue	1900 +/-
146-7-3-5 City	9 School Street	
146-7-3-6	80-82 Purchase Street	1895/1974
146-7-3-7	78 Purchase Street	1895
146-7-3-8	74-76 Purchase Street	1890/1993 Reno
146-7-3-9.1	72 Purchase Street	1900
146-7-3-9.2	70 Purchase Street	2002
146-7-3-10	66-68 Purchase Street	1903/1981 Reno
146-7-3-11	64 Purchase Street	2006
146-7-3-12	62 Purchase Street	1880/1900/1980 Reno
146-7-3-14	58 Purchase Street	1880
146-7-3-15	7 Smith Street	1926

Section/Lot/Block	Address	Date Built/Renovated
146-7-3-16	54 Purchase Street	1922
146-7-3-17	44-46 Purchase Street	1904
146-7-3-18	42 Purchase Street	2006
146-7-3-19	32-36 Purchase Street	1890
146-7-3-20	28-30 Purchase Street	No Date
146-7-3-21	2-22 Purchase Street	1928
146-7-3-22.1	1085 Boston Post Rd	1930
146-7-3-23	1091 Boston Post Rd	1850
146-7-3-24	1095 Boston Post Rd	1875
146-7-3-25	1097 Boston Post Rd	1870
146-7-3-26	24 Smith Street	1890
146-7-3-27.1 City	10 Smith Street	
146-7-3-28	2 School Street	1890/1981 Reno
146-7-3-29	6 School Street	1885
146-7-3-30	10 School Street	2007
146-7-3-31	16 School Street	1910
146-7-3-32 City	30 School Street	
146-7-3-33	1121 Boston Post Rd	1957
146-7-3-34	1111 Boston Post Rd	2008
146-7-3-35	25 Smith Street	1880
146-7-3-36	1101 Boston Post Rd	1890



# CITY COUNCIL AGENDA

NO. 7

DEPT.: City Council

DATE: June 10, 2015

CONTACT: Mayor Joseph A. Sack

**AGENDA ITEM:** Public Hearing to amend local law Chapter 133, "Noise", of the Rye City Code by amending Section §133-8, "Construction work restricted to certain hours and days" to set a moratorium on mechanical rock removal.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER 133

SECTION 8

**RECOMMENDATION:** That the Council hold a Public Hearing to set a moratorium on mechanical rock removal.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** The Rock Chipping Study Group has been formulating a set of recommendations which will be presented to the City Council including limits on duration of rock chipping, establishing a permit process, better notice to neighbors, increased restrictions on hours and adding additional holidays when rock chipping would be prohibited and alternate technologies for rock removal.

While the Rock Chipping Study Group finalizes their recommendation, the City Council seeks to issue a moratorium on any rock chipping that will last more than 30 days. The City Council is asked to hold a Public Hearing to establish the moratorium.

CITY OF RYE

LOCAL LAW NO. \_\_ OF 2015

A Local Law adopting a six (6) month moratorium in the City of Rye temporarily prohibiting Mechanical Rock Removal or use of explosives within the City of Rye for more than a total of thirty (30) consecutive calendar days for the duration of this moratorium from the day that Mechanical Rock Removal or the use of explosives begins.

WHEREAS, the extended period of Mechanical Rock Removal and the use of explosives in the City can pose, among other things, quality of life impacts to the community; and

WHEREAS, in November 2014, the Mayor and City Council formed a Rock Chipping Study Group to study, among other things, whether new or more restrictive limitations should be placed on hours, duration, decibel levels, on-site crushing, and amounts which may be removed, as well as whether greater efforts should be taken to control dust, noise, erosion, and water runoff, and to enhance safety and make recommendations to the Rye City Council of ways to address on a going-forward basis issues raised in City Council meetings concerning rock chipping in Rye; and

WHEREAS, the City Council has determined that it is appropriate to review the City's existing regulations relating to rock excavation to ensure that such activity does not negatively impact the quality of life of its residents and businesses; and

WHEREAS, Mechanical Rock Removal and use of explosives, in the absence of appropriate limitations, may have negative impacts on the City, its residents and the existing businesses; and

WHEREAS, further analysis is needed in order to develop the regulations and mitigation measures for Mechanical Rock Removal and the use of explosives; and

WHEREAS, the City expects that it may require up to six (6) months to engage in the process for developing and considering the aforementioned regulations and mitigation measures.

NOW, THEREFORE, Be It Enacted by the City Council of the City of Rye as follows:

Section 1. Purpose

In order to ensure appropriate limitations on the use of mechanical rock removal and/or the use of explosives, there shall be a moratorium on any mechanical rock removal or use

of explosives in excess of a total of thirty (30) consecutive calendar days during this moratorium period. Any individual who intends to engage in mechanical rock removal or use explosives after this local law is becomes effective shall notify the City Building Department in writing the date such Mechanical Rock Removal or use of explosives will commence.

## Section 2. Authority

This moratorium is enacted by the City Council of the City of Rye pursuant to its authority to adopt local laws under the New York State Constitution Article IX and Municipal Home Rule Law § 10.

## Section 3. Enactment of Moratorium

1. Any individual who intends to engage in Mechanical Rock Removal as defined by §133-8(A) or use explosives in compliance with Chapter 98, Article VII on any property in the City of Rye shall register with the City a least seven (7) calendar days prior to the commencement of such activities.
2. During the period of this moratorium all Mechanical Rock Removal or explosive use shall cease on the 31<sup>st</sup> day after the commencement of such activity.
3. If the owner of the property or the owner's agent: a) commences Mechanical Rock Removal or uses explosives without properly notifying the City Building Department in writing of the commencement date; and/or b) engages in such activity more than thirty (30) consecutive calendar days from the date of commencement shall be guilty of an offense and shall, upon conviction thereof, be subject to a fine of not more than \$1,000, an order to suspend construction work on the site, or by imprisonment not exceeding 15 days, or any combination of such fine, suspension and imprisonment. Each day of Mechanical Rock Removal and/or use of explosives prior to sending in notice of the commencement date or in violation of the thirty (30) day limit shall be construed as a separate offense.

## Section 4. Appeals/waiver

An aggrieved property owner may apply to the City Council for a waiver and the City Council shall have the discretion to grant such waiver. The property owner shall have the burden of demonstrating to the City Council that a wavier is warranted due to substantial hardship and that such substantial hardship was not the result of an act or omission by the property owner.

In granting a waiver, the City Council must find that the waiver will not adversely affect the purpose of this Local Law.

Section 5. Early Termination or Extension of this Local Law

In the event any new Local Law which addresses the substantive issues set forth herein, should be enacted and adopted by the City Council prior to the date that the moratorium imposed by this Local Law expires, then in that event, the moratorium imposed by this Local Law shall expire on the date such new Local Law takes effect in accordance with § 27 of the Municipal Home Rule Law.

In like manner, if more than six (6) months have passed since the implementation of this Local Law, and it shall be determined by a finding of the City Council that an extension of this moratorium is required, then the City Council by resolution, may extend this moratorium for such a period of time as it deems necessary in order to further the purposes of this law up to and including an additional six (6) months from the date of the original expiration of this Local Law.

Section 6. Conflicts with State Statutes and Authority to Supersede

To the extent any provisions of this Local Law are in conflict with or are construed as inconsistent with the provisions of New York State Law, this Local Law shall control.

Section 7. Severability

If any part of this Local Law is deemed by a court of competent jurisdiction to be invalid, such decision shall not affect the validity of the remainder of this Local Law.

Section 8. Effective Date

This Local Law shall take effect on June 17, 2015.



# CITY COUNCIL AGENDA

NO. 8      DEPT.: City Council      DATE: June 10, 2015  
CONTACT: Mayor Joseph A. Sack

**AGENDA ITEM:** Consideration to set a Public Hearing for July 8, 2015 to amend local law Chapter 133, "Noise", of the Rye City Code regarding regulations on mechanical rock removal.

**FOR THE MEETING OF:**  
June 10, 2015  
**RYE CITY CODE,**  
CHAPTER      133  
SECTION      8

**RECOMMENDATION:** That the Council set a Public Hearing to amend Chapter 133 regarding regulations on mechanical rock removal.

**IMPACT:**     Environmental     Fiscal     Neighborhood     Other:

**BACKGROUND:** Recommendations regarding mechanical rock removal will be presented to the City Council including limits on duration of rock chipping, establishing a permit process, better notice to neighbors, increased restrictions on hours and adding additional holidays when rock chipping would be prohibited and alternate technologies for rock removal.





Nick Everett, Chairman  
Martha Monserrate, Vice Chair  
Andy Ball  
Laura Brett  
Barbara Cummings  
Hugh Greechan  
Alfred Vitiello



Planning Department  
1051 Boston Post Road  
Rye, New York 10580  
Tel: (914) 967-7167  
Fax: (914) 967-7185  
www.ryeny.gov

## **CITY OF RYE Planning Commission**

### **Memorandum**

---

To: Rye City Council

From: Rye City Planning Commission

Date: May 5, 2015

Subject: **Advisory Recommendation Regarding a Petition from Old Post Road Associates, LLC to amend the City Zoning Code and Zoning Map to Change the Zoning Designation of a property at 120 Old Post Road from the B-4, Office Building, District to a New RA-6, Active Senior Residence, District.**

As requested, this memorandum provides a recommendation to the Rye City Council regarding the above-referenced matter.

### **Background**

Last fall the applicant submitted to the City Council a petition to change the zoning district of a 7-acre property currently zoned B-4, *Office Building*, District at 120 Old Post Road to a new RA-6, *Active Senior Residence*, District. The petitioner submitted the zoning request in order to advance the construction of a 135-unit age restricted multi-family community. Consistent with City practice, the petition was referred to the Planning Commission for its advisory recommendation. The City Council also declared its intent to be Lead Agency for the environmental review of the application.

At five public meetings since February the Planning Commission has reviewed the petitioner's request and requested supplemental information. All information submitted to the Commission will be repacked into one complete submission to the City Council upon receipt of this memorandum. This memorandum was unanimously adopted by the Planning Commission at its May 5, 2015 meeting.

## **Advisory Recommendation Proposed RA-6, Active Senior Residence, District**

May 5, 2015

Page 2 of 7

### **Existing Permitted and Proposed Uses**

The Commission supports the proposed age-restricted multi-family use based on current and anticipated office market trends, land use compatibility considerations and the balance of potential positive and negative impacts

#### *Market Trends*

The market analysis provided by the petitioner appears to support that there is demand for the age-restricted multi-family housing within the area. The analysis also affirms long-term historic and future challenges to office use.

The existing office building on the property has struggled to find tenants and has remained vacant for many years. The building age and configuration makes it difficult to re-adapt for multi-tenant users, which is how many former single-tenant buildings have been successful in reducing vacancy rates. While it appears that the office vacancy is relatively low in Rye, area market analysis suggests that office buildings continue their multi-year trend of high vacancy rates and flat or declining rents. There does not appear to be any demographic or economic factor on the horizon to reverse this downward trend. There is little new office construction in the region and other area communities such as Rye Brook and Harrison have amended their zoning codes to allow the reprogramming of existing or approved office space to other uses including multi-family residential, retail and private recreational uses. Age-restricted housing serves the growing needs of the aging baby boom generation, which is consistent with regional and national demographic trends.

The Commission notes that petitioner's characterization that the units would serve a "luxury" market (which is a relative term) cannot be guaranteed because zoning cannot legislate minimum rents or housing values. Actual rents could be higher or lower and housing tenure (i.e. rental vs. ownership) could also change and cannot be legislated in a zoning district.

#### *Land Use Compatibility*

The proposed age-restricted multi-family use is not incompatible with surrounding office, medical, institutional and single-family uses. The proposed zoning would create more opportunity for the creation of age-restricted housing and would add to the existing or approved 140 units of senior affordable housing in the nearby RA-5 Districts on Theall Road and Theodore Fremd Avenue. Land use compatibility concerns could be further alleviated by amending the proposed RA-6 District to include some or all of the Planning Commission's recommendations under the *Bulk and Density* section of this memorandum.

## **Advisory Recommendation Proposed RA-6, Active Senior Residence, District**

May 5, 2015

Page 3 of 7

In consideration of the petitioner's request, the City Council should contemplate whether other properties in the area may seek similar requests and whether a change in land use or amenities (such as improvements in the pedestrian network) may be necessary to support the growth in age-restricted housing within the area.

### *Consideration of Impacts*

Potentially beneficial and detrimental impacts of the proposed use must be compared to those associated with the continuation of the existing office building. Office may have lower taxes than other uses, but it also generates relatively low municipal costs and no school-age children costs. On a per square-foot basis office generates higher traffic than the proposed use. Office generates less water, sewer and most other utility use than the proposed use. Office provides Rye residents with the potential to work in the City they reside in, but the proposed use offers an expansion of housing opportunities that the City may desire. The City Council needs to consider a comparison of these and other impacts associated with the maximum permitted development under existing and proposed zoning as it conducts its environmental review as Lead Agency under the State Environmental Quality Review (SEQR).

### School-age Children

Age-restricted housing has no direct impact on school-age children costs and would likely provide an overall fiscal benefit to the City, County and School District budgets. The petitioner has provided a fiscal impact analysis in its submission. Much is noted that the age-restriction required by proposed zoning will not result in any direct impacts on school district costs because there will be no generation of school-age children.

The City should expect, however that there may be an indirect impact of the proposed development on school age generation based on the statements of need represented by the petitioner and its market study. Those indirect costs will be borne as Rye residents housing choices are expanded, which may induce movement in the housing migration cycle. Those households residing in existing single-family homes over age 55 and without children will have the opportunity to move to the petitioner's proposed development within the Rye community, which may be better suited to their housing needs. This type of housing choice is fairly limited in the City. As those single-family "empty nester" homes are sold they may go to households with children. Studies by the Rye City School District show that sellers of single-family homes typically have fewer children than buyers. Though challenging to quantify, this indirect impact on school-age children generation should be considered.

## Advisory Recommendation Proposed RA-6, *Active Senior Residence*, District

May 5, 2015

Page 4 of 7

It is acknowledged that this housing migration could occur independent of whether the petition is approved. For instance, if a similar housing product is offered in another nearby community this too could induce the sale of empty nester single-family homes in the City.

### Fiscal Impact

The existing B-4 District on a 7.01-acre property is very limited in terms of the types and range of permitted uses that are both economically feasible for a property owner and fiscally beneficial to municipal and school district tax revenue. Other permitted uses available on this property include *public recreational uses, public uses, nursery schools (not to exceed 30 children), agricultural uses, railroad passenger station and electric substations, religious uses, and residential care facility uses (limited to care of 10 or fewer disabled persons or persons in need of supervision or juvenile delinquents)*. Given these use restrictions of the existing zoning it's not surprising that the property owner is seeking changes from the City Council to amend the City Zoning Code.

The existing office building is vacant and therefore does not put significant demands on municipal or school district services. However, the vacancy position of the building has resulted in the property owner's successful reduction in property tax. This contributes to a destabilizing tax assessment position and when reductions are successfully secured it requires other tax payers, new revenue sources or service modifications to compensate for lost revenue. Continued vacancy of the office building may result in further future tax reductions.

The existing property pays approximately \$21,500 in City tax and \$80,300 in Rye City School District tax. The RA-6 District offers an opportunity to increase tax revenue and greater tax assessment stability. The petitioner has estimated that the age-restricted rental multi-family project currently under consideration could generate almost \$98,000 in City tax and \$365,000 in Rye City School District tax. The City Council should discuss the potential tax generation on this property and what restrictions might be implemented to prevent or limit future tax certioraris.

### Traffic

Full development under the proposed zoning would generate less peak hour traffic than full office development permitted by existing Zoning.

Vehicle delays and traffic volumes can be high on some area roadways and intersections. Level of service is particularly poor at the Old Post Road/Playland Parkway Access Drive intersections. Interestingly, peak-hour vehicle trips and delays are generally less today than were shown in traffic studies conducted in 2009 and 2013. Certain turning movements have seen increases, which may be

## **Advisory Recommendation Proposed RA-6, Active Senior Residence, District**

May 5, 2015

Page 5 of 7

reduced with potential turning movement restrictions. A traffic signal at congested intersections does not appear to meet the required warrant analysis. There may be opportunities to make traffic improvements to address existing or anticipated traffic challenges.

### **Bulk and Density**

The Commission notes concerns with the increase in overall development density of the proposed zoning as compared to the existing zoning. The proposed zoning would provide for a 166% increase in permitted floor area on the 7.01-acre property. It would also allow for a multi-family development density of 21.78 units per acre. The petitioner has provided a comparison of the unit density of the proposed zoning to other multi-family buildings in the City and similar age-restricted housing in the area. In that analysis they note that Rye Manor on Theall Road has 53 units per acre, Highland Hall has 83 units per acre and Blind Brook Lodge has 51 units per acre. The recently approved 41 units of senior housing at 150 North Street/Theodore Fremd Avenue has 19.8 units per acre. The Commission is sensitive to concerns regarding the proposed bulk and scale of future development under the proposed district. To address these concerns the Commission recommends at a minimum the following adjustments in the proposed RA-6 District standards (see summary in Table 1 attached hereto).

### *Building/Lot Coverage*

The existing B-4 District limits building coverage to 15%. There is no maximum lot coverage in the B-4 District so all at-grade parking is not included in the calculation. The Petitioner represents that the existing total impervious coverage on the property is 44%. Under the proposed RA-6 District there would be no building or lot coverage standard, but there would be a requirement that 80% of all required parking be located below grade in the basement. The Commission supports this requirement since it will reduce the overall lot coverage on the property. If a building coverage standard is desired by the City Council the applicant's current plan requires a building coverage of approximately 35%, which *includes* the portion of the court-yard building with basement parking.

### *Setbacks*

The existing B-4 District requires a minimum building setback of 100 feet from all front, side and rear property lines. The proposed RA-6 District would reduce proposed building setbacks to as little as 25 feet for the rear yard and 40 feet for the side yard and the front yard along Playland Parkway Access Drive. Building height in both the existing and proposed districts would be 45 feet, however there would be a notable increase in overall development potential and an allowance for four stories (within 45 feet) rather than three stories in the B-4 District. Given these bulk increases the Commission recommends that no setback be less than

**Advisory Recommendation Proposed RA-6, Active Senior Residence, District**

May 5, 2015

Page 6 of 7

50 feet and that perimeter landscape screening requirements be added to the proposed RA-6 District.

*Bedroom Mix and Parking*

The Commission recommends that the parking standard be increased from 1.25 spaces per unit rather than 1.5 spaces per unit and that development be limited to one- and two-bedroom units. A higher parking standard is necessary because it is likely that future development have assigned parking spaces, which means sharing of parking is not possible. Giving the nature of the use the Commission would not object to amending the proposed RA-6 District to allow tandem parking.

Attached hereto is a table that summarizes the Planning Commission's recommendations to assist the City Council's continued review of this matter.

## Summary of Planning Commission Recommendations

### Proposed RA-6, Active Senior Residence, District

Zoning Standard	Existing B-4 Office District*	Proposed RA-6 District**	Summary of Planning Comments and Recommendations
Permitted Use	Office	Age-Restricted Multi-Family	<i>Proposed use is acceptable.</i>
Max. Floor Area Ratio	0.3 (or 91,257 s.f.)	0.8 (or 243,936 s.f.)	<i>Represents a 166% increase in maximum permitted development potential, however proposed use would be residential rather than existing office development and is considered acceptable if other recommendations provided below are implemented.</i>
Max. Building Coverage	15%	No max.	<i>A maximum building coverage standard of 35% would meet the project needs of the petitioner. Commission supports the proposed requirement that 80% of required parking be within a basement to reduce overall site coverage.</i>
Min. Lot Area	7 Acre	0	<i>No minimum lot area is proposed however a 2,000 square foot minimum lot area per unit (or 21.78 units per acre) is proposed, which could yield a maximum of 152 units on the property. Planning Commission recommends limiting the unit type to one- and two-bedroom units only.</i>
Min. Lot Width	400 feet	400 feet	
Front Yard Setback	100 feet	100/40 feet	<i>The front yard setback would only apply to the Post Road frontage. The setback from Playland Parkway Access Drive would be considered a side yard setback. The Commission recommends that this setback be increased to not less than 50 feet.</i>
One Side Setback	100 feet	40 feet	<i>Planning Commission recommends that this setback be increased to not less than 50 feet.</i>
Total of Two Yards	200 feet	100 feet	<i>Due to proposed reduction in setbacks and increase in permitted floor area the Planning Commission recommends a new landscape buffer standard.</i>
Rear Yard Setback	100 feet	25 feet	<i>Planning Commission recommends that this setback be increased to not less than 50 feet.</i>
Max. Stories	3	4	<i>Proposed standard is acceptable.</i>
Max. Building Height	45 feet	45 feet	<i>Proposed standard is acceptable.</i>
Required Parking	7 spaces per 10 persons employed at one time.	1.25 spaces/unit	<i>Planning Commission recommends a minimum parking requirement of 1.50 spaces per unit provided that unit type is limited to one- and two-bedroom units only. Tandem parking for residential units should also be allowed.</i>
Min. Floor Area per Unit	N/A	1-BR: 750 s.f. 2-BR: 900 s.f. 3-BR: 1,100 s.f.	<i>Planning Commission finds proposed standard acceptable noting that it meets or exceeds standards for multi-family units in the Zoning Code. Three bedrooms are not recommended.</i>

\*Based on setback requirements for office buildings. Other uses permitted in the B-4 District generally have lesser standards and requirements.

\*\* Based on standards included in applicant's March 4, 2015 submission.

## Proposed Re-zoning of 120 Old Post Road

### Table of Contents

- Ex. 1: Executive Summary Letter prepared by Harfenist Kraut & Perlstein
- Ex. 2: Petition of Old Post Road Associates and Proposed Amended Text of Chapter 197: Zoning
- Ex. 3: Zoning, Land Use and Fiscal Impacts Memorandum prepared by Divney Tung Schwalbe
  - Figures:
    - No. 1: Illustrative Site Plan
    - No. 2: Area Zoning Map
    - No. 3: Existing Zone (B-4) Maximum Build Out
    - No. 4: Proposed Zone (RA-6) Maximum Build Out
    - No. 5: Site Development Analysis – Impervious Conditions
    - No. 6: Building Height Diagram
    - No. 7: Site Section Diagram
    - No. 8: Site Section Diagram – Proposed Building
    - No. 9: Surface parking Alternative
    - No. 10: Area Land Use Map
    - No. 11: Conceptual Rendering – Playland Access Drive
    - No. 12: Conceptual Rendering – Old Post Road
    - No. 13: Conceptual Rendering – Interior Courtyard
- Ex. 4: Full Environmental Assessment Form



- Ex. 5: Westchester County Office Market: Summary Data prepared by Goman & York Property Advisors, LLC
- Ex. 6: Rye Office Market Analysis: 120 Old Post Road prepared by Goman & York Property Advisors, LLC
- Ex. 7: Market Feasibility Analysis of the Rye, NY Market for Active Adult (55+) Housing prepared by Goman & York Property Advisors, LLC
- Ex. 8: Proposed Property Tax Exposure Report prepared by McCarthy Appraisal / Consulting Svc. Inc.
- Ex. 9: Traffic Access & Impact Study prepared by Frederick P. Clark Associates, Inc.

JONATHAN D. KRAUT

DIRECT TEL.: 914-701-0800  
MAIN FAX: 914-701-0808  
[JKRAUT@HKPLAW.COM](mailto:JKRAUT@HKPLAW.COM)

June 3, 2015  
**VIA HAND DELIVERY**

Mayor Joseph Sack and  
Members of the City Council  
1051 Boston Post Road  
Rye, New York 10580

Re: ***Re-zoning of 120 Old Post Road***

Dear Mayor Sack and Members of the City Council:

We represent Old Post Road Associates, LLC (the "Petitioner"), in connection with a Petition for Zone Change, Zoning Map Amendment and Amendment to City of Rye Zoning Ordinance (the "Petition") in connection with the above referenced property (the "Subject Property"). The Petition was referred by you to the Planning Commission for a report and recommendation. The Petition contemplates creating a new zoning district within the City of Rye and re-zoning the Subject Property to an age-restricted (55+) multifamily housing zone (the "Project"). The Petitioner went through a series of meetings with the Planning Commission spanning several months and we understand the Planning Commission has issued a positive report and recommendation concerning the proposed zone change and proposed use of the Subject Property.

As the City Council may recall, the Subject Property is currently improved with a near fully vacant office building. The Petitioner has previously proposed repurposing the Subject Property with a hotel, which was met with large opposition by members of the community. After careful review of market conditions, the Petitioner believes the Project will provide a desirable housing alternative and product that is not currently available within the City of Rye. (See Market Feasibility Analysis attached hereto as Exhibit 7). Specifically, the Project contemplates the development of the Subject Property with an age-restricted luxury residential community for active adults.

The Project would also benefit the City of Rye as a whole by providing a housing alternative for those individuals 55 years and older who are not interested or in need of residing within a retirement community or nursing facility while not causing any increased burden on the expenses of the City of Rye School District due to the age-restricted residency requirements.

# HKP

Simultaneously, if approved, the proposed real estate development would have a very beneficial impact on the property's market tax assessment – which has steadily decreased over the past years due to the erosion in market value of office use generally and the Subject Property specifically. (See Westchester County Office Market Report and Rye Office Market Analysis attached hereto as Exhibits 5 & 6). As set forth in the proposed fiscal impacts information attached hereto, the Project is anticipated to generate a significant increase in property taxes, without any burden on the School District due to the age restriction prohibiting occupancy by any school age children and a de minimis demand for other public services over the current use (See Proposed Property Tax Exposure attached hereto as Exhibit 8).

In addition, as further set forth in the attached reports, the Project would not have any significant adverse environmental or traffic impacts. As is described Traffic Impact and Impact Study, prepared by Frederick P. Clark Associates, Inc. (Exhibit 9), the Project “will result in a significant reduction in site traffic, with a decrease of 82 and 70 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively.” Moreover, as detailed in the Zoning, Land Use and Fiscal Impacts Memorandum prepared by Divney Tung Schwalbe, the Project will reduce impervious surfaces on the site by over 10%.

The Proposed Text Amendments have been modified slightly since the Petition was first submitted to the City Council reflecting some comments and clarifications requested by the Planning Commission. The Petitioner has included a requirement that at least eighty percent (80%) of the required off-street parking be provided in a covered parking structure within the basement of the proposed structure(s). The Proposed Text Amendments also include a maximum density of 2,000 square feet per unit. The Zoning, Land Use and Fiscal Impacts Memorandum (Exhibit 3) contains a density analysis and references other multi-family developments within the City of Rye as well as more recent projects in other municipalities for comparison.

In sum, we believe the proposed zoning change to permit a multi-family development is much more harmonious with the neighborhood than the existing office use, serving as a transition from the single family neighborhood on one side to the office districts on the other. We look forward to presenting this information to the City Council and addressing any comments or questions of the Council or the public. Thank you for your attention to this matter.


Very Truly Yours,

HARFENIST KRAUT & PERLSTEIN LLP

By: 

Jonathan D. Kraut

CITY OF RYE: RYE CITY COUNCIL  
COUNTY OF WESTCHESTER: STATE OF NEW YORK  
-----X



In the Matter of the Application of  
OLD POST ROAD ASSOCIATES, LLC

**PETITION  
FOR ZONE CHANGE,  
ZONING MAP  
AMENDMENT, AND  
AMENDMENT TO  
CITY OF RYE ZONING  
ORDINANCE**


PROPERTY LOCATION:  
120 Old Post Road, Rye, New York  
Sheet 146.13, Block 1, Lot 7  
-----X

Petitioner, OLD POST ROAD ASSOCIATES, LLC, by its attorneys, Harfenist Kraut & Perlstein, LLP, hereby petitions the City Council of the City of Rye for a zone change, a zoning map amendment and an amendment to the City of Rye Zoning Ordinance as follows:

1. Old Post Road Associates, LLC, (hereinafter "Petitioner"), with an address at 120 Old Post Road, Rye, New York 10580, is a Limited Liability Company duly formed and existing under the laws of the State of New York.

SUBJECT PROPERTY

2. The Petitioner is the owner of the subject premises located at 120 Old Post Road, as further set forth in the caption of this Petition (hereinafter the "Property").
3. The Property is a single parcel of approximately 7.0 acres located at the intersection of Old Post Road and Playland Access Drive which is known and designated on the Tax Assessment Map of the City of Rye as Sheet 146.13, Block 1, Lot 7.
4. The Property currently lies wholly within the B-4 (Office Building) Zoning District.



5. The Property is currently improved with a three story office building and related parking infrastructure.
6. The Property has the following uses adjacent to its boundaries: i) the Osborn senior living facility is immediately adjacent to the southwest; ii) single family residences in the R-2 zone are located to the southeast across Old Post Road; iii) Playland Parkway to the northeast; and iv) the WestMed Medical Group facility is located to the northwest.

ZONE CHANGE, ZONING MAP AMENDMENT AND  
AMENDMENT TO ZONING ORDINANCE

7. The Petitioner requests a change in the zoning of the Property, including a zoning map amendment and zoning ordinance text amendment of the Zoning Ordinance of the City of Rye, to rezone the Subject Property from B-4 (Office Building) to a new zone RA-6 (Active Senior Residence District) proposed herein. The Petitioner requests that the relief sought be granted and the zoning map and zoning ordinance of the City of Rye be amended to reflect the relief requested herein.
8. The Petitioner specifically requests that the official zoning map of the City of Rye be redrawn and amended to identify the Subject Premises known and designated on the Tax Assessment Map of the City of Rye, as Sheet 146.13, Block 1, Lot 7 as wholly within the RA-6 Zone as set forth hereinbelow.
9. The Petitioner also specifically requests that the Zoning Code of the City of Rye, Chapter 197: Zoning, Section 197-2: Districts, last amended 6-19-1991 by Local Law No. 13-1991, be further amended. Specifically, the Petitioners request that Section 197-2: Districts, A. Residence Districts, therein be amended to include a new residential district as follows:

*RA-6: Active Senior Residence District – Minimum lot size area per family  
2,000 square feet*

10. Further, the Petitioner specifically requests that the Zoning Code of the City of Rye, Chapter 197: Zoning, Section 197-86: Tables of Regulations: Table A, be amended. Specifically, the Petitioners request that Section 197-86: Tables of Regulations: Table A, Residence Districts – Use Regulations, Column 1: Permitted Main Uses, therein be amended to include as a permitted main use in the RA-6 district the following:

*(1) Apartments for active seniors in an age-restricted development. A building or group of buildings housing three or more families on one lot, subject to the requirements of §197-7 and Table A.*

11. The Petitioner also specifically requests that the Zoning Code of the City of Rye, Chapter 197: Zoning, be amended to include a new Section entitled *Active Senior Residence District*. Specifically, the Petitioners request that this new Section contain the particulars of the design parameters and limitations as set forth on Exhibit A attached hereto.

12. Lastly, the Petitioner specifically requests that the Zoning Code of the City of Rye, Chapter 197: Zoning, Section 197-86: Tables of Regulations: Table A, be amended. Specifically, the Petitioners request that Section 197-86: Tables of Regulations: Table A, Residence Districts – Area Yard, Height and Miscellaneous Regulations, last amended 7-16-03 by Local Law No. 6-2003; be further amended. Specifically, the Petitioners request that a new row for the proposed RA-6 zone be added, an amendment be made to footnote “C” and a new footnote “K” be added to Table A, all as more specifically set forth on Exhibit B attached hereto.

#### FACTS SUPPORTING PETITIONER’S REQUEST

13. The existing office building at the Property has been largely vacant for a significant period of time. As this condition of high vacancy rates for office space is not isolated to the Property but is a macro-trend throughout Westchester and other metropolitan areas the Petitioner is not optimistic on the likelihood of the existing office building becoming reoccupied to a sustainable level. Accordingly, the Petitioner has explored various options for uses at the Property.

14. The Petitioner has noted that with property values continuing to increase in Rye, there is a shortage of independent living accommodations for active adults ages 55 and older who wish to remain in Rye but no longer have the necessity of maintaining the related costs and expense necessarily attendant to home ownership within the City of Rye.
15. The Petitioner believes that due to the unique location and size of the Property, the Property could accommodate a viable alternative for those older individuals seeking alternative housing arrangements in an age-restricted community that does not provide nursing care.
16. The requested amendments to the Zoning Ordinance would not have any adverse impacts on the City of Rye. If this Petition were granted it would not only allow the Property to be redeveloped and put back to a sustainable use, it would also provide an alternative housing opportunity that is not currently being offered within the City of Rye. The redevelopment of the Property would also provide a benefit to the City of Rye by reestablishing the taxable value of the Property for real property tax purposes, which has continued to erode year after year as the Property remains vacant. Furthermore, the redevelopment of the Property in accordance with the residency limitations proposed herein would not create any additional strain on the Rye City School District as the development would expressly prohibit residency of any school age children.

#### SEQRA REVIEW


17. With respect to the environmental procedure and review of this Petition pursuant to Article 8 of the Environmental Conservation Law of the State of New York and Part 617 of the New York Codes, Rules and Regulations promulgated pursuant to the New York State Environmental Quality Review Act, it is respectfully submitted that the requested zoning amendments are consistent with the long range planning goals of the City of Rye and would permit a harmonious use between the Property and the community at large.

18. Petitioner has reviewed all pertinent environmental issues relating to the proposed zone change and has prepared a short form Environmental Assessment Form (EAF) in connection with this application. It is submitted herewith, so as to enable the City Council to take steps necessary to consider, and to issue, a negative declaration pursuant to the New York State Environmental Quality Review Act.

WHEREFORE, it is respectfully requested that this matter be placed on the calendar of the City Council for a hearing and that the relief sought herein be in all respects granted.

Dated: Purchase, New York  
September 5, 2014

Respectfully submitted,

A large, stylized handwritten signature in black ink, appearing to read 'Jonathan D. Kraut', is written over the typed name and address.

Jonathan D. Kraut  
Harfenist Kraut & Perlstein, LLP  
Attorneys for the Petitioner  
2975 Westchester Avenue - Suite 415  
Purchase, New York 10577  
Tel: (914) 701-0800



# PROPOSED TEXT AMENDMENTS TO CHAPTER 197 OF RYE CITY CODE

## § 197-2 Districts

RA-6 Active Senior Residence District – Minimum area per family 2,000 square feet

### § 197-8.1 Active Senior Residence District Regulations

#### A. Limitations on Occupancy.

- (1) The occupancy of residential units within the Active Senior Residence Zone shall be limited to:
  - a) A single person 55 years of age or older;
  - b) Two or three persons, all of whom are 55 years of age or older;
  - c) A married couple, live-in companion, or partner, one of which is 55 years of age or older;
  - d) The surviving spouse of a person 55 years of age or older, provided that the surviving spouse was duly registered as a resident of the development at the time of the elderly person's death;
  - e) One adult 18 years of age or older residing with a person who is 55 years of age or older, provided that said adult is essential to the long-term care of the elderly person as certified by a physician duly licensed in New York State
- (2) Persons under the age of 55 not specifically permitted to be occupants shall not be permitted to be permanent residents of dwelling units. For the purposes of this section, a "permanent resident" shall mean any person who resides within the dwelling for more than three consecutive weeks or in excess of 30 days in any calendar year, or has listed the residence as an abode for any purpose whatsoever, including, but not limited to, enrollment in public or private schools. Temporary occupancy by guests of families shall be permitted, provided that such occupancy does not exceed a total of 30 days in any calendar year.
- (3) Notwithstanding the foregoing, one dwelling unit within the community may be set aside to be occupied by a superintendent or building manager, to which the limitations on occupancy set forth above shall not apply.
- (4) The limitations on occupancy shall be included in the marketing materials for the development as well as within the rules and regulations or terms of any

leases, by-laws or covenants and restrictions for the development. Violations of the limitations on occupancy shall be enforceable by the City of Rye Building Inspector against the owner or lessee or the agent of any of them and shall be punishable by a fine of \$250 per day or by imprisonment not exceeding 15 days, or by both such fine and imprisonment. Exceptions to these regulations shall be granted if any limitations are determined to be in violation of any State or Federal law.

- (5) The Planning Commission shall have the right to require that the owner execute agreements and covenants as it may deem to be required during any site plan approval process as it may reasonably deem to be required to ensure compliance with the stated intent of this section. Said agreements or covenants shall be recorded in the office of the Westchester County Clerk and constitute a covenant running with the land. Such covenant or agreement may be modified or released only as set forth in said covenant or agreement or by the City Council.

#### B. Site Development

- (1) At least eighty percent (80%) of the required parking for the development shall be provided in a covered parking structure within the basement level of the principal structure(s).
- (2) For any corner lot abutting Boston Post Road or Old Post Road, the front lot line of the lot shall be Boston Post Road or Old Post Road for purposes of the applicable front yard setback irrespective of building arrangement. The provisions of § 197-52 shall not apply to properties in the RA-6 zone.
- (3) The provisions of § 197-8.A & C shall not apply to properties in the RA-6 zone.

**§ 197-28 Schedule of Off-Street Parking Requirements**

A. Schedule of parking requirements. Off-street automobile parking facilities shall be provided as follows:

**Number of Spaces per Unit  
(by Parking District)**

<b>Use</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>Unit of Measurement and Conditions</b>
Apartments for active seniors located in RA-6 Districts	1.25	1.25	1.25	Dwelling unit

**§ 197-30 Layout and Location of Off-Street Parking Facilities**

D. In RA-1, RA-2, RA-3, RA-4, RA-5 and RA-6 Districts, no off-street parking facility accessory to apartments or office buildings shall be developed within five feet of any lot line. Required off-street parking facilities accessory to other main uses shall conform to the provisions of Subsection C above.

**§ 197-44 Minimum Residential Floor Area**

E. For dwelling units in apartments or other buildings containing three or more dwelling units in an RA-6 District, the minimum amount of residential floor area in each unit shall be 750 square feet for one bedroom units, 900 square feet for two bedroom units and 1,100 square feet for three bedroom units. Additionally, three-bedroom units must be equipped with at least 1 ½ bathrooms.

**§ 197-86 Tables of Regulations**

**TABLE OF REGULATIONS: TABLE A  
RESIDENCE DISTRICTS – USE REGULATIONS**

**Column 1  
Permitted Main Uses**

RA-6 Districts

- (1) Apartments for active seniors. A detached residence for three or more families or housekeeping units, or a group of buildings housing three or more families on one lot, subject to the requirements of § 197-7 and § 197-8.1.

**TABLE OF REGULATIONS: TABLE A  
RESIDENCE DISTRICTS – USE REGULATIONS**

**Column 2  
Uses Permitted Subject to Additional  
Standards and Requirements  
(Subject to the requirements and provisions of §197-10)**

RA-6 Districts

(Reserved)

**TABLE OF REGULATIONS: TABLE A  
RESIDENCE DISTRICTS – USE REGULATIONS**

**Column 3  
Permitted Accessory Uses  
(Subject to the requirements and provisions of §197-9)**

RA-6 Districts

- (1) Off-street parking facilities, subject to the requirements and provisions of § 197-8.1.
- (2) Other accessory uses or structures customarily incidental to any permitted main use, including active and passive recreational facilities (i.e. fitness center, pool, library, media room, storage areas, etc.) for the use of the residents of the principle structure. Outside storage on land of boats and boat trailers is prohibited.

- (3) The filming of movies, commercials, documentaries, serials, shows, performances or other similar events and activities, including still photography, as regulated in RA-4 Districts.



Westchester County. Most current leasing activity in the market is a result of renewals or extensions and not a result of any positive change in market conditions. *See, Office Market Study.*

The following table summarizes the supply of office space within the City of Rye. The information contained in the chart below was obtained from the City of Rye Tax Assessment Cards. The property list is limited to other office buildings or facilities within the City of Rye and does not include mixed use structures along Purchase Street or elsewhere.

**Table No. 1. Summary of Rye Office Space**

Property	Lot Area (AC) <sup>1</sup>	Floor Area (SF) <sup>1</sup>	Rye Office Space (% of Floor Area)
2 Clinton Avenue	0.79	10,600	1%
14-16 Elm	0.26	19,600	2%
22 Elm	0.26	20,000	2%
150 Purchase Street	0.86	22,245	2%
31 Purchase Street	0.10	10,000	1%
600 Midland Avenue	7.83	30,000	3%
601 Midland Avenue	N/A	173,315	18%
2 Second Street	0.20	15,000	2%
16 School Street	1.61	18,316	2%
1 Theall Road	7	65,000	7%
350 Theodore Fremd Avenue	1.80	34,000	4%
401 Theodore Fremd Avenue	7	59,522	6%
411 Theodore Fremd Avenue	8.2	150,946	16%
555 Theodore Fremd Avenue	13.02	165,592	17%
511 Theodore Fremd Avenue	7.53	90,080	9%
<b>120 Old Post Road</b>	<b>7.01</b>	<b>76,000</b>	<b>8%</b>

<sup>1</sup>Data obtained through City of Rye Tax Assessment Cards and confirmed with City of Rye GIS.

With increasing vacancy rates throughout the Rye area along with decreasing rents and the abundance of available office space, re-occupancy under existing market conditions appears highly challenging and doubtful. With regard to the Property, the existing structure is configured primarily as an open plan headquarters building. This configuration places the building in a highly uncompetitive market position since the majority of office leasing activity is focused upon smaller spaces. As a result of these market conditions and the continued vacancy of the building the tax assessment of the property has been reduced by over fifty percent (50%).

On some similar properties, the conversion costs have been determined to be prohibitive and the building has been torn down as a result. However, conversions of underutilized office space have occurred or are proposed on sites in the general vicinity of the Property. Examples include the development of LifeTime Fitness Center and a proposed residential development at 103-105 Corporate Park Drive in Harrison, as well as a recent application for a residential development at the Reckson Executive Park in Rye Brook. As set forth in greater detail in the attached Market Feasibility Analysis prepared by Goman & York Property Advisors, LLC, dated November 2014 (“Market Feasibility Analysis”), an age-restricted, luxury residential community is a viable repurposing of the Site and would offer a housing alternative that is not available within the City of Rye.

## **ZONING AND LAND USE CONDITIONS**

### **Zoning**

The Project Site contains 7.0 acres located north of Old Post Road and west of Playland Access Drive in the City of Rye. It is located within the B-4 office building zone, and is bordered by the R-3 residential district to the northeast, the R-2 residential district to the southeast and southwest, and the B-4 district extends to the north and west. See Figure No. 2, *Area Zoning Map*. In the project area, the R-4 and R-5 districts lie further to the south, with the RA-1 and RA-5 districts lying further to the north and southwest respectively.

The B-4 zone is designated as an “Office Building District” with a minimum area requirement of 7 acres. Permitted main uses in the B-4 zone are “Nonresidence main uses permitted in the R-2 Districts and as limited therein.” However, there are no “nonresidence” main uses permitted in the R-2 district (i.e. the only permitted main use in the R-2 district are single family residences). Therefore, while there are special exception uses, in essence there are no permitted main uses allowed in the B-4 zone.

The uses permitted subject to additional standards and requirements (i.e. special permit uses) in the B-4 zone are:

- a) Office buildings
- b) Educational uses (requires a minimum of 10 acres)
- c) Public recreational uses
- d) Private recreational uses (requires a minimum of 7.5 acres)
- e) Extension of welfare uses (operated by nonprofits in existence or which had a permit before January 1, 1958)
- f) Public uses
- g) Nursery schools (not to exceed 30 children)
- h) Agricultural uses (i.e. nurseries, truck gardens, greenhouses and similar agricultural uses)
- i) Railroad passenger stations and electric substations
- j) Temporary real estate offices in connection with a subdivision containing 10 or more lots
- k) Religious headquarters offices (requires a minimum of 20 acres)
- l) Religious uses
- m) Residential care facility uses (limited to care of 10 or fewer disabled persons or persons in need of supervision or juvenile delinquents)

In sum, outside of the existing use of the Subject Property as an office building there are virtually no other permitted or special permit uses allowed in the B-4 zone for which the Site could be expected to yield a reasonable return.

### **The Proposed Action**

The City currently permits multi-family residences in the following districts:

1. RT – Two Family District
2. RA-1 – Garden Apartment District



3. RA-2, 3, and 4 – Apartment House Districts
4. RA-5 – Apartment District for Senior Citizens and Handicapped Persons
5. RFWP – Residential Floodplain and Wetlands Preservation

The RA-5 is the only district in Rye that currently restricts residential occupancy for senior citizens, and it is intended for housing developments that are undertaken by private nonprofit sponsors with public financial assistance. Therefore, its dimensional regulations are generally more permissive than the current standards for apartment buildings in other districts (e.g., a maximum height of 4 stories compared to 2.5, and a maximum F.A.R. of 1.0 compared to .40-.50). While the proposed age-restricted housing district would allow for less restrictive dimensional standards than most multi-family districts in the City, it would be more restrictive than the RA-5. See Table No. 2, *Existing and Proposed Multi-Family Zoning Districts and Bulk Regulations*, attached at the end of this memo.

The proposed dimensional and use regulations are generally consistent with similar districts across the region. See Table No. 3, *Bulk Characteristics of Regional Active Adult Zoning Districts*. The proposed yard dimensions and maximum building height would either be consistent with existing zoning or more restrictive than in comparable districts, requiring them to be greater than average. Alternatively, the proposed lot area and FAR would be less restrictive than in the comparable districts. However, these regulations would be offset by the Action's requirement for underground parking, which would minimize surface coverage and preserve open green space on the site. For example, as applied to the Project Site, these regulations maintain building and surface coverage rates that are below the minimum requirements for every comparable district at 22% and 33% of the site area respectively. By maintaining lower rates of surface coverage, it is the applicant's belief that this requirement will help preserve a desirable community character for both residents of the Proposed Project and its neighbors.

The proposed off-street parking provision of 1.25 spaces per dwelling unit is based on the supply ratio from the Institute of Transportation Engineers (ITE) *Parking Generation*, Land Use 252 – Senior Adult Housing, as well as characteristics of the Project's target market<sup>1</sup>. While ITE rates indicate that a ratio of 1 space per dwelling unit is sufficient for residences with active seniors, the 0.25 fractional spaces would accommodate facility staff, visitors, or some residents who may wish to maintain more than one vehicle. These provisions are consistent with the comparable districts' range of .75 to 2 spaces per unit as indicated in Table 3.

It is the Applicant's opinion that these proposed standards are appropriate based on the district's age restriction, as it would permit housing for a sector of the population that would not create any additional strain on the Rye City School District.

### ***Existing and Proposed Conditions***

The existing office building on the Project Site is compliant with both use and bulk regulations in the B-4 Zoning District with potential for further as-of-right expansion. The following compares the Site's current dimensional characteristics to the limits of its existing zoning, and to the corresponding conditions in the Proposed Zoning and the Proposed Project. These characteristics are also illustrated in Table No. 4, *120 Old Post Road - Existing and Proposed Zoning Districts*, Figure No. 3, *Existing Zone*

---

<sup>1</sup> Institute of Transportation Engineers, *Parking Generation*, 4<sup>th</sup> Edition, 2010

(B-4) *Max. Build Out* and Figure No. 4, *Proposed Zone (RA-6) Max Build Out*, attached at the end of this report.

Lot Area

As a nonresidential use, the existing B-4 zoning district requires a 7-acre minimum lot area, with which the Property is compliant at approximately 7.01 acres. The proposed use would be residential, and therefore lot area would be measured per family or equivalent rather than minimum acreage. The Proposed Zoning district would require 2,000 square feet of lot area per family, permitting a maximum of approximately 152 units.

Floor Area Ratio and Lot Coverage

As described below in Table No. 5, *Floor Area Ratio and Lot Coverage*, the existing building on the Property has approximately 75,000 square feet of floor area, and a Floor Area Ratio (FAR) of 0.25. Under these existing conditions, the site has approximately 25,000 square feet of building coverage and 240 parking spaces, for approximately 135,400 square feet of total lot coverage (approximately 44% of the lot area). Existing zoning permits a maximum FAR of 0.3, indicating the potential for as-of-right expansion of approximately 16,000 square feet of floor area. Under full build out conditions, there would be approximately 8,000 additional square feet of building coverage and approximately 105 additional parking spaces would be required, increasing the total lot coverage to approximately 58%.

The Proposed RA-6 Zoning District would permit an FAR of 0.8, or approximately 244,500 square feet of floor area on the Property. Therefore, full build out of the Property under Proposed Zoning would permit approximately 75,000 square feet of building coverage at maximum height, and underground parking would be required for a total lot coverage of approximately 108,600 square feet (approximately 36% of the lot area). This is the maximum FAR and coverage that would be permitted on the Property in the Proposed Action. Therefore, under Proposed Zoning, total site coverage would be reduced by approximately 27,000 square feet from what the existing zone permits. See Figure No. 5, *Site Development Analysis – Impervious Coverage*, attached at the end of this memo.

**Table No. 5. Floor Area Ratio and Lot Coverage**

	Maximum FAR	Maximum Floor Area	Building Coverage (SF / Percent of Lot Area)	Lot Coverage (SF / Percent of Lot Area)
<b>Existing Office Building – B-4</b>	0.25	76,000 SF	28,000 / 9%	135,400 / 44%
<b>Potential Office Build-out – B-4</b>	0.30	91,500 SF	36,600 / 12%	176,200 / 58%
<b>Proposed Zoning – RA-6</b>	0.80	244,500 SF	75,300 / 25%	108,650 / 36%

As described above, the increased FAR and building coverage under Proposed Zoning is offset by the requirement of underground parking, which preserves approximately two-thirds of the site as open green space, to be attractively landscaped and maintain the existing character of the community. As described below in the Surface Parking Alternative, if underground parking is

not required by zoning, potential coverage rates would be more than double the rate in the Proposed Project. See Table No. 5, *Floor Area Ratio and Lot Coverage*.

*Yard Dimensions*

As described below in Table No. 6, *Minimum Yard Dimensions*, the existing office building meets the minimum yard dimensions for the front and one side yard at 100 feet each. The total of the two current side yards, however, is 300 feet, which exceeds the 200-foot minimum that is required. The current rear yard is approximately 290’, also in excess the 100-foot minimum that is required. In short, existing zoning would permit building expansion into one side or the rear yard area.

Under Proposed Zoning, yard dimensions would either be maintained from the existing zone or adjusted to be greater than or equal to dimensions in the City’s other multi-family districts, as described above. The front yard dimension would be maintained at 100 feet. One side yard would be 40 feet, and the total of the two side yards would be 100 feet. The rear yard, which abuts the parking area of a commercial property in the case of the Project Site, would be 25 feet. The yard dimensions in the Proposed Project would be generally more conservative than the minimum requirements permitted in the Proposed Action.

**Table No. 6, *Minimum Yard Dimensions***

	<b>Front Yard</b>	<b>One Side Yard</b>	<b>Total of Two Side Yards</b>	<b>Rear Yard</b>
<b>Existing Office Building (B-4)</b>	100’	100’	300’	290’
<b>Potential Office Build-out (B-4)</b>	100’	100’	200’	100’
<b>Proposed Zoning (RA-6)</b>	100’	40’	100’	25’

*Building Height*

The existing building is 40 feet in height over three stories. Current zoning would maintain the three-story limit, but would permit a building 45 feet in height.

Proposed zoning would maintain the existing 45-foot height limit, with an increase from three to four stories. The increase in stories corresponds with the change in use, as typical residential buildings have a smaller distance between stories than office buildings. Although the Project Site does not contain steep slopes, there is a gradual but significant change in ground elevation from approximately 50 feet at the southeast corner to approximately 100 feet at the northwest. The Proposed Project has been designed to accommodate this topography with the average height being maintained as the elevation changes. See Figure No. 6, *Building Height Diagram*, Figure No. 7, *Site Section Diagram*, and Figure No. 8, *Site Section Diagram – Proposed Building*.

***Multi-Family Housing Mass and Density Analysis***

Table No. 7 below summarizes the building mass and density characteristics of comparable multi-family residence developments in the City of Rye. These sites are located in different zoning districts and may be subject to different permits or restrictions, but are intended to provide a point of comparison for the scales of mass and density that exist within the City’s multi-family residence developments. Aerial and street-level imagery for each property is provided at the end of this memo.

The proposed development of the Project Site would be less intense from a bulk and density perspective than all but The Osborn.

**Table No. 7, Summary of Comparable Properties in Rye**

Property	Lot Area (AC)	Floor Area (SF)	FAR	Units	Density (Units/Acre)	Height		Yard			Parking	
						Feet	Stories	Front	Side	Rear	Spaces	Spaces/Unit
Rye Manor <sup>1</sup>	1.9	71,000	0.86	100	53	50'	4	95'	30'/50'	30'	34	0.34
The Osborn <sup>1</sup>	55.9	N/A	N/A	377	7	N/A	5	160'	160'	160'	484	1.28
Highland Hall <sup>2</sup>	1.23	86,153	1.61	102	83	N/A	4	30'	5'	15'	0	0
Blind Brook Lodge <sup>2</sup>	2.7	134,401	1.14	137	51	N/A	6	30'	5'	30'	76	0.55
<b>120 Old Post Road</b>												
Proposed Zoning	7.01	244,500	0.80	152	21	45'	4	100'	40'/100'	25'	168	1.25
Proposed Project	7.01	222,500	0.73	135	19	45'	4	100'	100'/200'	25'	205	1.51

<sup>1</sup>Data obtained through City of Rye Site Plan Approval Records and confirmed with City of Rye GIS.

<sup>2</sup>Data obtained through the City of Rye Tax Assessment Cards and confirmed with City of Rye GIS.

Below, Table No. 8 summarizes the building mass and density characteristics of comparable multi-family developments in other municipalities in the region. As noted in the table, these properties may have different classifications than the Proposed Project, but the figures below are for their residential components. Available imagery for each property is provided at the end of this memo. The proposed development of the Project Site is generally less intense from a bulk and density perspective than these other projects, except for The Ambassador which is an assisted living facility.

**Table No. 8, Summary of Comparable Properties in Other Municipalities**

Property	Lot Area (AC)	Floor Area (SF)	FAR	Units	Density (Units/Acre)	Height		Yard			Parking	
						Feet	Stories	Front	Side	Rear	Spaces	Spaces/Unit
The Cambium, Larchmont <sup>1</sup>	2.94	222,075	1.17	186	63	75'	6	15'	15'	15'	267	1.44
Christie Place, Scarsdale <sup>2</sup>	1.73	105,500	1.4	42	24	46'	4	N/A	N/A	N/A	67	1.6
The Ambassador, Scarsdale <sup>3</sup>	6.98	119,779	0.4	115	16.7	N/A	3	40'	25'	30'	43	0.37
<b>120 Old Post Road</b>												
Proposed Zoning	7.01	244,500	0.80	152	21	45'	4	100'	40'/100'	25'	168	1.25
Proposed Project	7.01	222,500	0.73	135	19	45'	4	100'	100'/200'	25'	205	1.51

<sup>1</sup> Mixed use development; Data obtained through City of Mamaroneck Site Plan Approval Records and Westchester County GIS

<sup>2</sup> Mixed use development; Data obtained from Scarsdale Town Planner and As-Built Survey.

<sup>3</sup> Assisted living facility; Data obtained from Scarsdale Town Planner and As-Built Survey.

### ***Surface Parking Alternative***

The Applicant has contemplated an alternative plan in which surface level parking would be permitted in lieu of the requirement for structured, subterranean parking. See Figure No. 9, *Surface Parking Alternative*. With the same dimensional constraints that the Proposed Action would permit, this alternative would have an approximate FAR of 0.8, and building coverage of approximately 60,000 square feet. The surface parking area would cover approximately 118,000 square feet for total lot coverage of 178,000 square feet (58% of the total lot area). In order to provide parking spaces at the ratio required in the Proposed Action, the series of four-story buildings shown in Figure 9 would also require more permissive setbacks than the Action proposes.

Although surface parking would likely save construction costs, significant impacts to stormwater management and visual resources could be anticipated in this alternative. Potential lot coverage rates would be nearly double what the Proposed Action would permit, and this alternative would limit the Applicant's ability to provide a site-sensitive design with an attractive landscape plan and adequate stormwater management facilities. This alternative illustrates the crucial role that subterranean parking would play in the Proposed Action's ability to preserve open green space, maintain community character, and minimize lot coverage. In sum, the applicant believes that this alternative would lead to a less desirable outcome for residents of the Project and the neighboring community, and requiring underground parking will help to mitigate these impacts.

### ***Land Use***

The Project Site is bordered by Playland Access Drive to the northeast with access to Playland Parkway located at the Site's northeast corner. Old Post Road forms the southeast border with single family homes extending south and east of the Project Site, and to the north and east beyond Playland Parkway. The Site is also adjacent to The Osborn retirement community to the southwest, and WESTMED Medical Group's Rye office to the northwest. Additional office uses extend north and south of the Project Site, with additional multi-family residences to the southwest and north along Theall Road. In the larger context, the Project Site is located at the edge of an office district, with a variety of different land uses in the area which are generally characterized by single and multi-family residences, office buildings, institutional and public assembly spaces, cemeteries, public parks and parkway lands, nature preserves, and vacant land. See Figure No. 10, *Area Land Use Map*.

We believe the age-restricted luxury rental apartment building would provide an ideal transition between the residential community and office building district. It would also complement the scale and use characteristics of The Osborn as a multi-family residential community for senior citizens, while diversifying housing options in Rye specifically for active adults who do not require nursing care but no longer have the necessity of maintaining the costs of home ownership. See Figures 11, 12, and 13, *Conceptual Renderings*.

The City of Rye's Development Plan was adopted in 1985, and intended to guide land use decisions in the City through the year 2000<sup>2</sup>. Although the Plan describes a "great pressure in Westchester County in recent years to build corporate office buildings [... which] has led to pressure from builders for the

---

<sup>2</sup> City of Rye, NY. *City of Rye 1985 Development Plan*. Adopted April 23, 1985.

rezoning of Rye land from residential to commercial,” the Plan acknowledges that it “is not a static document to be followed without regard to changing conditions.” As previously stated, such conditions in the office market have changed significantly since the Plan’s adoption. However, the Proposed Action is consistent with the Plan’s goals and policies related to residential development as follows:

*II.1 Residential Development, Goal 4 – Provide an opportunity for the development of housing of various types, sizes, and costs to meet the needs of people at various stages in the life cycle, income, age levels, and household compositions, without compromising the integrity of Rye’s single family residential areas.*

Consistent with the Development Plan’s goal, the Proposed Action would provide an opportunity for living accommodations in Rye in a way that is not currently regulated in the Zoning Ordinance. It would address what the Plan identifies as “an increasing need to provide housing for senior citizens who are no longer able to (or wish to) maintain a home,” with a viable alternative for those older individuals seeking alternative housing arrangements who are able to remain active and independent.

Further, the Proposed Project’s location near the office buildings and major roadways is identified in the plan as highly desirable for redevelopment with higher density multi-family residences. Located within the Post Road Residential/ Institutional Area, its vicinity was “envisioned as a mixed use area blending in with the surrounding residential areas. Permitted uses would be a variety of residential uses and densities.” Therefore, it is expected that the project would enhance the integrity of the adjacent single family residential area by providing an added buffer of residential use between it and the office building district, with an aesthetic style that would complement the adjacent single family community as well as The Osborn.

## **FISCAL IMPACTS**

### ***Property Taxes***

The Project Site is subject to real property taxation by the City or Rye, the Rye City School District, Westchester County, and special benefit assessments for Westchester County (e.g., sewer and solid waste special districts). The project site currently has a full market value for assessment purposes of \$7,492,146. The City’s equalization rate is 1.91%, which results in an assessed value of \$143,100. The 2014 tax rates for the taxing jurisdictions are presented below in Table No. 9, *120 Old Post Road Current Tax Bill*.

The Project Site is currently occupied by one office tenant. As indicated above, the property has an assessed value of \$143,000. The existing tax generation from the site is provided below in Table No. 9, below.

**Table No. 9, 120 Old Post Road Current Tax Bill**

<i>Equalization Rate: 1.91%</i>				
	<b>Tax Rate (per \$1,000 value)</b>	<b>2014 Market Value Valuation</b>	<b>2014 Assessed Value</b>	<b>Tax Bill</b>
City of Rye	\$ 150.38	\$ 7,492,146	\$ 143,100	\$ 21,519
Rye School District	\$ 561.33	--	--	\$ 80,327
Westchester County	\$ 187.92	--	--	\$ 26,891
Refuse Disposal District	\$ 17.61	--	--	\$ 2,519
Blind Brook Sewer	\$ 29.68	--	--	\$ 4,248
<b>Total Tax Rate (Rye School District)</b>	<b>\$ 946.93</b>	<b>\$ 7,492,146</b>	<b>\$ 143,100</b>	<b>\$ 135.504</b>
<i>2014 numbers were obtained from the Westchester County Government's published Property Tax Rates and 2014 City of Rye Adopted Tax Rate.</i>				

As further detailed in the attached Proposed Property Tax Exposure Report prepared by McCarthy Appraisal / Consulting Svc. Inc. dated January 9, 2014, the Project could be anticipated to have a future market value for assessment purposes of approximately \$34,000,000, resulting in an approximate assessed value of \$650,414. This would obviously be a marked increase over the existing tax base. The details of this increase on the tax roll are set forth in Table No. 10, below.

**Table No. 10, 120 Old Post Road Anticipated Tax Bill based on 2014 Tax Rates**

<i>Equalization Rate: 1.91%</i>				
	<b>Tax Rate (per \$1,000 value)</b>	<b>Anticipated Market Value Valuation</b>	<b>Anticipated Assessed Value</b>	<b>Approx. Tax Bill</b>
City of Rye	\$ 150.38	\$ 34,053,067	\$ 650,414	\$ 97,809
Rye School District	\$ 561.33	--	--	\$ 365,096
Westchester County	\$ 187.92	--	--	\$ 122,225
Refuse Disposal District	\$ 17.61	--	--	\$ 11,453
Blind Brook Sewer	\$ 29.68	--	--	\$ 19,310
<b>Total Tax Rate (Rye School District)</b>	<b>\$ 946.93</b>	<b>\$ 34,053,067</b>	<b>\$ 650,414</b>	<b>\$ 615,896</b>
<i>2014 numbers were obtained from the Westchester County Government's published Property Tax Rates and 2014 City of Rye Adopted Tax Rate.</i>				

In total, the Project is anticipated to produce an increase of approximately \$480,000 in tax total tax revenue. Perhaps most significantly, as the Project will be an age-restricted residential community there will be no additional burden on the Rye City School District caused by the Project, while generating approximately \$280,000 in additional School Taxes.

**Service Costs**

The Subject Property is a located within the City of Rye, and is presently served by the Rye Police Department, Rye Fire Department, Rye Public Works, and the Port Chester-Rye-Rye Brook

Volunteer Ambulance Corps. The existing and potential fiscal impacts of community services for its current and proposed land use have been considered by analyzing the Property within the context of all properties in Rye that receive these services. Based on 2014 tax rates, the Property currently has a full market value of \$7.5 million, and an assessed value of \$143,100. As per the City of Rye Annual Budget adopted for 2014, the City’s total assessed value was \$165,669,516. Therefore, the Property currently accounts for approximately 0.09% of the value of City property that is currently covered by the City’s services. As indicated above with regard to property taxes, the Proposed Action would permit residential use on the Property, and the resulting project would have an anticipated assessed value of \$650,414. Based on the methodology above, the Project’s anticipated portion of the City’s assessed value would be 0.39%.

It is the applicant’s opinion that this change in use for an existing developed property represents such a small portion of the overall property to be served, and therefore no significant adverse impacts would be anticipated for overall departmental operations or City budgeting. As per Tables 9 and 10 above, the Property’s 2014 tax bill for the City of Rye taxes was \$21,519, and with the Proposed Project it would be approximately \$97,809. Table 11 below outlines the applicable service costs that could potentially increase from the existing to the proposed conditions, their portion of the 2014 Combined Operating budget, and how those same portions could be applied to the existing and proposed bills for City taxes.

**Table No. 11, City of Rye Operating Budget, Services and 120 Old Post Road City Tax Bill**

			Existing Tax Bill	Proposed Tax Bill
<b>Combined Operating Budget</b>	<b>\$ 50,371,169</b>	<b>100%</b>	<b>\$ 21,519</b>	<b>\$ 97,809</b>
Police Services	\$ 9,214,601	18%	\$ 3,873	\$ 17,606
Fire Department	\$ 4,993,909	10%	\$ 2,152	\$ 9,781
Emergency Medical Services	\$ 221,748	0.4%	\$ 86	\$ 391
Sanitation Services	\$ 3,934,282	8%	\$ 1,722	\$ 7,824
Senior Adult Programs	\$ 8,600	0.1%	\$ 22	\$ 98

It should be noted that some City services are generally supported as pay for use services, and as such would not increase the City budget. Based on information described in the 2014 City Budget, emergency medical services are provided by a contract service agency using their own facilities, equipment, supplies and staff, and are costs that are typically charged to the individual seeking services. In addition, senior adult programs are part of the City’s culture and recreation services, and typically charge participants for various programs, realizing revenue that exceeds the Budget’s allocated cost. Overall, even if minor costs were incurred as a result of the change in use of the property, the anticipated increased revenue from City taxes as described above would likely exceed these costs.

**Police and EMS Service Calls**

The following table summarizes calls made to the Rye Police Department from 2010 to 2013, from the Rye Manor apartments, located at 300 Theall Road in Rye. Rye Manor was selected for this analysis because it is the only other age-restricted multi-family residence development in Rye. As noted in the table, calls are categorized by their respective CFS codes, with the exception of calls classified as “other,” which represents calls received in low volumes across various categories. Calls classified as



“other” include reports of missing persons, hit and run accidents, larceny, property damage, disorderly conduct, city code violations, illegally parked vehicles, flood conditions, unattended deaths, noise complaints, requests to assist other police departments, and hang-ups.

**Table No. 12, *Summary of Police Service Calls from 300 Theall Road***

RMS CFS Code <sup>1</sup>	2010	2011	2012	2013
Ambulance Request – CFS.013	28	22	19	12
Aided Case – CFS.012	20	18	13	17
Assist Citizen – CFS.014	12	21	11	8
Are You Ok Resident Check – CFS.246	18	11	1	2
Other	6	10	6	5
<b>Total Police Service Calls per Year</b>	<b>84</b>	<b>82</b>	<b>50</b>	<b>44</b>

<sup>1</sup>City of Rye Police Department, Incident Search Result Report for 300 Theall Rd, Rye NY, obtained from Rye City Planner.

## **CONCLUSION**

As described above, the existing office building at the Property has been mostly vacant for a significant period of time. As this condition is not isolated to the Property but is a macro-trend throughout Westchester County and other metropolitan areas, re-occupancy by substantial office use would be highly challenging and unlikely.

The Proposed Action would not only allow the property to be redeveloped and put back to sustainable use, it would also provide a housing opportunity that is not currently being offered within the City of Rye and would further reestablish the taxable value of the Property for real property tax purposes, which has continued to erode as the property has remained vacant. Furthermore, the Proposed Project would not create any additional strain on the Rye City School District as the development would expressly prohibit school age children from residing in the development. Therefore, it is the Applicant’s view that the Proposed Action and Project present a reasonable and logical alternative for the potentially valuable and underutilized Property while at the same time achieving the goal of providing a diverse housing stock within the City of Rye in a form that is not currently available.

Table No. 2. Existing and Proposed Multi-Family Zoning Districts & Bulk Regulations

4	5	6	7	8			9			10	11	12	13		14		15	16
				Minimum Yard Dimensions (feet)	Front <sup>(b)</sup>	One Side <sup>(b)(e)</sup>	Total of Two Side Yards	Rear <sup>(b)</sup>	Specified Distance (feet) as required in Column 2 (Uses)				Maximum Height (stories)	Maximum Height (feet)	One-Story Accessory Structures	Minimum Distance to Side Lane		
District	Use	Maximum Ratio of Floor Area to Lot Area <sup>(f)</sup>	Minimum Size of Lot (AC or SF) per a. Family or Equity, <sup>(g)</sup> or b. Nonresidential Use							Minimum Width (feet) [See § 197-36]	Minimum Yard Dimensions (feet)	Specified Distance (feet) as required in Column 2 (Uses)					Maximum Height (stories)	Maximum Height (feet)
				RA-1	Single-family house	0.40	5,000	50	25				8	20	30	40		
Two-family house	0.40	5,000	60		25	8	20	30	--	2.5	35	30%	5					
RA-2	Apartment house	0.40	5,000 <sup>(e)</sup>	100	70	50	100	50	--	2.5	35	30%	10					
	Single-family house	0.45	5,000	50	25	8	20	50	30	2.5	35	30%	5					
RA-3	Two-family house	0.45	3,500	60	25	8	20	50	--	2.5	35	30%	5					
	Apartment house	0.45	3,500 <sup>(e)</sup>	100	25	20	50	40	--	2.5	35	30%	10					
RA-4	Single-family house	0.50	5,000	50	25	8	20	30	20	2.5	35	35%	5					
	Two-family house	0.50	3,000	60	25	8	20	30	--	2.5	40	35%	5					
RA-5	Apartment house	0.50	2,500 <sup>(e)</sup>	80	25	20	40	40	--	2.5 <sup>(f)</sup>	35 <sup>(f)</sup>	35%	10					
	Apartment house for senior citizens and handicapped persons	1.00	1 AC	80	25		40	40	--	4	50	35%	10					
<b>RA-6</b>	<b>Apartments for active senior citizens</b>	<b>0.8</b>	<b>2,000</b>	<b>400</b>	<b>100</b>	<b>40</b>	<b>100</b>	<b>25</b>	<b>--</b>	<b>4</b>	<b>45</b>	<b>35%</b>	<b>10</b>					

- (a) Equivalent to one (1) family in computing minimum lot sizes:
- [1] Hotels and lodging houses, each two (2) guest sleeping rooms.
  - [2] Hospitals and similar institutions, each two (2) hospital beds.
  - [3] Medical offices, each two (2) doctors plus three (3) other employees.
  - [4] Other nonresidential main uses not specifically provided for in this Table of Regulations or elsewhere in Chapter 197, each one thousand five hundred (1,500) square feet of floor space.
- (b) [1] Whenever a required yard abuts a street less than fifty (50) feet in width, the minimum yard dimension(s) shall be measured from a line of twenty-five (25) feet from parallel to the center line of said street.
- [2] No building shall be nearer than one hundred (100) feet to center line of Post Road between Mamanock town line and Central Avenue.
- (c) For corner lots, corner side yards at least one fifth (1/5) of the lot width at the location of the building, but need not be more than front yard minimum, except as provided in § 197-62. Permitted nonresidential main uses shall have minimum side yard one and one half (1 1/2) times width specified for a single-family house (See § 197-52).
- (d) Twenty-five (25) feet for any side yard containing a driveway serving more than six (6) parking spaces. For a one-, two-, or three-family structure existing on effective date of Chapter 197 (August 9, 1956) and proposed for conversion for up to four (4) families, the Board of Appeals may reduce side yard requirement to eight (8) feet. For side yard requirements for other apartments, see See § 197-54. For spacing between buildings on the same lot, see § 197-70. For the rear and side yards of apartment houses adjoining the right-of-way of a railroad, a parkway or a limited access highway, see § 197-64.
- (e) For usable open space requirement, see § 197-68.
- (f) For buildings in variable height apartment groups (a use permitted in RA-4 Districts subject to additional standards and requirements), see § 197-13.
- [g,h,i omitted]
- (i) See § 197-43.1 for floor area ratio reductions for single-family residences on oversized properties in one-family districts.

**Table No. 3. Bulk Characteristics of Regional Active Adult Zoning Districts**

Municipality	Maximum Ratio of Floor Area to Lot Area	Maximum Dwelling Units	Lot Building Coverage (%)	Lot Surface Coverage (%)	Required Parking Spaces Per Unit	Minimum Size of Lot (A/C)	Minimum Width (feet)	Minimum Yard Dimensions (feet)				Maximum Height (feet)	
								Front	One Side	Total of Two Side Yards	Rear		
<b>Rye</b>	<b>0.8</b>	<b>21/A/C</b>	<b>--</b>	<b>--</b>	<b>1.25</b>	<b>2,000 sq' min</b>	<b>125</b>	<b>100</b>	<b>40</b>	<b>100</b>	<b>25</b>	<b>4</b>	<b>45</b>
Garnett <sup>1</sup>	--	8/A/C	35%	--	1.5	5	125	40	--	--	--	2	40
Massapequa Park <sup>2</sup>	--	25/A/C	35%	--	1.5	2.5	--	25	25/35	50/70	25/50	2.5	30
Newburgh <sup>3</sup>	--	--	30%	80%	2	3	100	60	30	60	40	--	35
North Greenbush <sup>4</sup>	--	20/A/C	40%	--	1.4	2	--	40	40	80	40	Existing	Existing
Smithtown <sup>5</sup>	0.25	--	--	--	0.75	10	200	60	60	120	60	2.5	35

1 Values based on Proposed Project and not proposed zoning standard. Values used for comparison purposes.  
 2 Village of Ameryville, NY, Chapter 183 Zoning, Article X 196C (Planned Adult Community) Residential District.  
 3 Town of Carmel, NY, Chapter 156 Zoning, Section 39 Senior Citizens Multifamily Dwellings.  
 4 Village of Massapequa Park, NY, Chapter 334 Zoning, Article VII Golden Age District.  
 5 Town of Newburgh, NY, Chapter 185 Zoning, Section 48 Senior Citizen Housing.  
 6 Town of North Greenbush, NY, Chapter 197 Zoning, Article XV Senior Citizen Housing District.  
 7 Town of Smithtown, NY, Chapter 322 Zoning, Article VII Retirement Community District.

Table No. 4. 120 Old Post Road - Existing and Proposed Zoning Districts

Zoning Compliance & Maximum Site Build Out	B-4 <sup>1</sup>		RA-6					
	Existing Office Building	Zoning-Compliant Maximum Build Out	Active Senior Residence District	Proposed Apartment House				
Maximum Floor Area Ratio	0.25	0.3	0.8	0.73				
Minimum Size of Lot per a. Family or Equiv. or b. Nonresidential Use	7 AC	7 AC	2,000 SF	2,280				
Minimum Yard Dimensions (feet)								
Front	200'	100'	100'	100'				
One Side	100'	100'	40'	100'				
Total of Two Side Yards	390'	200'	100'	125'				
Rear	100'	100'	25'	25'				
Maximum Height								
Stories	3	3	4	4				
Feet	40'	45'	45'	45'				
Parking Requirement <sup>2</sup> (approx.)	240 Spaces	345 Spaces	1.25 Spaces/ Unit	205 Spaces (168 req.)				
<b>Project Development Analysis</b>	SF	% Coverage	SF	% Coverage	SF <sup>4</sup>	% Coverage <sup>4</sup>	SF	% Coverage
Total Building Floor Area	75,000	0.25	91,600	0.30	244,260	0.80	222,500	0.73
Total Impervious Coverage	135,400	44%	176,200	58%	108,650	36%	100,150	33%
Building Footprint	28,000	9%	36,600	12%	75,300	25%	66,800	22%
Paved Area	107,400	35%	139,600	46%	33,350	11%	33,350	11%

1 City of Rye, Chapter 197 "Zoning," Art. 2  
 2 Based on § 197-28 "Schedule of off-street parking requirements," which provides 7 spaces per 10 people employed or intended to be employed in office buildings or other permitted uses in the B-4 District. Parking ratio for maximum build out conditions is estimated at 3.8/1000 SF  
 3 Potential build out conditions are estimated using existing conditions and are prorated by F.A.R. regulations.  
 4 Coverage calculations are based on the lot area of the Project Site, which is approximately 7.01 acres or 305,322 square feet.



**ILLUSTRATIVE SITE PLAN**

**120 OLD POST ROAD**

**RYE, NY**



AW15AR-06-11022015 (revised 6/22/16)




**DWYER • TANG • SCHWABE**  
 Landscape Architects  
 1000 Old Post Road  
 Rye, NY 10580  
 914.339.8800  
 www.dtschwa.com



**FIGURE NO. 1**



AREA ZONING MAP  
120 OLD POST ROAD  
CITY OF RYE, NEW YORK



**PROPOSED TWO STORY  
ADDITION  
AREA = 16,596 GSF**

9 ADDITIONAL  
PARKING

24 (38-14)  
ADDITIONAL  
PARKING

44 ADDITIONAL  
PARKING

14 ADDITIONAL  
PARKING

14 ADDITIONAL  
PARKING

**Existing Zoning (B-4)**

**Max. Build Analysis**

FAR: 0.30  
Max. Floor Area: 91,596 sf  
Site Area ~ 305,322 sf

Total Building Area: 91,596 sf  
Existing Building: 75,000 sf  
Proposed Addition: 16,596 sf  
(Two story @ 8,250 sf per floor)

**Parking Summary**  
Existing ~ 240 Spaces  
Proposed: 105 Spaces  
Total ~ 345 Spaces  
Parking Ratio ~ 3.8/1000

**EXISTING ZONE (B-4) MAX. BUILD OUT**

120 OLD POST ROAD  
RYE, NY

AMF16A 06 - 3/2/2015 (revised 5/2/2015)



DIVNEY • TUNG • SCHWALBE  
ARCHITECTS  
1000 WEST 125th STREET  
ROSELAND, NJ 07068  
TEL: 201-992-8888  
WWW.DTSAS.COM




**PROPOSED THREE STORY  
ADDITION**  
AREA = 7,500 GSF

**PROPOSED TWO STORY  
ADDITION**  
AREA = 7,000 GSF

**PROPOSED THREE STORY  
ADDITION**  
AREA = 7,257 GSF

**ORIGINAL CONCEPTUAL  
DESIGN BUILDING  
FOOTPRINT**  
AREA = 222,500 GSF  
(three and four story)



**Proposed Zoning (RA-6)**

**Max. Build Analysis**

FAR: 0.80  
Max. Floor Area: 244,257  
Site Area ~ 305,322 sf

**Building Area Summary**  
Original Concept: 222,500 sf  
Max. Build Additions: 21,757 sf  
Total Building Area: 244,257 sf

**Parking Summary**  
Covered ~ 190 Spaces  
Surface ~ 15 Spaces  
Total ~ 205 Spaces

**PROPOSED ZONE (RA-6) MAX. BUILD OUT**

120 OLD POST ROAD  
RYE, NY

FIGURE NO. 4




DAVNEY • TUNG • SCHWABE  
ARCHITECTS LLP  
1000 WEST 10TH STREET  
SUITE 200  
DENVER, CO 80202  
TEL: 303.733.8800  
WWW.DTSCHWABE.COM




AMERICAN - 3/21/2011, REVISED 6/2/2015






**Existing Site (B-4)**  
 Building Footprint ~ 27,935 sf  
 Paved Areas ~ 107,418  
 Total Impervious ~ 135,353  
 Site Area ~ 305,322  
 % Impervious ~ 44.33%



**Max. Build Analysis (B-4)**  
 Building Footprint ~ 36,505 sf  
 Paved Areas ~ 139,616  
 Total Impervious ~ 176,121  
 Site Area ~ 305,322  
 % Impervious ~ 57.68%



**Max. Build Analysis (RA-6)**  
 Building Footprint ~ 75,315 sf  
 Paved Areas ~ 33,347  
 Total Impervious ~ 108,662  
 Site Area ~ 305,322  
 % Impervious ~ 35.59%


**SITE DEVELOPMENT ANALYSIS - IMPERVIOUS CONDITIONS**

120 OLD POST ROAD  
 RYE, NY




DWYER • TUNG • SCHWALBE  
 ARCHITECTS  
 1000 WEST 10TH STREET  
 SUITE 200  
 NEW YORK, NY 10011  
 TEL: 212-692-1200  
 FAX: 212-692-1201





**KEY PLAN**



**BUILDING HEIGHT DIAGRAM**



**FIGURE NO. 6**

**120 OLD POST ROAD  
RYE, NY**  
JUN 11/2015 - 1/12/2015 - REVISED 6/2/2015



**DIVNEY • TUNG • SCHWABE**  
ARCHITECTS  
1100 Park Avenue  
New York, NY 10028  
Tel: 212.692.1200  
Fax: 212.692.1201  
www.divneytung.com





**SITE SECTION DIAGRAM**

**120 OLD POST ROAD  
RYE, NY**



**DWYER • LING • SCHWABER**  
ARCHITECTS  
1110 WEST 17TH STREET  
NEW YORK, NY 10011  
212.250.8800






RA-6 Density Study

Zoning Regulations

Lot Area	304,920	RA-6
Maximum F.A.R	0.8	Req. Proposed
Site Maximum Allowed	243,936	240,000
Min. Yard Dimensions (Feet)		
Front	70	70
One Side	70	70
Total of Two Sides	140	140
Rear	40	40
Maximum Height		
Stories	4	4
Feet	50	45
Parking	2	per unit
Max. Parking (per unit above)	294	

Proposed Density Study	
Building Area (Gross)	240,000 gross sf
Area per floor (4 Story)	60,000 \$/floor
Efficiency Factor	25%
Net Area for Units	180,000
Average net area/unit	1,220
Total estimated units	147,541
Proposed Units	148
Parking Required	295,082
Proposed Parking	294
Impervious Coverage	177,928 58.4%
Building Footprint	60,000 19.7%
Paved Surfaces	117,928 38.7%



SITE PLAN - SURFACE PARKING ALTERNATIVE


120 OLD POST ROAD  
 RYE, NY

DWYER • TUNG • SCHWABE  
 ARCHITECTS LLP  
 100 WEST STREET  
 RYE, NY 10580  
 TEL: 914.934.8800  
 WWW.DTSNY.COM



AWP1546-01-1112-2017-TRN0049-2-2015

FIGURE NO. 9



AREA LAND USE MAP  
 120 OLD POST ROAD  
 CITY OF RYE, NEW YORK

0 150 300

Divney • Tunc • Schwab  
 ENGINEERS



CONCEPTUAL RENDERING - VIEW FROM PLAYLAND ACCESS DRIVE

120 OLD POST ROAD


RYE, NY

ARTWORK BY: 1-12-2015 6-2-2015



**DINERY • TUNG • SCHWABE**  
ARCHITECTS  
200 WEST 10TH STREET  
NEW YORK, NY 10011  
TEL: 212 691 1000  
WWW.DINERYTUNGSCHWABE.COM





VIEW FROM RESIDENTIAL OFF OLD POST ROAD

## CONCEPTUAL RENDERING - VIEW FROM OLD POST ROAD

120 OLD POST ROAD

RYE, NY

ARTIST'S CONCEPT - 1/12/2016, REVISED 4-3-16



**DWYER • TUNG • SCHWABE**  
ARCHITECTS  
100 WEST STREET  
NEW YORK, NY 10014  
TEL: 212.691.1100







VIEW OF INTERIOR COURTYARD

**CONCEPTUAL RENDERING - VIEW OF INTERIOR COURTYARD**

120 OLD POST ROAD  
 RYE, NY

AWT/SAR/DB, 11/2/2015 REVISED 6-2-2015



**DINNY • TANG • SCHWABE**  
 Landscape Architects  
 1000 Old Post Road  
 Rye, NY 10583  
 P: 914.933.8888  
 F: 914.933.8889



**Full Environmental Assessment Form  
Part 1 - Project and Setting**

**Instructions for Completing Part 1**

**Part 1 is to be completed by the applicant or project sponsor.** Responses become part of the application for approval or funding, are subject to public review, and may be subject to further verification.

Complete Part 1 based on information currently available. If additional research or investigation would be needed to fully respond to any item, please answer as thoroughly as possible based on current information; indicate whether missing information does not exist, or is not reasonably available to the sponsor; and, when possible, generally describe work or studies which would be necessary to update or fully develop that information.

Applicants/sponsors must complete all items in Sections A & B. In Sections C, D & E, most items contain an initial question that must be answered either "Yes" or "No". If the answer to the initial question is "Yes", complete the sub-questions that follow. If the answer to the initial question is "No", proceed to the next question. Section F allows the project sponsor to identify and attach any additional information. Section G requires the name and signature of the project sponsor to verify that the information contained in Part 1 is accurate and complete.

**A. Project and Sponsor Information.**

Name of Action or Project: Rezoning of 120 Old Post Road		
Project Location (describe, and attach a general location map): 120 Old Post Road, City of Rye, Westchester County		
Brief Description of Proposed Action (include purpose or need): Rezoning of the property at 120 Old Post Road for an age-restricted, multi-family residential development.		
Name of Applicant/Sponsor: Old Post Road Associates LLP c/o Harfenist Kraut & Perlstein LLP		Telephone: 914-701-0800 E-Mail: jkraut@hkplaw.com
Address: 2975 Westchester Ave, Suite 415		
City/PO: Purchase	State: New York	Zip Code: 10577
Project Contact (if not same as sponsor; give name and title/role):		Telephone: E-Mail:
Address:		
City/PO:	State:	Zip Code:
Property Owner (if not same as sponsor):		Telephone: E-Mail:
Address:		
City/PO:	State:	Zip Code:

**B. Government Approvals**

<b>B. Government Approvals, Funding, or Sponsorship.</b> (“Funding” includes grants, loans, tax relief, and any other forms of financial assistance.)		
<b>Government Entity</b>	<b>If Yes: Identify Agency and Approval(s) Required</b>	<b>Application Date (Actual or projected)</b>
a. City Council, Town Board, or Village Board of Trustees <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
b. City, Town or Village Planning Board or Commission <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
c. City Council, Town or Village Zoning Board of Appeals <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
d. Other local agencies <input type="checkbox"/> Yes <input type="checkbox"/> No		
e. County agencies <input type="checkbox"/> Yes <input type="checkbox"/> No		
f. Regional agencies <input type="checkbox"/> Yes <input type="checkbox"/> No		
g. State agencies <input type="checkbox"/> Yes <input type="checkbox"/> No		
h. Federal agencies <input type="checkbox"/> Yes <input type="checkbox"/> No		
i. Coastal Resources. <ul style="list-style-type: none"> <li>               i. Is the project site within a Coastal Area, or the waterfront area of a Designated Inland Waterway? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No             </li> <li>               ii. Is the project site located in a community with an approved Local Waterfront Revitalization Program? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No             </li> <li>               iii. Is the project site within a Coastal Erosion Hazard Area? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No             </li> </ul>		

**C. Planning and Zoning**

<b>C.1. Planning and zoning actions.</b>	
Will administrative or legislative adoption, or amendment of a plan, local law, ordinance, rule or regulation be the only approval(s) which must be granted to enable the proposed action to proceed? <ul style="list-style-type: none"> <li>• <b>If Yes</b>, complete sections C, F and G.</li> <li>• <b>If No</b>, proceed to question C.2 and complete all remaining sections and questions in Part 1</li> </ul>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<b>C.2. Adopted land use plans.</b>	
a. Do any municipally- adopted (city, town, village or county) comprehensive land use plan(s) include the site where the proposed action would be located? If Yes, does the comprehensive plan include specific recommendations for the site where the proposed action would be located?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
b. Is the site of the proposed action within any local or regional special planning district (for example: Greenway Brownfield Opportunity Area (BOA); designated State or Federal heritage area; watershed management plan; or other?) If Yes, identify the plan(s): _____ _____ _____	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
c. Is the proposed action located wholly or partially within an area listed in an adopted municipal open space plan, or an adopted municipal farmland protection plan? If Yes, identify the plan(s): _____ _____ _____	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

**C.3. Zoning**

a. Is the site of the proposed action located in a municipality with an adopted zoning law or ordinance.  Yes  No  
 If Yes, what is the zoning classification(s) including any applicable overlay district?  
 B-4 Office Building District

b. Is the use permitted or allowed by a special or conditional use permit?  Yes  No

c. Is a zoning change requested as part of the proposed action?  Yes  No  
 If Yes,  
 i. What is the proposed new zoning for the site? RA-6 Apartments for Active Senior Citizens

**C.4. Existing community services.**

a. In what school district is the project site located? City of Rye

b. What police or other public protection forces serve the project site?  
 City of Rye

c. Which fire protection and emergency medical services serve the project site?  
 City of Rye

d. What parks serve the project site?  
 Project Site is adjacent to Playland Parkway Lands and approximately 1/4 mile from Rye Nature Center.

**D. Project Details**

**D.1. Proposed and Potential Development**

a. What is the general nature of the proposed action (e.g., residential, industrial, commercial, recreational; if mixed, include all components)? Residential

b. a. Total acreage of the site of the proposed action? \_\_\_\_\_ 7 acres  
 b. Total acreage to be physically disturbed? \_\_\_\_\_ 7 acres  
 c. Total acreage (project site and any contiguous properties) owned or controlled by the applicant or project sponsor? \_\_\_\_\_ 7 acres

c. Is the proposed action an expansion of an existing project or use?  Yes  No  
 i. If Yes, what is the approximate percentage of the proposed expansion and identify the units (e.g., acres, miles, housing units, square feet)? % \_\_\_\_\_ Units: \_\_\_\_\_

d. Is the proposed action a subdivision, or does it include a subdivision?  Yes  No  
 If Yes,  
 i. Purpose or type of subdivision? (e.g., residential, industrial, commercial; if mixed, specify types)  
 \_\_\_\_\_  
 ii. Is a cluster/conservation layout proposed?  Yes  No  
 iii. Number of lots proposed? \_\_\_\_\_  
 iv. Minimum and maximum proposed lot sizes? Minimum \_\_\_\_\_ Maximum \_\_\_\_\_

e. Will proposed action be constructed in multiple phases?  Yes  No  
 i. If No, anticipated period of construction: \_\_\_\_\_ months  
 ii. If Yes:  
 • Total number of phases anticipated \_\_\_\_\_  
 • Anticipated commencement date of phase I (including demolition) \_\_\_\_\_ month \_\_\_\_\_ year  
 • Anticipated completion date of final phase \_\_\_\_\_ month \_\_\_\_\_ year  
 • Generally describe connections or relationships among phases, including any contingencies where progress of one phase may determine timing or duration of future phases: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

f. Does the project include new residential uses?  Yes  No  
 If Yes, show numbers of units proposed.

	<u>One Family</u>	<u>Two Family</u>	<u>Three Family</u>	<u>Multiple Family (four or more)</u>
Initial Phase	_____	_____	_____	_____
At completion	_____	_____	_____	_____
of all phases	_____	_____	_____	135

g. Does the proposed action include new non-residential construction (including expansions)?  Yes  No  
 If Yes,  
 i. Total number of structures \_\_\_\_\_  
 ii. Dimensions (in feet) of largest proposed structure: \_\_\_\_\_ height; \_\_\_\_\_ width; and \_\_\_\_\_ length  
 iii. Approximate extent of building space to be heated or cooled: \_\_\_\_\_ square feet

h. Does the proposed action include construction or other activities that will result in the impoundment of any liquids, such as creation of a water supply, reservoir, pond, lake, waste lagoon or other storage?  Yes  No  
 If Yes,  
 i. Purpose of the impoundment: \_\_\_\_\_  
 ii. If a water impoundment, the principal source of the water:  Ground water  Surface water streams  Other specify: \_\_\_\_\_  
 iii. If other than water, identify the type of impounded/contained liquids and their source. \_\_\_\_\_  
 iv. Approximate size of the proposed impoundment. Volume: \_\_\_\_\_ million gallons; surface area: \_\_\_\_\_ acres  
 v. Dimensions of the proposed dam or impounding structure: \_\_\_\_\_ height; \_\_\_\_\_ length  
 vi. Construction method/materials for the proposed dam or impounding structure (e.g., earth fill, rock, wood, concrete): \_\_\_\_\_

**D.2. Project Operations**

a. Does the proposed action include any excavation, mining, or dredging, during construction, operations, or both? (Not including general site preparation, grading or installation of utilities or foundations where all excavated materials will remain onsite)  Yes  No  
 If Yes:  
 i. What is the purpose of the excavation or dredging? \_\_\_\_\_  
 ii. How much material (including rock, earth, sediments, etc.) is proposed to be removed from the site?  
 • Volume (specify tons or cubic yards): \_\_\_\_\_  
 • Over what duration of time? \_\_\_\_\_  
 iii. Describe nature and characteristics of materials to be excavated or dredged, and plans to use, manage or dispose of them. \_\_\_\_\_  
 iv. Will there be onsite dewatering or processing of excavated materials?  Yes  No  
 If yes, describe. \_\_\_\_\_  
 v. What is the total area to be dredged or excavated? \_\_\_\_\_ acres  
 vi. What is the maximum area to be worked at any one time? \_\_\_\_\_ acres  
 vii. What would be the maximum depth of excavation or dredging? \_\_\_\_\_ feet  
 viii. Will the excavation require blasting?  Yes  No  
 ix. Summarize site reclamation goals and plan: \_\_\_\_\_

b. Would the proposed action cause or result in alteration of, increase or decrease in size of, or encroachment into any existing wetland, waterbody, shoreline, beach or adjacent area?  Yes  No  
 If Yes:  
 i. Identify the wetland or waterbody which would be affected (by name, water index number, wetland map number or geographic description): \_\_\_\_\_

ii. Describe how the proposed action would affect that waterbody or wetland, e.g. excavation, fill, placement of structures, or alteration of channels, banks and shorelines. Indicate extent of activities, alterations and additions in square feet or acres:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

iii. Will proposed action cause or result in disturbance to bottom sediments?  Yes  No  
 If Yes, describe: \_\_\_\_\_

iv. Will proposed action cause or result in the destruction or removal of aquatic vegetation?  Yes  No  
 If Yes:

- acres of aquatic vegetation proposed to be removed: \_\_\_\_\_
- expected acreage of aquatic vegetation remaining after project completion: \_\_\_\_\_
- purpose of proposed removal (e.g. beach clearing, invasive species control, boat access): \_\_\_\_\_
- proposed method of plant removal: \_\_\_\_\_
- if chemical/herbicide treatment will be used, specify product(s): \_\_\_\_\_

v. Describe any proposed reclamation/mitigation following disturbance: \_\_\_\_\_

---

c. Will the proposed action use, or create a new demand for water?  Yes  No  
 If Yes:

i. Total anticipated water usage/demand per day: \_\_\_\_\_ 16,250 gallons/day

ii. Will the proposed action obtain water from an existing public water supply?  Yes  No  
 If Yes:

- Name of district or service area: United Water
- Does the existing public water supply have capacity to serve the proposal?  Yes  No
- Is the project site in the existing district?  Yes  No
- Is expansion of the district needed?  Yes  No
- Do existing lines serve the project site?  Yes  No

iii. Will line extension within an existing district be necessary to supply the project?  Yes  No  
 If Yes:

- Describe extensions or capacity expansions proposed to serve this project: \_\_\_\_\_
- Source(s) of supply for the district: \_\_\_\_\_

iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Yes  No  
 If Yes:

- Applicant/sponsor for new district: \_\_\_\_\_
- Date application submitted or anticipated: \_\_\_\_\_
- Proposed source(s) of supply for new district: \_\_\_\_\_

v. If a public water supply will not be used, describe plans to provide water supply for the project: \_\_\_\_\_

N/A

vi. If water supply will be from wells (public or private), maximum pumping capacity: \_\_\_\_\_ N/A gallons/minute.

---

d. Will the proposed action generate liquid wastes?  Yes  No  
 If Yes:

i. Total anticipated liquid waste generation per day: \_\_\_\_\_ 14,775 gallons/day

ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial; if combination, describe all components and approximate volumes or proportions of each): \_\_\_\_\_  
Sanitary Discharge

iii. Will the proposed action use any existing public wastewater treatment facilities?  Yes  No  
 If Yes:

- Name of wastewater treatment plant to be used: Blind Brook Wastewater Treatment Facility
- Name of district: Blind Brook
- Does the existing wastewater treatment plant have capacity to serve the project?  Yes  No
- Is the project site in the existing district?  Yes  No
- Is expansion of the district needed?  Yes  No

Yes  No  
 Yes  No

• Do existing sewer lines serve the project site?  
 • Will line extension within an existing district be necessary to serve the project?  
 If Yes:  
 • Describe extensions or capacity expansions proposed to serve this project: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

iv. Will a new wastewater (sewage) treatment district be formed to serve the project site?  Yes  No  
 If Yes:  
 • Applicant/sponsor for new district: \_\_\_\_\_  
 • Date application submitted or anticipated: \_\_\_\_\_  
 • What is the receiving water for the wastewater discharge? \_\_\_\_\_  
 v. If public facilities will not be used, describe plans to provide wastewater treatment for the project, including specifying proposed receiving water (name and classification if surface discharge, or describe subsurface disposal plans):  
 N/A \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

vi. Describe any plans or designs to capture, recycle or reuse liquid waste: \_\_\_\_\_  
 N/A \_\_\_\_\_  
 \_\_\_\_\_

e. Will the proposed action disturb more than one acre and create stormwater runoff, either from new point sources (i.e. ditches, pipes, swales, curbs, gutters or other concentrated flows of stormwater) or non-point source (i.e. sheet flow) during construction or post construction?  Yes  No  
 If Yes:  
 i. How much impervious surface will the project create in relation to total size of project parcel?  
 \_\_\_\_\_ Square feet or \_\_\_\_\_ acres (impervious surface)  
 \_\_\_\_\_ Square feet or \_\_\_\_\_ acres (parcel size)  
 ii. Describe types of new point sources. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 iii. Where will the stormwater runoff be directed (i.e. on-site stormwater management facility/structures, adjacent properties, groundwater, on-site surface water or off-site surface waters)?  
 \_\_\_\_\_  
 \_\_\_\_\_  
 • If to surface waters, identify receiving water bodies or wetlands: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 • Will stormwater runoff flow to adjacent properties?  Yes  No

iv. Does proposed plan minimize impervious surfaces, use pervious materials or collect and re-use stormwater?  Yes  No

f. Does the proposed action include, or will it use on-site, one or more sources of air emissions, including fuel combustion, waste incineration, or other processes or operations?  Yes  No  
 If Yes, identify:  
 i. Mobile sources during project operations (e.g., heavy equipment, fleet or delivery vehicles)  
 \_\_\_\_\_  
 ii. Stationary sources during construction (e.g., power generation, structural heating, batch plant, crushers)  
 \_\_\_\_\_  
 iii. Stationary sources during operations (e.g., process emissions, large boilers, electric generation)  
 \_\_\_\_\_  
 \_\_\_\_\_

g. Will any air emission sources named in D.2.f (above), require a NY State Air Registration, Air Facility Permit, or Federal Clean Air Act Title IV or Title V Permit?  Yes  No  
 If Yes:  
 i. Is the project site located in an Air quality non-attainment area? (Area routinely or periodically fails to meet ambient air quality standards for all or some parts of the year)  Yes  No  
 ii. In addition to emissions as calculated in the application, the project will generate:  
 • \_\_\_\_\_ Tons/year (short tons) of Carbon Dioxide (CO<sub>2</sub>)  
 • \_\_\_\_\_ Tons/year (short tons) of Nitrous Oxide (N<sub>2</sub>O)  
 • \_\_\_\_\_ Tons/year (short tons) of Perfluorocarbons (PFCs)  
 • \_\_\_\_\_ Tons/year (short tons) of Sulfur Hexafluoride (SF<sub>6</sub>)  
 • \_\_\_\_\_ Tons/year (short tons) of Carbon Dioxide equivalent of Hydrofluorocarbons (HFCs)  
 • \_\_\_\_\_ Tons/year (short tons) of Hazardous Air Pollutants (HAPs)

h. Will the proposed action generate or emit methane (including, but not limited to, sewage treatment plants, landfills, composting facilities)?  Yes  No

If Yes:

i. Estimate methane generation in tons/year (metric): \_\_\_\_\_

ii. Describe any methane capture, control or elimination measures included in project design (e.g., combustion to generate heat or electricity, flaring): \_\_\_\_\_

---

i. Will the proposed action result in the release of air pollutants from open-air operations or processes, such as quarry or landfill operations?  Yes  No

If Yes: Describe operations and nature of emissions (e.g., diesel exhaust, rock particulates/dust): \_\_\_\_\_

---

j. Will the proposed action result in a substantial increase in traffic above present levels or generate substantial new demand for transportation facilities or services?  Yes  No

If Yes:

i. When is the peak traffic expected (Check all that apply):  Morning  Evening  Weekend  
 Randomly between hours of \_\_\_\_\_ to \_\_\_\_\_.

ii. For commercial activities only, projected number of semi-trailer truck trips/day: \_\_\_\_\_

iii. Parking spaces: Existing 240 Proposed 186 Net increase/decrease -54

iv. Does the proposed action include any shared use parking?  Yes  No

v. If the proposed action includes any modification of existing roads, creation of new roads or change in existing access, describe:  
 N/A \_\_\_\_\_

---

vi. Are public/private transportation service(s) or facilities available within 1/2 mile of the proposed site?  Yes  No

vii. Will the proposed action include access to public transportation or accommodations for use of hybrid, electric or other alternative fueled vehicles?  Yes  No

viii. Will the proposed action include plans for pedestrian or bicycle accommodations for connections to existing pedestrian or bicycle routes?  Yes  No

---

k. Will the proposed action (for commercial or industrial projects only) generate new or additional demand for energy?  Yes  No

If Yes:

i. Estimate annual electricity demand during operation of the proposed action: \_\_\_\_\_

ii. Anticipated sources/suppliers of electricity for the project (e.g., on-site combustion, on-site renewable, via grid/local utility, or other): \_\_\_\_\_

iii. Will the proposed action require a new, or an upgrade to, an existing substation?  Yes  No

---

l. Hours of operation. Answer all items which apply.

<p>i. During Construction:</p> <ul style="list-style-type: none"> <li>• Monday - Friday: _____</li> <li>• Saturday: _____</li> <li>• Sunday: _____</li> <li>• Holidays: _____</li> </ul>	<p>ii. During Operations:</p> <ul style="list-style-type: none"> <li>• Monday - Friday: _____</li> <li>• Saturday: _____</li> <li>• Sunday: _____</li> <li>• Holidays: _____</li> </ul>
--	---



m. Will the proposed action produce noise that will exceed existing ambient noise levels during construction, operation, or both?  Yes  No

If yes:

i. Provide details including sources, time of day and duration: \_\_\_\_\_

ii. Will proposed action remove existing natural barriers that could act as a noise barrier or screen?  Yes  No  
Describe: \_\_\_\_\_

---

n. Will the proposed action have outdoor lighting?  Yes  No

If yes:

i. Describe source(s), location(s), height of fixture(s), direction/aim, and proximity to nearest occupied structures:  
To be determined

ii. Will proposed action remove existing natural barriers that could act as a light barrier or screen?  Yes  No  
Describe: Vegetation and Landscape Screening

---

o. Does the proposed action have the potential to produce odors for more than one hour per day?  Yes  No  
If Yes, describe possible sources, potential frequency and duration of odor emissions, and proximity to nearest occupied structures: \_\_\_\_\_

---

p. Will the proposed action include any bulk storage of petroleum (combined capacity of over 1,100 gallons) or chemical products 185 gallons in above ground storage or any amount in underground storage?  Yes  No

If Yes:

i. Product(s) to be stored \_\_\_\_\_

ii. Volume(s) \_\_\_\_\_ per unit time \_\_\_\_\_ (e.g., month, year)

iii. Generally describe proposed storage facilities: \_\_\_\_\_

---

q. Will the proposed action (commercial, industrial and recreational projects only) use pesticides (i.e., herbicides, insecticides) during construction or operation?  Yes  No

If Yes:

i. Describe proposed treatment(s): \_\_\_\_\_

ii. Will the proposed action use Integrated Pest Management Practices?  Yes  No

---

r. Will the proposed action (commercial or industrial projects only) involve or require the management or disposal of solid waste (excluding hazardous materials)?  Yes  No

If Yes:

i. Describe any solid waste(s) to be generated during construction or operation of the facility:

- Construction: \_\_\_\_\_ tons per \_\_\_\_\_ (unit of time)
- Operation : \_\_\_\_\_ tons per \_\_\_\_\_ (unit of time)

ii. Describe any proposals for on-site minimization, recycling or reuse of materials to avoid disposal as solid waste:

- Construction: \_\_\_\_\_
- Operation: \_\_\_\_\_

iii. Proposed disposal methods/facilities for solid waste generated on-site:

- Construction: \_\_\_\_\_
- Operation: \_\_\_\_\_

s. Does the proposed action include construction or modification of a solid waste management facility?  Yes  No

If Yes:

i. Type of management or handling of waste proposed for the site (e.g., recycling or transfer station, composting, landfill, or other disposal activities): \_\_\_\_\_

ii. Anticipated rate of disposal/processing:

- \_\_\_\_\_ Tons/month, if transfer or other non-combustion/thermal treatment, or
- \_\_\_\_\_ Tons/hour, if combustion or thermal treatment

iii. If landfill, anticipated site life: \_\_\_\_\_ years

---

t. Will proposed action at the site involve the commercial generation, treatment, storage, or disposal of hazardous waste?  Yes  No

If Yes:

i. Name(s) of all hazardous wastes or constituents to be generated, handled or managed at facility: \_\_\_\_\_

\_\_\_\_\_

ii. Generally describe processes or activities involving hazardous wastes or constituents: \_\_\_\_\_

\_\_\_\_\_

iii. Specify amount to be handled or generated \_\_\_\_\_ tons/month

iv. Describe any proposals for on-site minimization, recycling or reuse of hazardous constituents: \_\_\_\_\_

\_\_\_\_\_

v. Will any hazardous wastes be disposed at an existing offsite hazardous waste facility?  Yes  No

If Yes: provide name and location of facility: \_\_\_\_\_

\_\_\_\_\_

If No: describe proposed management of any hazardous wastes which will not be sent to a hazardous waste facility: \_\_\_\_\_

\_\_\_\_\_

**E. Site and Setting of Proposed Action**

**E.1. Land uses on and surrounding the project site**

a. Existing land uses.

i. Check all uses that occur on, adjoining and near the project site.

Urban  Industrial  Commercial  Residential (suburban)  Rural (non-farm)

Forest  Agriculture  Aquatic  Other (specify): Parkway, Institutional

ii. If mix of uses, generally describe: \_\_\_\_\_

\_\_\_\_\_

b. Land uses and covertypes on the project site.

Land use or Coverture	Current Acreage	Acreage After Project Completion	Change (Acres +/-)
• Roads, buildings, and other paved or impervious surfaces	3.0	1.8	-1.2
• Forested			
• Meadows, grasslands or brushlands (non-agricultural, including abandoned agricultural)			
• Agricultural (includes active orchards, field, greenhouse etc.)			
• Surface water features (lakes, ponds, streams, rivers, etc.)			
• Wetlands (freshwater or tidal)			
• Non-vegetated (bare rock, earth or fill)			
• Other Describe: <u>Lawn and Landscaped Area</u>	4.0	5.2	+1.2

c. Is the project site presently used by members of the community for public recreation?  Yes  No  
 i. If Yes: explain: \_\_\_\_\_

d. Are there any facilities serving children, the elderly, people with disabilities (e.g., schools, hospitals, licensed day care centers, or group homes) within 1500 feet of the project site?  Yes  No  
 If Yes,  
 i. Identify Facilities:  
 The Osborn Senior Living Facility  
 \_\_\_\_\_

e. Does the project site contain an existing dam?  Yes  No  
 If Yes:  
 i. Dimensions of the dam and impoundment:  
 • Dam height: \_\_\_\_\_ feet  
 • Dam length: \_\_\_\_\_ feet  
 • Surface area: \_\_\_\_\_ acres  
 • Volume impounded: \_\_\_\_\_ gallons OR acre-feet  
 ii. Dam's existing hazard classification: \_\_\_\_\_  
 iii. Provide date and summarize results of last inspection: \_\_\_\_\_

f. Has the project site ever been used as a municipal, commercial or industrial solid waste management facility, or does the project site adjoin property which is now, or was at one time, used as a solid waste management facility?  Yes  No  
 If Yes:  
 i. Has the facility been formally closed?  Yes  No  
 • If yes, cite sources/documentation: \_\_\_\_\_  
 ii. Describe the location of the project site relative to the boundaries of the solid waste management facility: \_\_\_\_\_  
 iii. Describe any development constraints due to the prior solid waste activities: \_\_\_\_\_

g. Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste?  Yes  No  
 If Yes:  
 i. Describe waste(s) handled and waste management activities, including approximate time when activities occurred: \_\_\_\_\_

h. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site?  Yes  No  
 If Yes:  
 i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:  Yes  No  
 Yes – Spills Incidents database Provide DEC ID number(s): \_\_\_\_\_  
 Yes – Environmental Site Remediation database Provide DEC ID number(s): \_\_\_\_\_  
 Neither database  
 ii. If site has been subject of RCRA corrective activities, describe control measures: \_\_\_\_\_  
 N/A  
 iii. Is the project within 2000 feet of any site in the NYSDEC Environmental Site Remediation database?  Yes  No  
 If yes, provide DEC ID number(s): V00571  
 iv. If yes to (i), (ii) or (iii) above, describe current status of site(s):  
 The Rye Gas Works site indicated in (iii) is located between Theodore Fremd Avenue and the New York, New Haven, and Hartford Railroad tracks in the Town of Rye. It is currently used as a ConEdison service center. Remediation was completed 06/28/2010 through NYSDEC Voluntary Cleanup Program.

v. Is the project site subject to an institutional control limiting property uses?  Yes  No

- If yes, DEC site ID number: \_\_\_\_\_
- Describe the type of institutional control (e.g., deed restriction or easement): \_\_\_\_\_
- Describe any use limitations: \_\_\_\_\_
- Describe any engineering controls: \_\_\_\_\_
- Will the project affect the institutional or engineering controls in place?  Yes  No
- Explain: \_\_\_\_\_

**E.2. Natural Resources On or Near Project Site**

a. What is the average depth to bedrock on the project site? \_\_\_\_\_ >5 feet

b. Are there bedrock outcroppings on the project site?  Yes  No  
 If Yes, what proportion of the site is comprised of bedrock outcroppings? \_\_\_\_\_ %

c. Predominant soil type(s) present on project site: PnC/PnB - Paxton Fine Sandy Loam 100 %  
 \_\_\_\_\_ %  
 \_\_\_\_\_ %

d. What is the average depth to the water table on the project site? Average: 1.5-2.5 feet

e. Drainage status of project site soils:  Well Drained: 100 % of site  
 Moderately Well Drained: \_\_\_\_\_ % of site  
 Poorly Drained \_\_\_\_\_ % of site

f. Approximate proportion of proposed action site with slopes:  0-10%: \_\_\_\_\_ % of site  
 10-15%: \_\_\_\_\_ % of site  
 15% or greater: \_\_\_\_\_ % of site

g. Are there any unique geologic features on the project site?  Yes  No  
 If Yes, describe: \_\_\_\_\_

h. Surface water features.

i. Does any portion of the project site contain wetlands or other waterbodies (including streams, rivers, ponds or lakes)?  Yes  No

ii. Do any wetlands or other waterbodies adjoin the project site?  Yes  No  
 If Yes to either *i* or *ii*, continue. If No, skip to E.2.i.

iii. Are any of the wetlands or waterbodies within or adjoining the project site regulated by any federal, state or local agency?  Yes  No

iv. For each identified regulated wetland and waterbody on the project site, provide the following information:

- Streams: Name \_\_\_\_\_ Classification \_\_\_\_\_
- Lakes or Ponds: Name \_\_\_\_\_ Classification \_\_\_\_\_
- Wetlands: Name \_\_\_\_\_ Approximate Size \_\_\_\_\_
- Wetland No. (if regulated by DEC) \_\_\_\_\_

v. Are any of the above water bodies listed in the most recent compilation of NYS water quality-impaired waterbodies?  Yes  No  
 If yes, name of impaired water body/bodies and basis for listing as impaired: \_\_\_\_\_

i. Is the project site in a designated Floodway?  Yes  No

j. Is the project site in the 100 year Floodplain?  Yes  No

k. Is the project site in the 500 year Floodplain?  Yes  No

l. Is the project site located over, or immediately adjoining, a primary, principal or sole source aquifer?  Yes  No  
 If Yes:  
 i. Name of aquifer: \_\_\_\_\_

m. Identify the predominant wildlife species that occupy or use the project site: N/A _____ _____ _____	
n. Does the project site contain a designated significant natural community? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span> If Yes:	
i. Describe the habitat/community (composition, function, and basis for designation): _____ _____	
ii. Source(s) of description or evaluation: _____	
iii. Extent of community/habitat:	
<ul style="list-style-type: none"> <li>• Currently: _____ acres</li> <li>• Following completion of project as proposed: _____ acres</li> <li>• Gain or loss (indicate + or -): _____ acres</li> </ul>	
o. Does project site contain any species of plant or animal that is listed by the federal government or NYS as endangered or threatened, or does it contain any areas identified as habitat for an endangered or threatened species? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span>	
p. Does the project site contain any species of plant or animal that is listed by NYS as rare, or as a species of special concern? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span>	
q. Is the project site or adjoining area currently used for hunting, trapping, fishing or shell fishing? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span> If yes, give a brief description of how the proposed action may affect that use: _____ _____	
<b>E.3. Designated Public Resources On or Near Project Site</b>	
a. Is the project site, or any portion of it, located in a designated agricultural district certified pursuant to Agriculture and Markets Law, Article 25-AA, Section 303 and 304? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span> If Yes, provide county plus district name/number: _____	
b. Are agricultural lands consisting of highly productive soils present? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span> i. If Yes: acreage(s) on project site? _____ ii. Source(s) of soil rating(s): _____	
c. Does the project site contain all or part of, or is it substantially contiguous to, a registered National Natural Landmark? <span style="float: right;"><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</span> If Yes:	
i. Nature of the natural landmark: <input type="checkbox"/> Biological Community <input type="checkbox"/> Geological Feature	
ii. Provide brief description of landmark, including values behind designation and approximate size/extent: _____ _____	
d. Is the project site located in or does it adjoin a state listed Critical Environmental Area? <span style="float: right;"><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</span> If Yes:	
i. CEA name: County & State Park Lands _____	
ii. Basis for designation: Exceptional or unique character _____	
iii. Designating agency and date: Date:1-31-90, Agency:Westchester County _____	

e. Does the project site contain, or is it substantially contiguous to, a building, archaeological site, or district which is listed on, or has been nominated by the NYS Board of Historic Preservation for inclusion on, the State or National Register of Historic Places?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes:	
<i>i.</i> Nature of historic/archaeological resource: <input type="checkbox"/> Archaeological Site <input type="checkbox"/> Historic Building or District	
<i>ii.</i> Name: _____	
<i>iii.</i> Brief description of attributes on which listing is based: _____	
f. Is the project site, or any portion of it, located in or adjacent to an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
g. Have additional archaeological or historic site(s) or resources been identified on the project site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes:	
<i>i.</i> Describe possible resource(s): _____	
<i>ii.</i> Basis for identification: _____	
h. Is the project site within five miles of any officially designated and publicly accessible federal, state, or local scenic or aesthetic resource?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes:	
<i>i.</i> Identify resource: _____	
<i>ii.</i> Nature of, or basis for, designation (e.g., established highway overlook, state or local park, state historic trail or scenic byway, etc.): _____	
<i>iii.</i> Distance between project and resource: _____ miles.	
i. Is the project site located within a designated river corridor under the Wild, Scenic and Recreational Rivers Program 6 NYCRR 666?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes:	
<i>i.</i> Identify the name of the river and its designation: _____	
<i>ii.</i> Is the activity consistent with development restrictions contained in 6NYCRR Part 666?	
	<input type="checkbox"/> Yes <input type="checkbox"/> No

**F. Additional Information**


Attach any additional information which may be needed to clarify your project.

If you have identified any adverse impacts which could be associated with your proposal, please describe those impacts plus any measures which you propose to avoid or minimize them.

**G. Verification**

I certify that the information provided is true to the best of my knowledge.

Applicant/Sponsor Name Leo Nappi Date 1/29/15  
 Signature [Handwritten Signature] Title Attorney



B.i.i [Coastal or Waterfront Area]	No
B.i.ii [Local Waterfront Revitalization Area]	Yes
C.2.b. [Special Planning District]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h [DEC Spills or Remediation Site - Potential Contamination History]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Listed]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Environmental Site Remediation Database]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.iii [Within 2,000' of DEC Remediation Site]	Yes
E.1.h.iii [Within 2,000' of DEC Remediation Site - DEC ID]	V00571
E.2.g [Unique Geologic Features]	No
E.2.h.i [Surface Water Features]	No
E.2.h.ii [Surface Water Features]	No
E.2.h.iii [Surface Water Features]	No
E.2.h.v [Impaired Water Bodies]	No
E.2.i. [Floodway]	No
E.2.j. [100 Year Floodplain]	No
E.2.k. [500 Year Floodplain]	No
E.2.l. [Aquifers]	No
E.2.n. [Natural Communities]	No
E.2.o. [Endangered or Threatened Species]	No

E.2.p. [Rare Plants or Animals]	No
E.3.a. [Agricultural District]	No
E.3.c. [National Natural Landmark]	No
E.3.d [Critical Environmental Area]	Yes
E.3.d [Critical Environmental Area - Name]	County & State Park Lands
E.3.d.ii [Critical Environmental Area - Reason]	Exceptional or unique character
E.3.d.iii [Critical Environmental Area – Date and Agency]	Date:1-31-90, Agency:Westchester County
E.3.e. [National Register of Historic Places]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.3.f. [Archeological Sites]	Yes
E.3.i. [Designated River Corridor]	No



## **SUMMARY OF POTENTIAL ENVIRONMENTAL IMPACTS**

The following provides a brief evaluation of the potential environmental impacts of the proposed project to supplement the analysis of Zoning, Land Use, and Fiscal Impacts previously identified in this petition. In this case, the types of impacts often associated with a development proposal are limited since the project involves a previously developed site. In addition, the site is not constrained by wetlands or other regulated waterbodies, floodplains, significant steep slopes, or other identified sensitive natural resources:

### ***Transportation***

The results of the Traffic Analysis prepared by Frederick P. Clark Associates, attached herein, indicate that the Proposed Project will generate 27 and 34 vehicle trip ends during a typical weekday morning and weekday afternoon peak hour, respectively. For comparison purposes, the existing office building, if fully occupied with a variety of commercial tenants, could generate 109 and 104 vehicle trip ends during the same weekday morning and weekday afternoon peak hours, respectively. Therefore, the Proposed Project would result in a significant reduction in site traffic, with a decrease of 82 and 80 vehicle trip ends during the weekday morning and weekday afternoon peak periods, respectively.

The results of the analyses indicate that area roadways will continue to operate with essentially no change in Level of Service, except for an overall decrease in Level of Service at the signalized intersection of Theodore Fremd Avenue and Playland Access Drive. At this intersection, the Level of Service will change from “B” to “C” during the weekday and morning peak hour, resulting in an overall increase in average delay per vehicle of only 0.3 seconds, which is considered insignificant.

The results of these analyses and a comparison between a background and combined conditions indicate that traffic control and pavement markings at each of these intersections should remain unchanged as no modifications are necessary to accommodate this residential development. Based on these results, it is the applicant’s opinion that no significant adverse impacts to transportation are expected.

### ***Visual Resources***

The Project would maintain the existing 100 foot buffer to Old Post Road, and further enhance local visual resources by providing subterranean parking within the proposed structure. This allows for the implementation of an attractive landscape plan and the preservation of many of the Site’s existing mature trees. The Project also contemplates the development having a traditional architectural style that is typical of Rye, and a design which will complement the historic character of the adjacent Osborn property, serving as an appropriate visual transition from the adjacent single family neighborhoods to the adjacent office parks. See Figures 7, 8, and 9, *Conceptual Renderings*.

***Air Quality and Noise***

The Proposed Project will include below grade parking for the tenants and the loading area has been located toward Playland Access Road so as to minimize noise associated with vehicles and trucks. Similarly, air quality impacts should be lessened since there will be a significant reduction in site traffic.

***Utilities***

Water usage and sanitary discharge will increase from current land use approximately 16,250 and 14,775 gallons per day (gpd) respectively. It is not anticipated that this increase will have a significant impact on water and sanitary facilities since these values are conservative when compared to typical units with families. Actual usage is anticipated to be lower. All units will be equipped with low-flow fixtures. Further site specific review will be conducted during the Site Plan review process. Electric, gas, and communications also exist in the area to support the new project. The utility providers will be contacted once the land use zoning has been approved to identify connections and service modifications needed to support the Proposed Project. All existing utilities are anticipated to support the demand of the Proposed Project.

# WESTCHESTER COUNTY OFFICE MARKET: SUMMARY DATA



Prepared for **ALFRED WEISSMAN REAL ESTATE, LLC**

NOVEMBER, 2014





Goman+York Property Advisors LLC was engaged by Alfred Weissman Real Estate LLC to review several issues related to the possible redevelopment of the property located at 120 Old Post Road in Rye, NY. Those issues include:

**Impact of Current Market Conditions**

- Regional Trends in Local Office Market
  - History and growth
  - Current supply and demand parameters
  - Current vacancy rates
  - Impact of current market/vacancies on market valuations and property taxes

**Impact of Current Market Conditions**





**Office Market Trends**

Vacancy rates for Westchester County historically have increased over the past 10 years, from a low of 15.2% in 2006 to its current high of 21.1% as of Q3 2014. In that same time period, direct asking average rent has decreased from \$27.50 per square foot in 2005 to its current low of \$25.65 per square foot. While rent growth over the last year has been 7.6%, this is due to significant renewal activity in the market and not any changes in the market conditions. It should be noted that operating costs have risen during that same period, pushing net rents on office properties even lower.

Since the 2008 recession, overall net absorption has been negative, only showing positive net absorption during 2012. Current availability has exceeded 5 million square feet and current absorption trends indicate that is yet to peak. 494,500 square feet of office space is currently under construction for Regeneron Pharmaceuticals and WestMed Medical Group. Both companies have been located within Westchester County and this is likely the result of obsolete office stock. We reviewed a variety of industry sources and all indicate vacancy rates are currently at a 10-year high.

Tax certiorari proceedings have increased in recent years by 10% to 86 in 2013 compared to 78 in 2013. Pressures from the courts to settle these cases has further impacted the value of commercial real estate in that potential buyers see it as a complicating factor to their business model and thus it serves as a disincentive to making investments in this asset class.

# WESTCHESTER COUNTY OFFICE MARKET: SUMMARY DATA




\*Data compiled from various industry sources

# RYE OFFICE MARKET ANALYSIS

## 120 OLD POST RD



Prepared for **ALFRED WEISSMAN REAL ESTATE, LLC**  
March 2, 2015





## Office Market Analysis – 120 Old Post Road, Rye, NY

---

### Market Definition

The competitive office market for Rye, NY includes parts of southeastern Westchester County, southeastern White Plains, along with the southeastern I-287 corridor and the I-95 corridor.

The information contained in this analysis was taken from a variety of sources including regional market reports from the major commercial real estate brokerage houses along with data on commercial real estate activity from several real estate research and listing services.


### Office Market Demand

While we have seen modest improvement in the national, regional and local economies and encouraging improvement in the unemployment rate during the past year, the demand for office space in the subject area continues to be very slow. In the portions of the market most relevant to Rye, the office vacancy rate continues to hover around 20% while the vacancy rate in the overall market area has continued to edge slightly higher in recent quarters.



### Market Trends

The trend of utilizing less square footage of space for each worker is one factor influencing the slow rate of leasing activity despite increasing employment. We expect this will continue to be of significant influence for an extended period of time, as many older buildings are adapted to the new layouts.




## Office Market Analysis – 120 Old Post Road, Rye, NY

---

Much of the low level of office leasing activity has been in the medical, financial and business services sectors. Although not an unusually large amount of space, the lease to Acadia Realty Trust for approximately 30,000 square feet at 411 Theodore Fremd Avenue ranks as one largest transactions in the Westchester County market in Q4-2014, and the largest in the eastern submarket of Westchester County. While an important transaction, the fact that this is one of the largest deals done in the entire Westchester County market speaks to the continuing low level of activity.

### Market Outlook



Each of the eastern sub-markets of Westchester County are currently showing reported vacancy of more than 1 million square feet of Class A office. Correspondingly, average asking rates have generally continued to decline slightly and are currently at their lowest reported level in the past 10 years. As expected, leasing velocity remains at record low levels. Non-CBD markets are particularly experiencing long term vacancy and low rental rates, and we don't expect improvement in this regard in the foreseeable future.





## Office Market Analysis – 120 Old Post Road, Rye, NY

---

### 120 Old Post Rd

It should be noted that the subject property is configured primarily as an open plan headquarters building. This configuration places the building in a highly uncompetitive market position since the majority of office leasing activity is focused upon smaller spaces. The cost of reconfiguring the subject property will be significant as it will require major modifications to essentially all the existing mechanical, electrical and plumbing systems, as well as extensive re-demising of the building to create competitive leasable spaces. In many similar cases involving similar headquarters buildings the conversion cost has been determined to be prohibitive and the building has eventually been torn down as a result. We know of numerous situations involving millions of square feet of 1980's vintage headquarters buildings where this has been the outcome.

# MARKET FEASIBILITY ANALYSIS OF THE RYE, NY MARKET FOR ACTIVE ADULT (+55) HOUSING



Prepared for **ALFRED WEISSMAN REAL ESTATE, LLC**

NOVEMBER, 2014



This report and plan was prepared for **ALFRED WEISSMAN REAL ESTATE, LLC**

**KEY STAFF**

Mike Goman - President  
Dusty McMahan - Senior Vice President

**CONSULTANT TEAM**

Steve Lanza - Senior Advisor of Analytics  
Sonny Nguyen - Creative Director  
Hai Nguyen - Director of Data Analytics  
Dave Correia - Data Consultant

# T A B L E O F C O N T E N T S

Executive Summary.....	2
Study Methodology.....	4
Demographic and Socioeconomic Characteristics.....	6
Housing Occupancy.....	8
Competition Analysis and Pricing- Rental.....	9
Competition Analysis and Pricing- Sale.....	10
Phasing and Implementation.....	11
Conclusion.....	12
Maps.....	13
Site Plans.....	16
Appendix.....	25



# EXECUTIVE SUMMARY

## The Assignment

Goman+York Property Advisors LLC was engaged by Alfred Weissman Real Estate LLC to provide a preliminary study examining the market capacity and the for-sale and for-rent parameters for the development of approximately 135 new senior (+55) independent living luxury housing units in Rye, New York.


The following report is a market feasibility analysis of the proposed senior (+55) housing project in Rye, New York based upon the conceptual design and project scope as provided by Alfred Weissman Real Estate LLC and Tecton Architects.

This analysis should be viewed as a macro level review of the market feasibility of the conceptual development plan. Essentially, this analysis is intended to provide information adequate to assist the developer in deciding whether further work on the given project is warranted. More specifically, the analysis assists the developer in making a "go or no go" decision before expending substantially more time and effort on the next level of detailed development tasks, including design development, cost estimating, geotechnical and environmental analysis, detailed financial projections and similar development related work.

It is important to point out that this analysis is not intended to provide the detailed information necessary for the purpose of formally underwriting debt or equity investment with respect to the given project.

## The Project

The proposed project, as presented in the conceptual plans from Tecton Architects dated April 25, 2014, envisions a three-story independent living facility targeted at active adults (+55). The proposed design contains 135 luxury residential units and includes a variety of amenities such as a cafe/bistro, theater, study/game room, natatorium and fitness center along with locker rooms, multipurpose room and several courtyard areas. The overall facility is proposed to be approximately 245,000 square ft. with parking for 186 vehicles. The project site is located at the northwest corner of Old Post Road and Play Land Access Drive in Rye, New York.



### **The Market**

We established 3 discrete study areas for the project based upon drive time parameters of 5, 13 and 23 minutes. In our experience, study areas based upon driving times provide a more accurate and realistic picture than, for example, concentric rings. Essentially, this is simply saying that the particular study area consists of those residents who live within the given drive time parameter from the project site.

The 23 minute drive time study area should be viewed as the regional market (based on 2010 US DOT Federal Highway Administration Report) for the project. The average commute to work drive time for the US is approximately 23 minutes and we believe that it serves as a reasonable proxy for the largest study area. While the project is likely to attract some residents from outside that study area, the majority are likely to come from within it. The 5 minute drive time study area should be viewed as the immediate neighborhood market for the project. We would expect the project to receive very significant consideration from potential buyers who currently reside within this study area. The 13 minute drive time study area simply bisects the other two study areas and provides an additional way to view the market for this project.

The data for the residents living within all 3 study areas shows that the market possesses exceptionally attractive socioeconomic indicators. In particular, the 5 minute drive time trade area contains very high percentages of residents who are in the top socioeconomic segments in the US in terms of wealth, education and employment status. While the socioeconomic characteristics decline somewhat as the trade area size increases, the overall market remains remarkably strong. Ethnic diversity increases significantly along with the size of the study area. In summary, our analysis shows that the drive time trade area is ideally suited for the contemplated project.

### **The Competitive Environment**

We conducted a review of available rental and for sale housing within the applicable study area. Our review identified several projects which we consider to be directly competitive and which we believe are reflective of the tenant profile being sought for the project. Rental rates and multi-family unit values within the reviewed projects are high while vacancy rates are low, relative to the averages. These conditions are positive indicators for a proposed new entrant to the market.

Given the prominent position it occupies within this study area, we paid particular attention to The Osborn development adjacent to the planned project. Goman+York personnel confidentially "shopped" The Osborn to determine unit availability, pricing and occupancy. The very low vacancy at The Osborn, combined with their focus on providing a comprehensive service offering including meal plans and other services not being contemplated as part of the proposed project leads us to conclude that there will be limited overlap between potential tenants for The Osborn and the proposed project. In fact, we think it is more likely that these two projects will complement each other as opposed to competing with each other.

### **Conclusion**

Based upon our review of the study area characteristics and the competitive environment, we believe that the market response to the contemplated project will be very positive.

We recommend that further and more specific market research and testing be done once the project plans have been more fully developed, unit designs/layouts and features have been detailed, specific amenities can be described and a professional marketing campaign, along with appropriate collateral materials, are available.

# STUDY METHODOLOGY

The Study prepared for **Rye, NY** provides an overview of the **Active Adult (+55) Housing Market**. The analysis will inform projections that will allow Rye, NY to accurately plan for its future development.

## Potential Market

The potential market for active senior housing derives from the pool of households, aged 55 and older, who move within the market area in a given year, and those who move to the area from other counties and even other states.


Mobility rates for seniors, who often prefer to age in place, are much lower than for younger households. Rates are, however, higher for seniors who rent rather than own their own homes. To estimate the size of the potential market, national

in-county mobility rates were used as a proxy for the rates at which seniors within various age cohorts are likely to relocate somewhere within the target market area. Table below shows that for seniors 55 and older already living within the 23-minute

radius of the proposed project, from which approximately 8,400 are likely to move in a given year based on 2010 Census data. More than 80% of those moving are expected to come from among the ranks of existing renters who are likely to prefer

rental units, as would many of those who might choose to downsize from homes they currently own.


POTENTIAL DEMAND FOR ACTIVE +55 HOUSING



### Population Migration

Households moving into the market area were assumed to have characteristics that are similar to current residents. Approximately 27,000 households moved into the two-county area of Westchester, NY and Fairfield, CT between 2009 and 2010, according to the latest IRS data. The 23-minute target market holds nearly 70% of the two-county population and will presumably attract a similar share of the new households. And reflecting the national migration patterns of households, about 23% of the newcomers are likely to be 55 and older. Consequently, about 4,300 households that move into the 23-minute target market each year are potential candidates for active senior housing.

Combining the 8,400 senior households that move within the market area each year with 4,300 in from outside produces a potential market for active senior housing of 12,000 households or more. That is an average of approximately 1,000 households monthly. However, these estimates should be narrowed further to adjust for characteristics, such as target income and age ranges, that are in keeping with the design and scope of this project.





# DEMOGRAPHIC & SOCIOECONOMIC CHARACTERISTICS

To get a grasp of the social elements that make up the community, we explored the **Demographic and Socioeconomic characteristics** of the study area.

## Demographic

The target markets surrounding the proposed Rye, NY active senior housing project are predominantly white, well-educated, and wealthy.

The majority of residents in all three study areas are white, with shares in 2013 ranging from 84%, 73% and 55% within the 5, 13 and 23 minute drive-times, respectively. The larger markets exhibit more racial and ethnic diversity with the black share of the population growing from just 2% within the 5-minute range to 24% within the 23-minute range.

Similarly, residents of Hispanic origin make up 27% of the population within the 23-minute market area but only 12% of the market at the 5-minute mark. All three markets are expected to become more diverse, largely as a result of a growing Hispanic population.


Within a 23-minute drive time, the median age of area residents matches the US average in 2013 of 38.5 years, but in the two smaller markets residents tend to be older. Seniors 55 and older represented about 27% of the population in the

two larger markets—a figure that is likely to top 29% by 2018.


Housing is evenly divided between owner and renter occupied units at the 23-minute drive time from the Rye, NY center point. But within closer radii, owner occupied units are in the majority—58% at the 5-minute mark, 53% within a 13-minute drive time.

Owner-occupied housing is expected to represent a slightly larger share of all three markets by 2018.

5 MIN AGE DISTRIBUTION



23 MIN AGE DISTRIBUTION



INCOME DISTRIBUTION OF RYE - 23 MINUTE





**Education**

Rye area residents are highly educated, with the share of the population 25 and older holding a Bachelor's degree or higher at 62%, 49% and 38% within a 5, 13 and 23-minute drive of Rye, respectively. The comparable US figure is just 32%. The employed population of the area works predominantly in the services sector and in white-collar occupations, earning exceptional levels of income.

**Income**

Median household income within a 5-minute drive time of Rye exceeds \$114,000, more than double the US median. Incomes are lower in the two broader market areas—\$86,000 and \$63,000 in the 13-minute and 23-minute rings, respectively—but still above the comparable US figure.



# HOUSING OCCUPANCY

The target market is characterized by a relatively low vacancy rate, and a large share of **renter-occupied** as opposed to **owner-occupied** housing.

## Vacancy Rates


Vacancy rates within 23-minutes of the subject property were 6.1%, according to 2010 Census data. That compares favorably to a U.S. average rate of 11.4% the same year, and to rates of 9.7%, 7.9% and 9.5%, respectively in the states of New York, Connecticut and New Jersey.

Current (2013) vacancy rates in the 23-minute radius have inched up a bit since 2010 (to 6.3%) but they remain lower in this larger market than in the more narrowly defined drive time markets where they are 7.9% within a 5-minute area and 7.5% within the 13-minute area. The housing market is expected to remain tight for the foreseeable future, with projected 2018 vacancy rates of 6.2% within the 23-minute drive time and 7.2% within the 13-minute market. Even an anticipated 9.0% vacancy rate for the 5-minute drive time market in 2018 compares favorably to current national and regional rates.


## Rental Market Demand

The low vacancy rates in the local markets surrounding the proposed project are particularly noteworthy given the relatively high share of rental housing in the area. Within the 23-minute drive time market, housing is divided evenly between owner and rental occupied units at about 47% each. That represents a relatively large share of rental-occupied units which tend to have much higher vacancy rates than do owner-occupied units. Nationally, and in Connecticut and New Jersey, renter-occupied housing makes up 25% or less of the total number of housing units. New York's statewide renter occupancy rate is 37%.

2013 Housing Summary  
- 5 minute



2013 Housing Summary  
- 23 minute



# COMPETITION ANALYSIS & PRICING- RENTAL

Our review included properties in Rye, as well as properties in markets immediately adjacent to Rye and properties in markets located same distance from Rye but which have similar demographic and socioeconomic characteristics. With respect to properties located in Rye, we looked closely at four apartment complexes: The Osborn in Rye, NY, 101 Park Place in Stamford, CT, Scarsdale Commons, Scarsdale, NY and The Avalon Bronxville in Bronxville, NY all built since 2005.

## Comparison

They range in size from 336 to 100 units and offer both 1-bedroom, 1-bathroom and 2-bedroom, 2-bathroom options (see table below).

All three complexes can be described as luxury properties, offering unit amenities that include parking, full kitchens, washer/dryers, and central air. Community amenities include fitness centers, clubrooms, and picnic/barbecue areas.

## Pricing- Rental

The accompanying scatter plot shows the monthly rental prices and square footage for three competitive projects. The smaller units, each around 800 square feet, are all 1-bedroom, 1-bathrooms apartments; the larger units, each around 1,200 square feet, are all 2-bedroom, 2-bathroom units. Assuming area renters judge the amenities of the Rye project as significantly better than these apartments, an appropriate price for 1-bedroom units would be +/- \$2,800 and an appropriate price for 2-bedroom units would be +/- \$3,900.



23-MINUTE DRIVE-TIME

## CHARACTERISTICS OF COMPARABLE UNITS

	UNITS	BEDROOMS	BATHS	SQ. FT.	RENT	DISTANCE TO TRANSIT
THE OSBORN	138	1	1	756	\$5,400	3 min
		2	2	1186	\$3,356	
101 PARK PLACE	336	1	1	806	\$2,450	1 min
		2	2	1023	\$2,560	
SCARSDALE COMMONS	43	1	1	855	\$3,000	2 min
		2	2	1175	\$3,900	
THE AVALON BRONXVILLE	146	1	1	821	\$3,010	2 min
		2	2	985	\$4,125	

## SIZE VERSUS RENT OF COMPETITORS



# COMPETITION ANALYSIS & PRICING- SALE

Local Property Records served as the comparison for potential market value.

## Comparison

We examined similar for-sale condominium properties in a variety of markets in Rye, several markets which are immediately proximate to Rye, and additional markets located some distance from Rye but which have similar demographic and socioeconomic characteristics.

It should be noted that in looking at comparable properties, our focus was on well-located luxury residential properties having a high level of finish and extensive in-suite features, and which offer a significant list of common facilities and amenities.

## Pricing- Sale

The accompanying charts show sale prices and square footage for luxury properties in similar markets. Assuming potential buyers judge the level of finish, features and amenities of the Rye project to be equal to or better than these properties, appropriate prices for 1 bedroom units would be about \$385,600 or \$482 per square foot, and for 2 bedroom units would be about \$522,000 or \$475 per square foot.



■ 23-MINUTE DRIVE-TIME

## RYE COMPARABLE SALES

	UNIT TYPE	BEDROOMS	BATHS	SQFT	PRICE	\$/SQFT
RYE	CONDO	2	2	1104	\$521,088	\$472
WESTBURY	APT	2	2	1261	\$616,667	\$492
PORT WASHINGTON	CONDO	2	2	1371	\$572,479	\$417

## PHASING AND IMPLEMENTATION

The analysis of **senior migration patterns** in the study area concluded that approximately 1,000 households could be in the market each month. Only some of these households, however, are likely to match the income and age profile that would make **living in an active senior community** either feasible or attractive.

### **Defining the Market**

Given the proposed pricing structure, the target market for the units should include seniors with incomes of \$112,000 or more annually. (Industry rules-of-thumb suggest that income should be at least 40 times the monthly cost of housing.) According to current (2013) estimates, about 27.8% of senior (55+) households in the area meet this income criterion. It is likely, therefore, that only 278 of the 1,000 monthly, house-hunting, senior households would pass the income test for the proposed project.

However, active lifestyle arrangements are unlikely to appeal to the oldest senior cohort. And 16% of area seniors are 80 and older. Limiting the market to seniors between 55 and 79 reduces the target market of potential new tenants to about 233 per month.

### **Implementation**

Assuming that all 135 of the proposed Rye units go on the market simultaneously and that the units are expected to be occupied within 90 days, the project would have to capture just over 15% of the market. Extending the marketing time would reduce the necessary capture rate. Over a 180-day period, for example, the Rye project would only have to capture less than 8% of the market. Alternatively, intensive pre-marketing or unit discounting would improve the chances of capturing a 15% market share within 90 days.

## CONCLUSION - PRICING

Goman+York was asked to review the market feasibility of the proposed conversion of the subject property into a luxury, age-restricted (55+) residential development positioned at the upper end of the price spectrum. Our review included both rental and for-sale properties. The primary focus of our review was to assess the rents or sales prices which can be reasonably expected to be achieved if the redeveloped subject property is positioned at the upper end of the market.

A component of our work in this regard involved establishing several study areas based upon specific geographic parameters and subsequently conducting a review of residential projects having similar market positioning within those study areas. In broad terms, the study areas we established and examined included:

- a) the city of Rye,
- b) similar markets in close or immediate proximity to Rye, and,
- c) markets in the greater metropolitan New York City area having similar demographic and socioeconomic characteristics to those present in Rye but which are located some distance from Rye.

The estimates of achievable rents and sales pricing contained in these conclusions are conditioned upon certain specific assumptions about the redeveloped property, including:

1. that it is positioned as a luxury, age-restricted (55+) community,
2. that an experienced firm with a successful track record with similar luxury projects be engaged to market the project,
3. that individual units feature gourmet kitchens, luxury baths, and extensive entryway, trim, file and general levels of finish
4. the the property offers on-site amenities equal to or exceeding the best available at competitive luxury properties

Based upon the entirety of our review, we conclude that the redeveloped project can reasonably be expected to achieve rents of between \$3.25 and \$3.75 per square foot per month or approximately \$2,800 to \$3,200 per month for a 1 bedroom and from approximately \$3,900 to \$4,900 per month for a 2 bedroom. In the case of condominium units offered for sale, we conclude that the redeveloped project can reasonably be expected to achieve pricing between \$480 and \$550 per square foot or approximately \$425,000 to \$475,000 for a 1 bedroom and from approximately \$575,000 to \$715,000 for a 2 bedroom.






# AERIAL OF COMPETITORS

The Osborn and The Mariner



# AERIAL OF COMPETITORS

Avalon and Glenview House



**GOMAN+YORK**  
NOVEMBER, 2014


# SITE AND FLOOR PLANS





VIEW FROM RESIDENTIAL OFF OLD POST ROAD

© 2014 Tecton Architects, Inc. All rights reserved. No part of this document may be reproduced without written permission.



VIEW OF INTERIOR COURTYARD

© 2018 Teetion Architects, Inc. All rights reserved. No part of this document may be reproduced without written permission from Teetion Architects, Inc.















2ND FLOOR  
1" = 20'-0"

ROOM AREAS	
Name	Area
01E BEDROOM	14,532 SF
02E BEDROOM	18,133 SF
3RD FLOOR ST	30,442 SF
01E BEDROOM	14,627 SF
02E BEDROOM	18,102 SF
3RD FLOOR ST	40,380 SF
01E BEDROOM	14,626 SF
02E BEDROOM	18,103 SF
4TH FLOOR ST	35,362 SF
01E BEDROOM	18,103 SF
02E BEDROOM	13,162 SF
5TH FLOOR ST	35,362 SF
01E BEDROOM	14,532 SF
02E BEDROOM	18,133 SF
6TH FLOOR ST	35,362 SF
01E BEDROOM	14,532 SF
02E BEDROOM	18,133 SF
7TH FLOOR ST	42,274 SF

UNITS - ONE BEDROOM	
Level	Name
2ND FLOOR	ONE BEDROOM
3RD FLOOR	ONE BEDROOM
4TH FLOOR	ONE BEDROOM
5TH FLOOR	ONE BEDROOM
6TH FLOOR	ONE BEDROOM
7TH FLOOR	ONE BEDROOM

UNITS - TWO BEDROOM	
Level	Name
2ND FLOOR	TWO BEDROOM
3RD FLOOR	TWO BEDROOM
4TH FLOOR	TWO BEDROOM
5TH FLOOR	TWO BEDROOM
6TH FLOOR	TWO BEDROOM
7TH FLOOR	TWO BEDROOM

- CORRIDOR
- ONE BEDROOM
- TWO BEDROOM
- STAIR
- STOR.



1ST FLOOR  
1" = 20'-0"

Area Schedule (Prior Building)	
Level	Area
1ST FLOOR	17,979 SF
2ND FLOOR	18,000 SF
3RD FLOOR	18,115 SF
4TH FLOOR	17,579 SF
5TH FLOOR	18,115 SF
6TH FLOOR	18,133 SF
7TH FLOOR	29,480 SF
8TH FLOOR	43,266 SF
9TH FLOOR	43,266 SF
10TH FLOOR	43,266 SF
11TH FLOOR	43,266 SF
12TH FLOOR	43,266 SF
13TH FLOOR	43,266 SF
14TH FLOOR	43,266 SF
15TH FLOOR	43,266 SF
16TH FLOOR	43,266 SF
17TH FLOOR	43,266 SF
18TH FLOOR	43,266 SF
19TH FLOOR	43,266 SF
20TH FLOOR	43,266 SF
21ST FLOOR	43,266 SF
22ND FLOOR	43,266 SF
23RD FLOOR	43,266 SF
24TH FLOOR	43,266 SF
25TH FLOOR	43,266 SF
26TH FLOOR	43,266 SF
27TH FLOOR	43,266 SF
28TH FLOOR	43,266 SF
29TH FLOOR	43,266 SF
30TH FLOOR	43,266 SF
31ST FLOOR	43,266 SF
32ND FLOOR	43,266 SF
33RD FLOOR	43,266 SF
34TH FLOOR	43,266 SF
35TH FLOOR	43,266 SF
36TH FLOOR	43,266 SF
37TH FLOOR	43,266 SF
38TH FLOOR	43,266 SF
39TH FLOOR	43,266 SF
40TH FLOOR	43,266 SF
41ST FLOOR	43,266 SF
42ND FLOOR	43,266 SF
43RD FLOOR	43,266 SF
44TH FLOOR	43,266 SF
45TH FLOOR	43,266 SF
46TH FLOOR	43,266 SF
47TH FLOOR	43,266 SF
48TH FLOOR	43,266 SF
49TH FLOOR	43,266 SF
50TH FLOOR	43,266 SF
51ST FLOOR	43,266 SF
52ND FLOOR	43,266 SF
53RD FLOOR	43,266 SF
54TH FLOOR	43,266 SF
55TH FLOOR	43,266 SF
56TH FLOOR	43,266 SF
57TH FLOOR	43,266 SF
58TH FLOOR	43,266 SF
59TH FLOOR	43,266 SF
60TH FLOOR	43,266 SF
61ST FLOOR	43,266 SF
62ND FLOOR	43,266 SF
63RD FLOOR	43,266 SF
64TH FLOOR	43,266 SF
65TH FLOOR	43,266 SF
66TH FLOOR	43,266 SF
67TH FLOOR	43,266 SF
68TH FLOOR	43,266 SF
69TH FLOOR	43,266 SF
70TH FLOOR	43,266 SF
71ST FLOOR	43,266 SF
72ND FLOOR	43,266 SF
73RD FLOOR	43,266 SF
74TH FLOOR	43,266 SF
75TH FLOOR	43,266 SF
76TH FLOOR	43,266 SF
77TH FLOOR	43,266 SF
78TH FLOOR	43,266 SF
79TH FLOOR	43,266 SF
80TH FLOOR	43,266 SF
81ST FLOOR	43,266 SF
82ND FLOOR	43,266 SF
83RD FLOOR	43,266 SF
84TH FLOOR	43,266 SF
85TH FLOOR	43,266 SF
86TH FLOOR	43,266 SF
87TH FLOOR	43,266 SF
88TH FLOOR	43,266 SF
89TH FLOOR	43,266 SF
90TH FLOOR	43,266 SF
91ST FLOOR	43,266 SF
92ND FLOOR	43,266 SF
93RD FLOOR	43,266 SF
94TH FLOOR	43,266 SF
95TH FLOOR	43,266 SF
96TH FLOOR	43,266 SF
97TH FLOOR	43,266 SF
98TH FLOOR	43,266 SF
99TH FLOOR	43,266 SF
100TH FLOOR	43,266 SF


- CORRIDOR
- ONE BEDROOM
- TWO BEDROOM
- STAIR
- STOR.

ROOM AREAS	
Name	Area
ONE BEDROOM	14,532 SF
TWO BEDROOM	14,310 SF
2ND FLOOR 11	73,447 SF
ONE BEDROOM	14,527 SF
TWO BEDROOM	14,300 SF
3RD FLOOR 42	49,260 SF
ONE BEDROOM	14,529 SF
TWO BEDROOM	14,315 SF
4TH FLOOR 32	37,823 SF
ONE BEDROOM	14,530 SF
TWO BEDROOM	14,315 SF
5TH FLOOR 25	31,952 SF
ONE BEDROOM	14,530 SF
TWO BEDROOM	14,315 SF
6TH FLOOR 17	33,254 SF
ONE BEDROOM	14,530 SF
TWO BEDROOM	14,315 SF
Grand total	135,154,077 SF

UNITS - ONE BEDROOM	
Level	Name
2ND FLOOR	ONE BEDROOM
3RD FLOOR	ONE BEDROOM
4TH FLOOR	ONE BEDROOM
5TH FLOOR	ONE BEDROOM
6TH FLOOR	ONE BEDROOM
Grand total	145

UNITS - TWO BEDROOM	
Level	Name
2ND FLOOR	TWO BEDROOM
3RD FLOOR	TWO BEDROOM
4TH FLOOR	TWO BEDROOM
5TH FLOOR	TWO BEDROOM
6TH FLOOR	TWO BEDROOM
Grand total	145


Area Schedule (Gross Building)	
Level	Area
1ST FLOOR	172,372 SF
2ND FLOOR	146,310 SF
3RD FLOOR	146,310 SF
4TH FLOOR	146,310 SF
5TH FLOOR	146,310 SF
6TH FLOOR	146,310 SF
Grand total	807,922 SF
1ST FLOOR	147,177 SF
2ND FLOOR	147,177 SF
3RD FLOOR	147,177 SF
4TH FLOOR	147,177 SF
5TH FLOOR	147,177 SF
6TH FLOOR	147,177 SF
Grand total	886,065 SF
1ST FLOOR	147,177 SF
2ND FLOOR	147,177 SF
3RD FLOOR	147,177 SF
4TH FLOOR	147,177 SF
5TH FLOOR	147,177 SF
6TH FLOOR	147,177 SF
Grand total	886,065 SF



- CORRIDOR
- STAIR
- ONE BEDROOM
- TWO BEDROOM
- STAIR
- STOR.

3RD FLOOR  
1" = 32'-0"





5TH FLOOR  
1" = 30'-0"


ROOM AREAS	
Name	Area
ONE BEDROOM	14,174 SF
TWO BEDROOM	18,310 SF
2ND FLOOR	39,482 SF
ONE BEDROOM	14,537 SF
TWO BEDROOM	18,102 SF
3RD FLOOR	48,639 SF
ONE BEDROOM	14,828 SF
TWO BEDROOM	17,134 SF
4TH FLOOR	42,962 SF
ONE BEDROOM	14,112 SF
TWO BEDROOM	17,102 SF
5TH FLOOR	79,221 SF
ONE BEDROOM	15,762 SF
TWO BEDROOM	14,535 SF
6TH FLOOR	15,725 SF
Grand Total	745,974 SF

UNITS - ONE BEDROOM	
Level	Name
2ND FLOOR	ONE BEDROOM
3RD FLOOR	ONE BEDROOM
4TH FLOOR	ONE BEDROOM
5TH FLOOR	ONE BEDROOM
6TH FLOOR	ONE BEDROOM
Grand Total	6

UNITS - TWO BEDROOM	
Level	Name
2ND FLOOR	TWO BEDROOM
3RD FLOOR	TWO BEDROOM
4TH FLOOR	TWO BEDROOM
5TH FLOOR	TWO BEDROOM
6TH FLOOR	TWO BEDROOM
Grand Total	6

Area Schedule (Gross Building)	
Level	Area
1ST FLOOR	177,379 SF
2ND FLOOR	185,310 SF
3RD FLOOR	185,310 SF
4TH FLOOR	179,221 SF
5TH FLOOR	79,221 SF
6TH FLOOR	15,725 SF
Grand Total	1,012,157 SF

2ND FLOOR	34,117 SF
3RD FLOOR	34,117 SF
4TH FLOOR	34,117 SF
5TH FLOOR	34,117 SF
6TH FLOOR	34,117 SF
Grand Total	170,685 SF



6TH FLOOR  
1" = 30'-0"

# APPENDIX




# Site Map

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 Minutes

Prepared by Robert Goman

Latitude: 40.811112  
Longitude: -73.696375













### ACS Housing Summary

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

TOTALS	2005-2009 ACS Estimate	Percent	MOE (\$)	Reliability
Total Population	15,109		769	High
Total Households	5,528		242	High
Total Housing Units	5,860		254	High
<b>OWNER-OCCUPIED HOUSING UNITS BY VALUE</b>				
Total	3,562	100.0%	181	High
Less than \$10,000	4	0.1%	35	Low
\$10,000 to \$14,999	1	0.0%	20	Low
\$15,000 to \$24,999	0	0.0%	0	Low
\$25,000 to \$34,999	0	0.0%	0	Low
\$35,000 to \$49,999	9	0.3%	14	Low
\$50,000 to \$74,999	1	0.0%	14	Low
\$75,000 to \$99,999	5	0.1%	21	Low
\$100,000 to \$149,999	0	0.0%	0	Low
\$150,000 to \$174,999	0	0.0%	0	Low
\$175,000 to \$249,999	4	0.1%	15	Low
\$250,000 to \$499,999	9	0.3%	61	Low
\$500,000 to \$749,999	4	0.1%	15	Low
\$750,000 to \$999,999	0	0.0%	0	Low
\$1,000,000 to \$1,249,999	0	0.0%	0	Low
\$1,250,000 to \$1,499,999	27	0.8%	27	Low
\$1,500,000 to \$1,749,999	34	1.0%	25	Low
\$1,750,000 to \$1,999,999	32	0.9%	37	Low
\$2,000,000 to \$2,499,999	85	2.4%	74	Low
\$2,500,000 to \$2,999,999	142	4.0%	51	Low
\$3,000,000 to \$3,999,999	187	5.2%	61	Low
\$4,000,000 to \$4,999,999	200	5.6%	85	Low
\$5,000,000 to \$7,499,999	1,79	5.0%	59	Low
\$7,500,000 to \$9,999,999	512	14.1%	92	Low
\$10,000,000 or more	636	17.9%	80	Low
Medium Home Value	1,435	42.0%	117	Low
Average Home Value	\$887,579		N/A	N/A

### OWNER-OCCUPIED HOUSING UNITS BY MORTGAGE STATUS

Total	3,562	100.0%	181	High
Housing units with a mortgage/contract to purchase/rental debt	2,419	67.9%	167	High
Home equity loan only	18	0.5%	10	Low
Both second mortgage and home equity loan	662	18.6%	89	Low
No second mortgage and no home equity loan	1,710	48.0%	163	High
Housing units without a mortgage	1,144	32.1%	130	High
<b>AVERAGE VALUE BY MORTGAGE STATUS</b>				
Housing units with a mortgage	N/A		N/A	N/A
Housing units without a mortgage	N/A		N/A	N/A

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: High Medium Low

April 13, 2014



### ACS Housing Summary

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

RENTER-OCCUPIED HOUSING UNITS BY CONTRACT RENT	2005-2009 ACS Estimate	Percent	MOE (\$)	Reliability
Total	1,965	100.0%	200	High
With cash rent	1,837	93.5%	200	High
Less than \$100	0	0.0%	0	Low
\$100 to \$149	73	3.7%	59	Low
\$150 to \$199	51	2.6%	29	Low
\$200 to \$249	12	0.6%	44	Low
\$250 to \$299	68	3.5%	52	Low
\$300 to \$349	20	1.0%	20	Low
\$350 to \$399	19	1.0%	14	Low
\$400 to \$449	5	0.3%	34	Low
\$450 to \$499	0	0.0%	0	Low
\$500 to \$549	9	0.5%	14	Low
\$550 to \$599	4	0.2%	13	Low
\$600 to \$649	24	1.2%	68	Low
\$650 to \$699	11	0.6%	43	Low
\$700 to \$749	32	1.6%	10	Low
\$750 to \$799	52	2.6%	50	Low
\$800 to \$899	131	6.7%	57	Low
\$900 to \$999	72	3.7%	27	Low
\$1,000 to \$1,249	145	7.4%	85	Low
\$1,250 to \$1,499	395	20.1%	136	Low
\$1,500 to \$1,999	343	17.5%	82	Low
\$2,000 or more	372	18.9%	102	Low
No cash rent	128	6.5%	41	Low
Median Contract Rent	N/A		N/A	N/A
Average Contract Rent	N/A		N/A	N/A
<b>RENTER-OCCUPIED HOUSING UNITS BY INCLUSION OF UTILITIES IN RENT</b>				
Total	1,965	100.0%	200	High
Pay extra for one or more utilities	1,655	84.2%	196	High
No extra payment for any utilities	310	15.8%	63	Low
<b>HOUSING UNITS BY UNITS IN STRUCTURE</b>				
Total	5,860	100.0%	254	High
1, detached	3,004	51.4%	146	High
2, attached	485	8.3%	104	High
3 or 4	936	16.0%	149	High
5 to 9	128	2.2%	75	High
10 to 19	368	6.3%	111	High
20 to 49	168	2.9%	75	High
50 or more	753	12.9%	144	High
Mobile home	1	0.0%	14	Low
Boat, RV, van, etc.	11	0.2%	16	Low

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: High Medium Low

April 13, 2014



### ACS Housing Summary

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S, 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
<b>HOUSING UNITS BY YEAR STRUCTURE BUILT</b>				
Total	5,840	100.0%	254	High
Built 2005 or later	45	0.8%	22	High
Built 2000 to 2004	152	2.6%	60	High
Built 1990 to 1999	210	3.6%	41	High
Built 1980 to 1989	361	6.2%	77	High
Built 1970 to 1979	467	8.0%	112	High
Built 1960 to 1969	810	13.9%	122	High
Built 1950 to 1959	883	15.1%	122	High
Built 1940 to 1949	843	14.4%	131	High
Built 1939 or earlier	2,068	35.4%	224	High
Median Year Structure Built	1950		N/A	

### OCCUPIED HOUSING UNITS BY YEAR HOUSEHOLDER MOVED INTO UNIT

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
Total	5,528	100.0%	242	High
Owner occupied				
Moved in 2005 or later	509	9.2%	116	High
Moved in 2000 to 2004	796	14.4%	115	High
Moved in 1990 to 1999	940	17.0%	110	High
Moved in 1980 to 1989	534	9.7%	65	High
Moved in 1970 to 1979	397	7.2%	75	High
Moved in 1969 or earlier	386	7.0%	67	High
Renter occupied				
Moved in 2005 or later	731	13.2%	147	High
Moved in 2000 to 2004	702	12.7%	147	High
Moved in 1990 to 1999	286	5.2%	69	High
Moved in 1980 to 1989	142	2.6%	84	High
Moved in 1970 to 1979	63	1.1%	27	High
Moved in 1969 or earlier	42	0.8%	37	High
Median Year Householder Moved Into Unit	2000		N/A	

### OCCUPIED HOUSING UNITS BY HOUSE HEATING FUEL

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
Total	5,528	100.0%	252	High
Utility gas	3,317	60.0%	229	High
Bottled, tank, or LP gas	126	2.3%	40	High
Electricity	257	4.6%	55	High
Fuel oil, kerosene, etc.	1,796	32.5%	177	High
Coal or coke	0	0.0%	0	Low
Wood	1	0.0%	14	Low
Solar energy	0	0.0%	0	Low
Other fuel	0	0.0%	0	Low
No fuel used	32	0.6%	35	Low

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: High Low

April 13, 2014



### ACS Housing Summary

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S, 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
<b>OCCUPIED HOUSING UNITS BY VEHICLES AVAILABLE</b>				
Total	5,528	100.0%	242	High
Owner occupied				
No vehicle available	152	2.7%	66	High
1 vehicle available	843	15.2%	96	High
2 vehicles available	1,807	32.7%	162	High
3 vehicles available	553	10.0%	86	High
4 vehicles available	165	3.0%	37	High
5 or more vehicles available	43	0.8%	35	High
Renter occupied				
No vehicle available	316	5.7%	72	High
1 vehicle available	1,102	19.9%	178	High
2 vehicles available	491	8.9%	126	High
3 vehicles available	42	0.8%	24	High
4 vehicles available	3	0.1%	15	High
5 or more vehicles available	11	0.2%	18	High
Average Number of Vehicles Available	N/A		N/A	

Data Note: N/A means not available.

**2005-2009 ACS Estimates:** The American Community Survey (ACS) replaces census sample data. Esri is releasing the 2005-2009 ACS estimates, five-year period data collected monthly from January 1, 2005 through December 31, 2009. Although the ACS includes many of the subjects previously covered by the decennial census sample, there are significant differences between the two surveys including fundamental differences in survey design and methodology.

**Margin of error (MOE):** The MOE is a measure of the variability of the estimate due to sampling error. MOEs enable the data user to measure the range of uncertainty for each estimate with 90 percent confidence. The range of uncertainty is called the confidence interval, and it is calculated by taking the estimate +/- the MOE. For example, if the ACS reports an estimate of 100 with an MOE of +/- 20, then you can be 90 percent certain the value for the whole population falls between 80 and 120.

**Reliability:** These symbols represent threshold values that Esri has established from the Coefficients of Variation (CV) to designate the usability of the estimates. The CV measures the amount of sampling error relative to the size of the estimate, expressed as a percentage.

High Reliability: Small CVs (less than or equal to 12 percent) are flagged green to indicate that the sampling error is small relative to the estimate and the estimate is reasonably reliable.

Medium Reliability: Estimates with CVs between 12 and 40 are flagged yellow—use with caution.

Low Reliability: Large CVs (over 40 percent) are flagged red to indicate that the sampling error is large relative to the estimate. The estimate is considered very unreliable.

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: High Low

April 13, 2014



### ACS Housing Summary

Prepared by Robert Goman  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 13 minutes

	2005-2009 ACS Estimate	Percent	MOR (±)	Reliability
<b>TOTALS</b>				
Total Population	193,147		4,135	UU
Total Households	72,174		1,445	UU
Total Housing Units	76,616		1,170	UU
<b>OWNER-OCCUPIED HOUSING UNITS BY VALUE</b>				
Total	45,394	100.0%	942	UU
Less than \$10,000	96	0.2%	16	U
\$10,000 to \$14,999	30	0.0%	15	U
\$15,000 to \$24,999	46	0.1%	21	U
\$25,000 to \$34,999	24	0.1%	53	U
\$35,000 to \$49,999	19	0.1%	26	U
\$50,000 to \$74,999	45	0.1%	12	U
\$75,000 to \$99,999	41	0.1%	30	U
\$100,000 to \$149,999	155	0.3%	81	U
\$150,000 to \$249,999	96	0.2%	65	U
\$250,000 to \$499,999	144	0.3%	97	U
\$500,000 to \$99,999	155	0.3%	55	U
\$100,000 to \$124,999	580	1.3%	60	U
\$125,000 to \$149,999	658	1.4%	150	U
\$150,000 to \$174,999	831	1.8%	198	U
\$175,000 to \$199,999	700	1.5%	179	U
\$200,000 to \$249,999	2,033	4.5%	169	U
\$250,000 to \$349,999	1,316	2.9%	277	UU
\$350,000 to \$499,999	3,508	7.7%	235	UU
\$500,000 to \$999,999	4,124	9.1%	360	UU
\$1,000,000 to \$499,999	10,699	23.6%	396	UU
\$750,000 to \$999,999	7,839	17.3%	579	UU
\$1,000,000 or more	12,138	26.7%	471	UU
Median Home Value	N/A		469	UU
Average Home Value	N/A		N/A	

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: ■ high ■ medium ■ low

April 13, 2014



### ACS Housing Summary

Prepared by Robert Goman  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 13 minutes

	2005-2009 ACS Estimate	Percent	MOR (±)	Reliability
<b>RENTER-OCCUPIED HOUSING UNITS BY CONTRACT RENT</b>				
Total	26,781	100.0%	943	UU
With cash rent	25,677	95.9%	928	UU
Less than \$100	146	0.5%	72	U
\$100 to \$149	253	0.9%	110	U
\$150 to \$199	397	1.5%	113	U
\$200 to \$249	423	1.6%	142	U
\$250 to \$299	237	0.9%	91	U
\$300 to \$349	269	1.0%	127	U
\$350 to \$399	290	1.1%	97	U
\$400 to \$449	409	1.5%	130	U
\$450 to \$499	361	1.3%	147	U
\$500 to \$549	349	1.3%	136	U
\$550 to \$599	386	1.4%	122	U
\$600 to \$649	736	2.7%	194	U
\$650 to \$699	660	2.5%	173	U
\$700 to \$749	524	2.0%	128	U
\$750 to \$799	484	1.8%	143	U
\$800 to \$899	1,716	6.4%	143	U
\$900 to \$999	1,382	5.2%	289	UU
\$1,000 to \$1,249	3,755	14.0%	255	UU
\$1,250 to \$1,499	4,268	15.9%	429	UU
\$1,500 to \$1,999	4,671	17.4%	474	UU
\$2,000 or more	3,960	14.8%	458	UU
No cash rent	1,103	4.1%	241	U
Median Contract Rent	N/A		N/A	
Average Contract Rent	N/A		N/A	
<b>RENTER-OCCUPIED HOUSING UNITS BY INCLUSION OF UTILITIES IN RENT</b>				
Total	26,781	100.0%	943	UU
Pay extra for one or more utilities	22,675	84.7%	891	UU
No extra payment for any utilities	4,102	15.3%	443	UU
<b>HOUSING UNITS BY UNITS IN STRUCTURE</b>				
Total	76,616	100.0%	1,170	UU
1, detached	35,400	43.6%	773	UU
1, attached	4,591	6.0%	423	UU
2	6,787	11.3%	617	UU
2 or 4	6,364	8.3%	349	UU
3 to 4	3,859	5.0%	337	UU
5 to 9	2,839	3.7%	334	UU
10 to 49	3,613	4.7%	241	UU
50 or more	1,115	1.5%	552	UU
No structure	17	0.0%	16	U
Boat, RV, van, etc.	11	0.0%	16	U

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: ■ high ■ medium ■ low

April 13, 2014



### ACS Housing Summary

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 13 minutes

Prepared by Robert Goman

	2005-2009 ACS Estimate	Percent	MOE (±)	Reliability
<b>HOUSING UNITS BY YEAR STRUCTURE BUILT</b>				
Total	76,616	100.0%	1,170	UU
Built: 2005 or later	1,174	1.5%	209	UU
Built: 2000 to 2004	2,466	3.2%	303	UU
Built: 1990 to 1999	4,010	5.2%	358	UU
Built: 1980 to 1989	6,134	8.0%	439	UU
Built: 1970 to 1979	6,588	8.6%	504	UU
Built: 1960 to 1969	10,656	13.9%	623	UU
Built: 1950 to 1959	14,273	18.6%	684	UU
Built: 1940 to 1949	7,241	9.5%	536	UU
Built: 1935 or earlier	24,075	31.4%	905	UU
Median Year Structure Built	1955		N/A	

### OCCUPIED HOUSING UNITS BY YEAR HOUSEHOLDER MOVED INTO UNIT

	2005-2009 ACS Estimate	Percent	MOE (±)	Reliability
Total	72,174	100.0%	1,145	UU
Owner occupied	6,062	8.4%	490	UU
Moved in: 2005 or later	10,299	14.3%	576	UU
Moved in: 2000 to 2004	11,959	16.6%	600	UU
Moved in: 1990 to 1999	6,512	9.0%	427	UU
Moved in: 1980 to 1989	4,717	6.5%	362	UU
Moved in: 1970 to 1979	5,844	8.1%	417	UU
Moved in: 1960 or earlier	10,783	14.9%	691	UU
Renter occupied	8,606	11.9%	556	UU
Moved in: 2005 or later	4,227	5.9%	253	UU
Moved in: 2000 to 2004	1,452	2.1%	178	UU
Moved in: 1990 to 1999	938	1.3%	178	UU
Moved in: 1970 to 1979	734	1.0%	176	UU
Moved in: 1959 or earlier	N/A		N/A	
Median Year Householder Moved Into Unit	N/A		N/A	

### OCCUPIED HOUSING UNITS BY HOUSE HEATING FUEL

	2005-2009 ACS Estimate	Percent	MOE (±)	Reliability
Total	72,174	100.0%	1,145	UU
Utility gas	40,585	56.2%	1,053	UU
Bottled, tank, or LP gas	1,005	1.4%	170	UU
Electricity	5,207	7.2%	402	UU
Fuel oil, kerosene, etc	24,758	34.3%	594	UU
Coal or coke	12	0.0%	40	UU
Wood	59	0.1%	40	UU
Solar energy	17	0.0%	20	UU
Other fuel	352	0.5%	115	UU
No fuel used	180	0.2%	70	UU

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: UU high U medium L low

April 13, 2014



### ACS Housing Summary

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 13 minutes

Prepared by Robert Goman

	2005-2009 ACS Estimate	Percent	MOE (±)	Reliability
<b>HOUSING UNITS BY YEAR STRUCTURE BUILT</b>				
Total	76,616	100.0%	1,170	UU
Built: 2005 or later	1,174	1.5%	209	UU
Built: 2000 to 2004	2,466	3.2%	303	UU
Built: 1990 to 1999	4,010	5.2%	358	UU
Built: 1980 to 1989	6,134	8.0%	439	UU
Built: 1970 to 1979	6,588	8.6%	504	UU
Built: 1960 to 1969	10,656	13.9%	623	UU
Built: 1950 to 1959	14,273	18.6%	684	UU
Built: 1940 to 1949	7,241	9.5%	536	UU
Built: 1935 or earlier	24,075	31.4%	905	UU
Median Year Structure Built	1955		N/A	

### OCCUPIED HOUSING UNITS BY YEAR HOUSEHOLDER MOVED INTO UNIT

	2005-2009 ACS Estimate	Percent	MOE (±)	Reliability
Total	72,174	100.0%	1,145	UU
Owner occupied	6,062	8.4%	490	UU
Moved in: 2005 or later	10,299	14.3%	576	UU
Moved in: 2000 to 2004	11,959	16.6%	600	UU
Moved in: 1990 to 1999	6,512	9.0%	427	UU
Moved in: 1980 to 1989	4,717	6.5%	362	UU
Moved in: 1970 to 1979	5,844	8.1%	417	UU
Moved in: 1960 or earlier	10,783	14.9%	691	UU
Renter occupied	8,606	11.9%	556	UU
Moved in: 2005 or later	4,227	5.9%	253	UU
Moved in: 2000 to 2004	1,452	2.1%	178	UU
Moved in: 1990 to 1999	938	1.3%	178	UU
Moved in: 1970 to 1979	734	1.0%	176	UU
Moved in: 1959 or earlier	N/A		N/A	
Median Year Householder Moved Into Unit	N/A		N/A	

### OCCUPIED HOUSING UNITS BY HOUSE HEATING FUEL

	2005-2009 ACS Estimate	Percent	MOE (±)	Reliability
Total	72,174	100.0%	1,145	UU
Utility gas	40,585	56.2%	1,053	UU
Bottled, tank, or LP gas	1,005	1.4%	170	UU
Electricity	5,207	7.2%	402	UU
Fuel oil, kerosene, etc	24,758	34.3%	594	UU
Coal or coke	12	0.0%	36	UU
Wood	59	0.1%	40	UU
Solar energy	17	0.0%	20	UU
Other fuel	352	0.5%	115	UU
No fuel used	180	0.2%	70	UU

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: UU high U medium L low

April 13, 2014



### ACS Housing Summary

Prepared by Robert Goman

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580, S, 13, 23 DT  
Drive Time: 23 minutes

	2005-2009 ACS Estimate	Percent	MOE(z)	Reliability
<b>TOTALS</b>				
Total Population	1,269,719		1,485	UU
Total Households	470,798		3,018	UU
Total Housing Units	501,069		3,003	UU
<b>OWNER-OCCUPIED HOUSING UNITS BY VALUE</b>				
Total	252,892	100.0%	2,424	UU
Less than \$10,000	1,249	0.5%	713	UU
\$10,000 to \$14,999	1,395	0.5%	216	UU
\$15,000 to \$19,999	546	0.2%	192	UU
\$20,000 to \$24,999	582	0.2%	155	UU
\$25,000 to \$29,999	486	0.2%	163	UU
\$30,000 to \$34,999	394	0.2%	147	UU
\$35,000 to \$39,999	739	0.3%	97	UU
\$40,000 to \$49,999	1,658	0.7%	179	UU
\$50,000 to \$59,999	1,795	0.7%	329	UU
\$60,000 to \$69,999	1,672	0.7%	249	UU
\$70,000 to \$79,999	1,649	0.7%	310	UU
\$80,000 to \$89,999	1,599	0.6%	340	UU
\$90,000 to \$99,999	4,651	1.8%	255	UU
\$100,000 to \$124,999	3,933	1.6%	480	UU
\$125,000 to \$149,999	5,758	2.3%	513	UU
\$150,000 to \$174,999	4,314	1.7%	459	UU
\$175,000 to \$199,999	11,131	4.4%	677	UU
\$200,000 to \$249,999	6,757	3.5%	631	UU
\$250,000 to \$299,999	30,997	12.3%	1,135	UU
\$300,000 to \$399,999	37,108	14.7%	1,206	UU
\$400,000 to \$499,999	65,979	26.5%	1,489	UU
\$500,000 to \$749,999	27,811	11.0%	952	UU
\$750,000 to \$999,999	36,902	14.6%	908	UU
\$1,000,000 or more				
Median Home Value	N/A		N/A	
Average Home Value	N/A		N/A	

	2005-2009 ACS Estimate	Percent	MOE(z)	Reliability
<b>OWNER-OCCUPIED HOUSING UNITS BY MORTGAGE STATUS</b>				
Total	252,892	100.0%	2,424	UU
Housing units with a mortgage/contract to purchase/second debt	156,556	65.9%	2,231	UU
Second mortgage only	5,863	2.3%	487	UU
Home equity loan only	36,608	14.5%	1,121	UU
Both second mortgage and home equity loan	2,069	0.8%	326	UU
No second mortgage and no home equity loan	122,008	48.2%	2,059	UU
Housing units without a mortgage	86,324	34.1%	1,626	UU
<b>AVERAGE VALUE BY MORTGAGE STATUS</b>				
Housing units with a mortgage	N/A		N/A	
Housing units without a mortgage	N/A		N/A	



### ACS Housing Summary

Prepared by Robert Goman

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580, S, 13, 23 DT  
Drive Time: 23 minutes

	2005-2009 ACS Estimate	Percent	MOE(z)	Reliability
<b>RENTER-OCCUPIED HOUSING UNITS BY CONTRACT RENT</b>				
Total	217,907	100.0%	2,632	UU
With cash rent	211,634	97.1%	2,611	UU
Less than \$100	2,034	0.9%	227	UU
\$100 to \$149	3,949	1.8%	421	UU
\$150 to \$199	4,305	2.0%	457	UU
\$200 to \$249	2,281	1.0%	323	UU
\$250 to \$299	2,808	1.3%	349	UU
\$300 to \$349	2,341	1.1%	353	UU
\$350 to \$399	3,486	1.6%	418	UU
\$400 to \$449	3,079	1.4%	353	UU
\$450 to \$499	5,154	2.4%	516	UU
\$500 to \$549	4,072	1.9%	478	UU
\$550 to \$599	6,886	3.2%	593	UU
\$600 to \$649	7,415	3.4%	611	UU
\$650 to \$699	8,407	3.9%	681	UU
\$700 to \$749	3,385	1.5%	386	UU
\$750 to \$799	21,218	9.7%	1,016	UU
\$800 to \$899	23,723	10.9%	1,108	UU
\$900 to \$999	39,443	17.9%	1,734	UU
\$1,000 to \$1,249	35,443	16.3%	1,697	UU
\$1,250 to \$1,499	22,702	10.4%	1,137	UU
\$1,500 to \$1,999	11,462	5.3%	739	UU
\$2,000 or more	6,272	2.9%	569	UU
No cash rent				
Median Contract Rent	N/A		N/A	
Average Contract Rent	N/A		N/A	

	2005-2009 ACS Estimate	Percent	MOE(z)	Reliability
<b>UTILITIES IN RENT</b>				
Total	217,907	100.0%	2,632	UU
Pay extra for one or more utilities	174,076	79.8%	2,464	UU
No extra payment for any utilities	43,831	20.1%	1,281	UU
<b>HOUSING UNITS BY UNITS IN STRUCTURE</b>				
Total	501,069	100.0%	3,003	UU
1- detached	167,394	33.4%	1,958	UU
1- attached	31,375	6.3%	1,100	UU
2	56,525	11.3%	1,623	UU
3 or 4	48,130	9.6%	1,511	UU
5 to 9	25,122	5.0%	1,076	UU
10 to 19	20,426	4.1%	964	UU
20 to 49	48,758	9.7%	1,422	UU
50 or more	100,482	20.1%	1,650	UU
Mobile home	734	0.1%	219	UU
Boat, RV, van, etc	125	0.0%	97	L





### ACS Housing Summary

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 23 minutes

Prepared by Robert Goman

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
<b>HOUSING UNITS BY YEAR STRUCTURE BUILT</b>				
Total	501,069	100.0%	3,003	High
Built 2005 or later	5,192	1.0%	482	High
Built 2000 to 2004	12,782	2.6%	730	High
Built 1990 to 1999	18,329	3.7%	861	High
Built 1980 to 1989	27,716	5.5%	1,080	High
Built 1970 to 1979	43,218	8.6%	1,365	High
Built 1960 to 1959	73,598	14.7%	1,732	High
Built 1950 to 1949	103,759	20.7%	2,005	High
Built 1940 to 1939	59,934	12.0%	1,627	High
Built 1939 or earlier	156,541	31.2%	2,373	High
Median Year Structure Built	N/A		N/A	

### OCCUPIED HOUSING UNITS BY YEAR HOUSEHOLDER MOVED INTO UNIT

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
<b>OCCUPIED HOUSING UNITS BY YEAR HOUSEHOLDER MOVED INTO UNIT</b>				
Total	470,798	100.0%	3,018	High
Owner occupied				
Moved in 2005 or later	32,491	6.9%	1,182	High
Moved in 2000 to 2004	56,552	12.0%	1,480	High
Moved in 1990 to 1999	68,031	14.5%	1,583	High
Moved in 1980 to 1989	36,964	7.9%	1,153	High
Moved in 1970 to 1979	28,892	6.1%	1,015	High
Moved in 1969 or earlier	29,962	6.4%	1,006	High
Renter occupied				
Moved in 2005 or later	73,200	15.5%	1,904	High
Moved in 2000 to 2004	65,455	13.9%	1,820	High
Moved in 1990 to 1999	42,736	9.1%	1,426	High
Moved in 1980 to 1989	15,960	3.4%	889	High
Moved in 1970 to 1979	13,923	3.0%	760	High
Moved in 1969 or earlier	6,633	1.4%	515	High
Median Year Householder Moved Into Unit	N/A		N/A	

### OCCUPIED HOUSING UNITS BY HOUSE HEATING FUEL

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
<b>OCCUPIED HOUSING UNITS BY HOUSE HEATING FUEL</b>				
Total	470,798	100.0%	3,018	High
Utility gas	209,989	44.6%	2,394	High
Bottled, tank, or LP gas	7,033	1.5%	536	High
Electricity	45,576	9.7%	1,341	High
Fuel oil, kerosene, etc.	202,529	43.0%	2,603	High
Coal or coke	409	0.1%	159	High
Wood	493	0.1%	131	High
Solar energy	36	0.0%	33	High
Other fuel	2,734	0.6%	308	High
No fuel used	1,999	0.4%	302	High

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: High Low

April 13, 2014



### ACS Housing Summary

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 23 minutes

Prepared by Robert Goman

	2005-2009 ACS Estimate	Percent	MOE(±)	Reliability
<b>OCCUPIED HOUSING UNITS BY VEHICLES AVAILABLE</b>				
Total	470,798	100.0%	3,018	High
Owner occupied				
No vehicle available	22,621	4.8%	985	High
1 vehicle available	85,284	18.1%	1,762	High
2 vehicles available	99,472	21.3%	1,781	High
3 vehicles available	33,304	7.1%	1,074	High
4 vehicles available	9,081	1.9%	582	High
5 or more vehicles available	3,130	0.7%	351	High
Renter occupied				
No vehicle available	85,909	18.2%	1,834	High
1 vehicle available	93,457	19.9%	2,075	High
2 vehicles available	32,336	6.9%	1,291	High
3 vehicles available	4,952	1.1%	521	High
4 vehicles available	948	0.2%	232	High
5 or more vehicles available	406	0.1%	123	High
Average Number of Vehicles Available	N/A		N/A	

Data Note: N/A means not available.

**2005-2009 ACS Estimates:** The American Community Survey (ACS) replaces census sample data. Esri is releasing the 2005-2009 ACS estimates, five-year period data collected monthly from January 1, 2005 through December 31, 2009. Although the ACS includes many of the subjects surveyed by the decennial census sample, there are significant differences between the two surveys including fundamental differences in survey design and residency rules.

**Margin of error (MOE):** The MOE is a measure of the variability of the estimate due to sampling error. MOEs enable the data user to measure the range of uncertainty for each estimate with 90 percent confidence. The range of uncertainty is called the confidence interval, and it is calculated by taking the estimate +/- the MOE. For example, if the ACS reports an estimate of 100 with an MOE of +/- 20, then you can be 90 percent certain the value for the whole population falls between 80 and 120.

**Reliability:** These symbols represent threshold values that Esri has established from the Coefficients of Variation (CV) to designate the usability of the estimates. The CV measures the amount of sampling error relative to the size of the estimate, expressed as a percentage.

High Reliability: Small CVs (less than or equal to 12 percent) are flagged green to indicate that the sampling error is small relative to the estimate and the estimate is reasonably reliable.

Medium Reliability: Estimates with CVs between 12 and 40 are flagged yellow—use with caution.

Low Reliability: Large CVs (over 40 percent) are flagged red to indicate that the sampling error is large relative to the estimate. The estimate is considered very unreliable.

Source: U.S. Census Bureau, 2005-2009 American Community Survey

Reliability: High Low

April 13, 2014



# Age 55+ Profile

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 5 minutes

Prepared by Robert Goman



# Age 55+ Profile

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 5 minutes

Prepared by Robert Goman

Demographic Summary	Census 2010		2013-2018		2013-2018	
	Number	% of 55+	Change	Annual Rate	Number	% of 55+
Total Population	1,653	100.0%	15,886	119	15,805	100.0%
Population 55+	400	24.2%	4,096	480	4,576	11.5%
Median Age			40.5	0.6	41.1	0.29%
Households			5,896	53	5,925	0.18%
% Householders 55+			42.8%	4.0	49.6%	1.70%
Owner/Renter Ratio			1.7	0.1	1.8	1.15%
Median Home Value			\$703,332	\$227,221	\$930,553	5.76%
Average Home Value			\$760,373	\$179,505	\$939,878	4.33%
Median Household Income			\$114,475	\$16,471	\$130,946	2.73%
Median Household Income for Householder 55+			\$93,166	\$24,284	\$117,450	4.74%

Population by Age and Sex			2013		2018	
	Number	% of 55+	Number	% of 55+	Number	% of 55+
<b>Male Population</b>						
Total (55+)	1,653	100.0%	1,806	100.0%	2,106	100.0%
55-59	400	24.2%	506	28.0%	617	29.3%
60-64	345	20.9%	361	20.0%	467	22.2%
65-69	266	16.1%	286	15.8%	324	15.4%
70-74	193	11.7%	214	11.8%	250	11.9%
75-79	158	9.6%	156	8.6%	180	8.5%
80-84	141	8.5%	129	7.1%	120	5.7%
85+	150	9.1%	154	8.5%	148	7.0%
<b>Female</b>						
Total (55+)	2,243	100.0%	2,290	100.0%	2,470	100.0%
55-59	449	20.0%	515	22.5%	625	25.3%
60-64	386	17.2%	407	17.8%	474	19.2%
65-69	306	13.6%	319	13.9%	369	14.9%
70-74	255	11.4%	266	11.6%	282	11.4%
75-79	209	9.3%	213	9.3%	221	8.9%
80-84	259	11.5%	200	8.7%	175	7.1%
85+	379	16.9%	370	16.2%	324	13.1%

Total Population			Census 2010		2013	
	Number	% of Total	Number	% of Total Pop	Number	% of Total
Total (55+)	3,898	32.4%	4,095	34.5%	4,576	37.0%
55-59	849	5.4%	1,021	6.5%	1,242	7.9%
60-64	731	4.6%	768	4.9%	941	6.0%
65-69	573	3.6%	604	3.9%	693	4.4%
70-74	449	2.8%	480	3.1%	532	3.4%
75-79	367	2.3%	369	2.4%	401	2.5%
80-84	400	2.5%	329	2.1%	295	1.9%
85+	529	3.4%	524	3.3%	472	3.0%
65+	2,318	14.7%	2,306	14.7%	2,393	15.1%
75+	1,296	8.2%	1,222	7.8%	1,168	7.4%

Data Note - A "\*" indicates that the variable was not collected in the 2010 Census  
Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018

November 25, 2014

2013 Households by Income and Age of Householder 55+						
	55-64	Percent	65-74	Percent	75+	Percent
Total	1,100	100%	697	100%	445	100%
<\$15,000	55	5.0%	53	7.6%	145	16.5%
\$15,000-\$24,999	36	3.3%	37	5.3%	70	8.0%
\$25,000-\$34,999	30	2.7%	15	2.2%	48	5.5%
\$35,000-\$49,999	70	6.4%	69	9.9%	82	9.3%
\$50,000-\$74,999	122	11.1%	120	17.2%	178	20.3%
\$75,000-\$99,999	115	10.5%	71	10.2%	83	9.4%
\$100,000-\$149,999	189	17.2%	92	13.2%	89	10.1%
\$150,000-\$199,999	130	11.8%	66	9.5%	54	6.1%
\$200,000+	352	32.0%	175	25.1%	129	14.7%
Median HH Income	\$127,740		\$93,253		\$60,679	
Average HH Income	\$180,883		\$151,297		\$106,550	
Total	1,323	100%	780	100%	857	100%
<\$15,000	49	3.7%	51	6.5%	119	14.2%
\$15,000-\$24,999	26	2.0%	30	3.8%	49	5.9%
\$25,000-\$34,999	28	2.1%	15	1.9%	44	5.3%
\$35,000-\$49,999	63	4.8%	58	7.4%	69	8.2%
\$50,000-\$74,999	94	7.1%	94	12.1%	132	15.8%
\$75,000-\$99,999	148	11.2%	91	11.7%	102	12.2%
\$100,000-\$149,999	249	18.8%	118	15.1%	109	13.0%
\$150,000-\$199,999	189	14.3%	95	12.2%	65	7.8%
\$200,000+	476	36.0%	229	29.4%	148	17.7%
Median HH Income	\$150,781		\$117,555		\$76,031	
Average HH Income	\$227,433		\$194,414		\$137,150	

2018 Households by Income and Age of Householder 55+						
	55-64	Percent	65-74	Percent	75+	Percent
Total	1,323	100%	780	100%	857	100%
<\$15,000	49	3.7%	51	6.5%	119	14.2%
\$15,000-\$24,999	26	2.0%	30	3.8%	49	5.9%
\$25,000-\$34,999	28	2.1%	15	1.9%	44	5.3%
\$35,000-\$49,999	63	4.8%	58	7.4%	69	8.2%
\$50,000-\$74,999	94	7.1%	94	12.1%	132	15.8%
\$75,000-\$99,999	148	11.2%	91	11.7%	102	12.2%
\$100,000-\$149,999	249	18.8%	118	15.1%	109	13.0%
\$150,000-\$199,999	189	14.3%	95	12.2%	65	7.8%
\$200,000+	476	36.0%	229	29.4%	148	17.7%
Median HH Income	\$150,781		\$117,555		\$76,031	
Average HH Income	\$227,433		\$194,414		\$137,150	

Data Note: Income is reported for July 1, 2013 and represents annual income for the preceding year, expressed in current (2013) dollars, including an adjustment for inflation. Income is reported for July 1, 2018 and represents annual income for the preceding year, expressed in current (2017) dollars, including an adjustment for inflation.  
Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018





### Age 55+ Profile

Prepared by Robert Goman  
120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 5 minutes

2013 Population 55+ by Race	Number	Percent	% Pop
Total	5,422	100.0%	34.6%
White Alone	4,968	91.6%	37.6%
Black Alone	112	2.1%	30.6%
American Indian Alone	6	0.1%	17.1%
Asian Alone	203	3.7%	17.9%
Pacific Islander Alone	0	0.0%	0.0%
Some Other Race Alone	86	1.6%	14.4%
Two or More Races	47	0.9%	13.5%
Hispanic Origin (Any Race)	364	6.7%	18.7%

Census 2010 Households and Age of Householder	Number	Percent	% Total HHS
Total	2,525	100.0%	42.8%
Family Households	1,440	57.0%	24.4%
Householder Age 55-64	692	27.4%	11.7%
Householder Age 65-74	392	15.5%	6.6%
Householder Age 75-84	246	9.7%	4.2%
Householder Age 85+	110	4.4%	1.9%
Nonfamily Households	1,085	43.0%	18.4%
Householder Age 55-64	270	10.7%	4.6%
Householder Age 65-74	257	10.2%	4.4%
Householder Age 75-84	277	11.0%	4.7%
Householder Age 85+	281	11.1%	4.8%

Census 2010 Occupied Housing Units by Age of Householder	Number	Percent	% Total HHS
Total	2,526	100.0%	42.8%
Owner Occupied Housing Units	1,798	71.2%	30.5%
Householder Age 55-64	715	28.3%	12.1%
Householder Age 65-74	507	20.1%	8.6%
Householder Age 75-84	378	15.0%	6.4%
Householder Age 85+	198	7.8%	3.4%
Renter Occupied Housing Units	728	28.8%	12.3%
Householder Age 55-64	248	9.8%	4.2%
Householder Age 65-74	142	5.6%	2.4%
Householder Age 75-84	145	5.7%	2.5%
Householder Age 85+	193	7.6%	3.3%

**Data Note:** A family is defined as a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. Nonfamily households consist of people living alone and households that do not contain any members who are related to the householder. The base for % Pop is specific to the row. A Nonrelative is not related to the householder by birth, marriage, or adoption.  
**Source:** U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2013 and 2016

November 25, 2014



### Age 55+ Profile

Prepared by Robert Goman  
120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 13 minutes

Demographic Summary	Census 2010	2013	2018	2013-2018 Change	2013-2018 Annual Rate	2018
Total Population	194,677	195,142	198,781	3,639	0.37%	198,781
Population 55+	50,632	53,226	58,623	5,397	1.36%	58,623
Median Age	39.3	39.9	40.5	0.6	0.30%	40.5
Households	72,575	72,725	74,093	1,368	0.37%	74,093
% Householders 55+	43.1%	45.2%	48.2%	3.0	1.29%	48.2%
Owner/Renter Ratio	1.4	1.4	1.4	0.0	0.00%	1.4
Median Home Value	\$629,865	\$629,865	\$852,654	\$222,789	6.24%	\$852,654
Average Home Value	\$706,169	\$706,169	\$844,621	\$138,452	6.35%	\$844,621
Median Household Income	\$85,864	\$85,864	\$100,543	\$14,679	3.21%	\$100,543
Median Household Income for Householder 55+	\$75,797	\$75,797	\$91,667	\$15,870	3.88%	\$91,667

Population by Age and Sex			2013	2018
Male Population	Number	% of 55+	Number	% of 55+
Total (55+)	21,956	100.0%	23,442	100.0%
55-59	5,687	25.9%	6,207	26.5%
60-64	4,697	21.4%	5,067	21.6%
65-69	3,472	15.8%	3,827	16.3%
70-74	2,556	11.6%	2,789	11.9%
75-79	2,201	10.0%	2,122	9.1%
80-84	1,754	8.0%	1,738	7.4%
85+	1,589	7.2%	1,692	7.2%

Female			2013	2018
Total (55+)	Number	% of 55+	Number	% of 55+
Total (55+)	28,676	100.0%	29,784	100.0%
55-59	6,249	21.8%	6,781	22.8%
60-64	5,436	19.0%	5,744	19.3%
65-69	4,235	14.8%	4,581	15.4%
70-74	3,422	11.9%	3,629	12.2%
75-79	3,031	10.6%	2,953	9.9%
80-84	2,926	10.2%	2,853	8.8%
85+	3,377	11.8%	3,480	11.7%

Total Population			2013	2018
Total (55+)	Number	% of Total	Number	% of Total
Total (55+)	50,630	33.4%	53,225	34.9%
55-59	11,935	6.1%	12,988	6.7%
60-64	10,133	5.2%	10,810	5.5%
65-69	7,707	4.0%	8,408	4.3%
70-74	5,978	3.1%	6,418	3.3%
75-79	5,232	2.7%	5,075	2.6%
80-84	4,680	2.4%	4,354	2.2%
85+	4,965	2.6%	5,172	2.7%

**Data Note:** A "-" indicates that the variable was not collected in the 2010 Census.  
**Source:** U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2013 and 2018

**GOMAN + YORK**  
NOVEMBER 2014



## Age 55+ Profile

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 13 minutes

Prepared by Robert Goman

	2013 Households by Income and Age of Householder 55+			Total	Percent
	55-64	65-74	75+		
Total	13,819	9,202	9,647	32,668	100%
<\$15,000	873	590	1,388	2,851	8.7%
\$15,000-\$24,999	632	4,636	827	2,721	8.3%
\$25,000-\$34,999	845	6.1%	1,221	2,815	8.6%
\$35,000-\$49,999	1,219	8.8%	1,151	3,430	10.4%
\$50,000-\$74,999	1,622	11.7%	1,430	4,481	13.6%
\$75,000-\$99,999	1,426	10.3%	894	3,317	10.1%
\$100,000-\$149,999	2,354	17.0%	890	4,532	13.8%
\$150,000-\$199,999	1,441	10.4%	536	2,663	8.1%
\$200,000+	3,407	24.7%	1,074	6,057	18.4%
Median HH Income	\$104,339	\$73,698	\$48,335	\$75,797	
Average HH Income	\$153,984	\$122,517	\$90,290	\$126,093	

	2018 Households by Income and Age of Householder 55+			Total	Percent
	55-64	65-74	75+		
Total	15,045	10,702	9,988	35,735	100%
<\$15,000	803	5.3%	1,326	2,725	7.6%
\$15,000-\$24,999	487	3.2%	957	2,179	6.1%
\$25,000-\$34,999	728	4.8%	1,067	2,555	7.1%
\$35,000-\$49,999	1,156	7.7%	1,069	3,296	9.2%
\$50,000-\$74,999	1,422	9.5%	1,225	4,038	11.3%
\$75,000-\$99,999	1,754	11.7%	1,186	4,261	11.9%
\$100,000-\$149,999	2,802	18.6%	1,116	5,631	15.8%
\$150,000-\$199,999	1,868	12.4%	726	3,614	10.1%
\$200,000+	4,025	26.8%	1,295	7,433	20.8%
Median HH Income	\$116,298	\$88,863	\$59,332	\$91,667	
Average HH Income	\$186,697	\$152,307	\$113,651	\$156,066	

**Data Note:** Income is reported for July 1, 2013 and represents annual income for the preceding year, assessed in current (2012) dollars, including an adjustment for inflation. Income is reported for July 1, 2018 and represents annual income for the preceding year, expressed in current (2017) dollars, including an adjustment for inflation.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018

November 25, 2014



## Age 55+ Profile

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 13 minutes

Prepared by Robert Goman

	2013 Population 55+ by Race			Number	Percent	% Pop
	Total	White Alone	Black Alone			
Total	13,819	9,202	9,647	32,668	100.0%	34.9%
White Alone	8,281	8,281	8,281	56,442	83.0%	39.7%
Black Alone	2,851	14.1%	8.7%	5,087	7.5%	34.2%
American Indian Alone	2,721	12.8%	8.3%	143	0.2%	18.4%
Asian Alone	2,815	12.4%	8.6%	2,756	4.1%	23.3%
Pacific Islander Alone	3,430	11.7%	10.4%	11	0.0%	9.6%
Some Other Race Alone	4,481	14.5%	13.6%	2,635	3.9%	13.9%
Two or More Races	3,317	10.1%	10.1%	966	1.4%	15.6%
Hispanic Origin (Any Race)	4,532	13.8%	8.1%	8,972	13.2%	17.9%
Total	31,283	100.0%	43.1%	18,101	57.9%	24.9%
Family Households	8,685	27.8%	12.0%	5,028	16.1%	6.9%
Householder Age 55-64	3,233	10.3%	4.5%	1,155	3.7%	1.6%
Householder Age 65-74	13,182	42.1%	18.2%	4,112	13.1%	5.7%
Householder Age 75-84	3,447	11.0%	4.7%	3,389	10.8%	4.7%
Householder Age 85+	2,234	7.1%	3.1%	31,281	100.0%	43.1%
Total	22,169	70.9%	30.5%	8,905	28.5%	12.3%
Owner Occupied Housing Units	6,144	19.6%	8.5%	6,144	19.6%	8.5%
Householder Age 55-64	4,833	15.5%	6.7%	2,287	7.3%	3.2%
Householder Age 65-74	9,112	29.1%	12.6%	3,892	12.4%	5.4%
Householder Age 75-84	2,331	7.5%	3.2%	2,331	7.5%	3.2%
Householder Age 85+	1,788	5.7%	2.5%	1,788	5.7%	2.5%
Total	1,101	3.5%	1.5%	31,281	100.0%	43.1%
Owner Occupied Housing Units	8,905	28.5%	12.3%	22,169	70.9%	30.5%
Householder Age 55-64	6,144	19.6%	8.5%	6,144	19.6%	8.5%
Householder Age 65-74	4,833	15.5%	6.7%	4,833	15.5%	6.7%
Householder Age 75-84	2,287	7.3%	3.2%	2,287	7.3%	3.2%
Householder Age 85+	9,112	29.1%	12.6%	9,112	29.1%	12.6%
Renter Occupied Housing Units	3,892	12.4%	5.4%	3,892	12.4%	5.4%
Householder Age 55-64	2,331	7.5%	3.2%	2,331	7.5%	3.2%
Householder Age 65-74	1,788	5.7%	2.5%	1,788	5.7%	2.5%
Householder Age 75-84	1,101	3.5%	1.5%	1,101	3.5%	1.5%
Householder Age 85+	31,281	100.0%	43.1%	31,281	100.0%	43.1%

### Census 2010 Occupied Housing Units by Age of Householder

	Number	Percent	% Total HHs
Total	31,281	100.0%	43.1%
Owner Occupied Housing Units	22,169	70.9%	30.5%
Householder Age 55-64	8,905	28.5%	12.3%
Householder Age 65-74	6,144	19.6%	8.5%
Householder Age 75-84	4,833	15.5%	6.7%
Householder Age 85+	2,287	7.3%	3.2%
Renter Occupied Housing Units	9,112	29.1%	12.6%
Householder Age 55-64	3,892	12.4%	5.4%
Householder Age 65-74	2,331	7.5%	3.2%
Householder Age 75-84	1,788	5.7%	2.5%
Householder Age 85+	1,101	3.5%	1.5%

**Data Note:** A family is defined as a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. Nonfamily households consist of people living alone and households that do not contain any members who are related to the householder. The base for "% Pop" is specific to the row. A Nonrelative is not related to the householder by birth, marriage, or adoption.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018

**GOMAN + YORK**  
NOVEMBER 2014



### Age 55+ Profile

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 23 minutes

Prepared by Robert Goman

#### Demographic Summary

Total Population	1,280,138	2013	1,285,824	2013-2018 Change	28,025	2013-2018 Annual Rate	0.43%
Population 55+	327,938	2013	346,633	2013-2018 Change	37,364	2013-2018 Annual Rate	1.41%
Median Age	38.5	2013	38.9	2013-2018 Change	0.5	2013-2018 Annual Rate	0.26%
Households	480,532	2013	482,959	2013-2018 Change	10,854	2013-2018 Annual Rate	0.45%
% Householders 55+	42.0%	2013	44.0%	2013-2018 Change	3.1	2013-2018 Annual Rate	1.37%
Owner/Renter Ratio	1.0	2013	1.0	2013-2018 Change	0.0	2013-2018 Annual Rate	0.00%
Median Home Value	-	2013	\$479,179	2013-2018 Change	\$171,331	2013-2018 Annual Rate	6.30%
Average Home Value	-	2013	\$568,406	2013-2018 Change	\$118,017	2013-2018 Annual Rate	3.85%
Median Household Income	-	2013	\$76,657	2013-2018 Change	\$13,707	2013-2018 Annual Rate	4.02%
Median Household Income for Householder 55+	-	2013	\$57,134	2013-2018 Change	\$11,996	2013-2018 Annual Rate	3.89%

#### Population by Age and Sex

	Census 2010		2013		2018		2018 % of 55+	
	Number	% of 55+	Number	% of 55+	Number	% of 55+	% of 55+	
<b>Male Population</b>								
Total (55+)	139,502	100.0%	149,114	100.0%	167,319	100.0%	100.0%	
55-59	36,286	26.0%	39,041	26.2%	41,761	25.0%	25.0%	
60-64	30,956	22.2%	33,226	22.3%	36,691	21.9%	21.9%	
65-69	22,612	16.2%	25,051	16.8%	29,744	17.8%	17.8%	
70-74	16,645	11.9%	18,223	12.2%	22,419	13.4%	13.4%	
75-79	13,563	9.7%	13,548	9.1%	15,592	9.3%	9.3%	
80-84	10,459	7.5%	10,353	6.9%	10,516	6.3%	6.3%	
85+	8,981	6.4%	9,572	6.5%	10,596	6.3%	6.3%	
<b>Female</b>								
Total (55+)	237,453	100.0%	197,519	100.0%	216,678	100.0%	100.0%	
55-59	42,429	17.9%	45,084	22.8%	47,600	22.0%	22.0%	
60-64	37,244	15.7%	39,843	20.2%	43,138	19.9%	19.9%	
65-69	28,713	12.1%	31,469	15.9%	37,024	17.1%	17.1%	
70-74	22,876	9.6%	24,534	12.4%	29,448	13.6%	13.6%	
75-79	19,701	8.3%	19,599	9.9%	22,058	10.2%	10.2%	
80-84	17,538	7.4%	16,415	8.3%	16,253	7.5%	7.5%	
85+	19,935	8.4%	20,575	10.4%	21,157	9.8%	9.8%	
<b>Total Population</b>								
Total (55+)	420,226	32.8%	346,631	34.3%	383,998	36.0%	36.0%	
55-59	78,715	6.1%	84,125	6.5%	89,361	6.8%	6.8%	
60-64	68,200	5.3%	73,069	5.7%	79,830	6.1%	6.1%	
65-69	51,325	4.0%	56,519	4.4%	66,768	5.1%	5.1%	
70-74	39,521	3.1%	42,756	3.3%	51,867	3.9%	3.9%	
75-79	33,264	2.6%	33,147	2.6%	37,650	2.9%	2.9%	
80-84	27,997	2.2%	26,768	2.1%	26,769	2.0%	2.0%	
85+	28,916	2.3%	30,247	2.4%	31,753	2.4%	2.4%	
65+	181,023	14.1%	189,437	14.7%	214,807	16.3%	16.3%	
75+	90,177	7.0%	90,162	7.0%	96,172	7.3%	7.3%	

Data Note - A "-" indicates that the variable was not collected in the 2010 Census

Source: U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2013 and 2018

November 25, 2014



### Age 55+ Profile

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580,  
Drive Time: 23 minutes

Prepared by Robert Goman

#### 2013 Households by Income and Age of Householder 55+

	55-64	65-74	75+	Total	Percent	Percent	Percent	Total	Percent
Total	92,994	61,180	58,445	212,619	100%	100%	100%	212,619	100%
<\$15,000	9,714	10,4%	10,193	25,912	12.2%	17.4%	17.4%	25,912	12.2%
\$15,000-\$24,999	5,645	6.1%	8,652	20,250	9.5%	15.1%	15.1%	20,250	9.5%
\$25,000-\$34,999	7,041	7.6%	6,587	20,650	9.7%	12.0%	12.0%	20,650	9.7%
\$35,000-\$49,999	10,995	11.8%	9,074	27,448	12.9%	12.6%	12.6%	27,448	12.9%
\$50,000-\$74,999	13,840	14.9%	10,145	32,957	15.5%	15.4%	15.4%	32,957	15.5%
\$75,000-\$99,999	10,321	11.1%	6,398	22,067	10.4%	9.2%	9.2%	22,067	10.4%
\$100,000-\$149,999	14,875	16.0%	7,793	27,627	13.0%	8.5%	8.5%	27,627	13.0%
\$150,000-\$199,999	7,560	8.1%	3,639	13,476	6.3%	3.9%	3.9%	13,476	6.3%
\$200,000+	13,001	14.0%	5,786	22,230	10.5%	5.9%	5.9%	22,230	10.5%
Median HH Income	\$73,179	\$55,920	\$40,316	\$57,134				\$57,134	
Average HH Income	\$113,965	\$92,666	\$69,820	\$95,701				\$95,701	

#### 2018 Households by Income and Age of Householder 55+

	55-64	65-74	75+	Total	Percent	Percent	Percent	Total	Percent
Total	98,857	72,140	61,816	232,813	100%	100%	100%	232,813	100%
<\$15,000	9,401	9.5%	6,661	26,668	11.5%	17.2%	17.2%	26,668	11.5%
\$15,000-\$24,999	4,433	4.5%	5,387	16,970	7.3%	11.6%	11.6%	16,970	7.3%
\$25,000-\$34,999	6,462	6.5%	7,147	20,463	8.8%	11.1%	11.1%	20,463	8.8%
\$35,000-\$49,999	10,593	10.7%	9,737	27,706	11.9%	11.9%	11.9%	27,706	11.9%
\$50,000-\$74,999	11,988	12.1%	9,975	30,080	12.9%	13.1%	13.1%	30,080	12.9%
\$75,000-\$99,999	12,941	13.1%	8,947	29,319	12.6%	12.0%	12.0%	29,319	12.6%
\$100,000-\$149,999	18,062	18.3%	10,869	35,619	15.3%	10.8%	10.8%	35,619	15.3%
\$150,000-\$199,999	9,808	9.9%	5,522	18,598	8.0%	5.3%	5.3%	18,598	8.0%
\$200,000+	15,170	15.3%	7,895	27,590	11.8%	7.0%	7.0%	27,590	11.8%
Median HH Income	\$85,945	\$66,085	\$47,214	\$69,130				\$69,130	
Average HH Income	\$136,200	\$111,712	\$84,884	\$114,987				\$114,987	

Data Note: Income is reported for July 1, 2013 and represents annual income for the preceding year, expressed in current (2012) dollars, including an adjustment for inflation. Income is reported for July 1, 2018 and represents annual income for the preceding year, expressed in current (2017) dollars, including an adjustment for inflation.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Esri forecasts for 2013 and 2018



## Age 55+ Profile

120 Old Post Rd  
 120 Old Post Rd, Rye, New York, 10580,  
 Drive Time: 23 minutes

Prepared by Robert Goman

### 2013 Population 55+ by Race

	Number	Percent	% Pop
Total	441,145	100.0%	34.3%
White Alone	285,754	64.8%	40.6%
Black Alone	100,257	22.7%	32.2%
American Indian Alone	1,384	0.3%	19.8%
Asian Alone	21,128	4.8%	25.9%
Pacific Islander Alone	142	0.0%	20.6%
Some Other Race Alone	23,183	5.3%	17.1%
Two or More Races	9,297	2.1%	20.1%
Hispanic Origin (Any Race)	74,484	16.9%	21.5%

### Census 2010 Households and Age of Householder

	Number	Percent	% Total HHs
Total	201,619	100.0%	42.0%
Family Households	114,945	57.0%	23.9%
Householder Age 55-64	56,958	28.3%	11.9%
Householder Age 65-74	32,378	16.1%	6.7%
Householder Age 75-84	19,283	9.6%	4.0%
Householder Age 85+	6,326	3.1%	1.3%
Nonfamily Households	86,674	43.0%	18.0%
Householder Age 55-64	30,146	15.0%	6.3%
Householder Age 65-74	23,734	11.8%	4.9%
Householder Age 75-84	20,543	10.2%	4.3%
Householder Age 85+	12,251	6.1%	2.5%

### Census 2010 Occupied Housing Units by Age of Householder

	Number	Percent	% Total HHs
Total	201,619	100.0%	42.0%
Owner Occupied Housing Units	123,716	61.4%	25.7%
Householder Age 55-64	52,066	25.8%	10.8%
Householder Age 65-74	35,049	17.4%	7.3%
Householder Age 75-84	25,716	12.5%	5.4%
Householder Age 85+	10,885	5.4%	2.3%
Renter Occupied Housing Units	77,903	38.6%	16.2%
Householder Age 55-64	35,037	17.4%	7.3%
Householder Age 65-74	21,063	10.4%	4.4%
Householder Age 75-84	14,111	7.0%	2.9%
Householder Age 85+	7,692	3.8%	1.6%

**Data Note:** A family is defined as a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. Nonfamily households consist of people living alone and households that do not contain any members who are related to the householder. The base for "% Pop" is specific to the CTR. A Nonrelative is not related to the householder by birth, marriage, or adoption.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2015.



### Housing Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

Population	
2010 Total Population	15,771
2013 Total Population	15,686
2018 Total Population	15,605
2013-2018 Annual Rate	0.13%

Households	
2013 Median Household Income	\$114,475
2018 Median Household Income	\$130,946
2013-2018 Annual Rate	2.73%

Housing Units by Occupancy Status and Tenure	Census 2010		2013		2018	
	Number	Percent	Number	Percent	Number	Percent
Total Housing Units	6,412	100.0%	6,379	100.0%	6,508	100.0%
Occupied	5,895	92.0%	5,872	92.1%	5,925	91.0%
Owner	3,726	58.1%	3,676	57.6%	3,840	59.0%
Renter	2,170	33.8%	2,196	34.4%	2,085	32.0%
Vacant	516	8.0%	507	7.9%	583	9.0%

Owner Occupied Housing Units by Value	2013		2018	
	Number	Percent	Number	Percent
Total	3,675	100.0%	3,840	100.0%
<\$50,000	4	0.1%	0	0.0%
\$50,000-\$99,999	30	0.8%	1	0.0%
\$100,000-\$149,999	57	1.6%	8	0.2%
\$150,000-\$199,999	74	2.0%	33	0.9%
\$200,000-\$249,999	84	2.3%	58	1.5%
\$250,000-\$299,999	133	3.6%	56	1.5%
\$300,000-\$399,999	368	10.0%	70	1.8%
\$400,000-\$499,999	395	10.7%	179	4.7%
\$500,000-\$749,999	852	23.2%	366	9.5%
\$750,000-\$999,999	589	16.0%	1,592	41.5%
\$1,000,000+	1,090	29.7%	1,477	38.5%

Median Value \$703,332  
Average Value \$760,373

Source: U.S. Census Bureau, Census 2010 Summary File 1, Esri forecasts for 2013 and 2018.

April 13, 2014



### Housing Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

Census 2010 Owner Occupied Housing Units by Mortgage Status	
Total	3,726
Owned with a Mortgage/Loan	2,480
Owned Free and Clear	1,246

Census 2010 Vacant Housing Units by Status	
Total	516
For Rent	155
Renters - Not Occupied	8
For Sale Only	53
Sold - Not Occupied	37
Seasonal/Recreational/Occasional Use	57
For Migrant Workers	0
Other Vacant	134

### Census 2010 Occupied Housing Units by Age of Householder and Home Ownership

	Occupied Units		Owner Occupied Units	
	Number	% of Occupied	Number	% of Occupied
Total	5,898	87.2%	3,726	62.9%
15-24	76	1.3%	11	0.3%
25-34	560	9.5%	168	3.0%
35-44	1,241	21.0%	697	12.0%
45-54	1,495	25.4%	1,094	18.7%
55-64	963	16.3%	715	12.2%
65-74	649	11.0%	507	8.8%
75-84	523	8.9%	378	6.5%
85+	391	6.6%	195	3.4%

### Census 2010 Occupied Housing Units by Race/Ethnicity of Householder and Home Ownership

	Occupied Units		Owner Occupied Units	
	Number	% of Occupied	Number	% of Occupied
Total	5,896	100.0%	3,726	100.0%
White Alone	5,203	88.3%	3,515	94.3%
Black/African American	133	2.3%	35	0.9%
American Indian/Alaska	11	0.2%	3	0.1%
Asian Alone	328	5.6%	113	3.0%
Pacific Islander Alone	1	0.0%	0	0.0%
Other Race Alone	145	2.5%	31	0.8%
Two or More Races	75	1.3%	29	0.8%
Hispanic Origin	497	8.4%	160	4.3%

### Census 2010 Occupied Housing Units by Size and Home Ownership

	Occupied Units		Owner Occupied Units	
	Number	% of Occupied	Number	% of Occupied
Total	5,897	100.0%	3,726	100.0%
1-Person	1,595	27.0%	760	20.4%
2-Person	1,529	26.0%	1,044	28.0%
3-Person	904	15.3%	588	15.8%
4-Person	1,087	18.4%	735	19.7%
5-Person	554	9.4%	427	11.5%
6-Person	165	2.8%	128	3.4%
7+ Person	63	1.1%	44	1.2%

Data Note: Bureau of Economic Analysis may use of any race.  
Source: U.S. Census Bureau, Census 2010 Summary File 1.

April 13, 2014

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 13 minutes

Prepared by Robert Goman

Population	2010	2013	2018	2018
2010 Total Population	194,877		79,864	\$85,864
2013 Total Population	195,142		74,093	\$100,543
2018 Total Population	198,781		43,813	3.21%
2013-2018 Annual Rate	0.37%		30,280	
			5,771	

Housing Units by Occupancy Status and Tenure	Census 2010		2013		2018	
	Number	Percent	Number	Percent	Number	Percent
Total Housing Units	78,349	100.0%	78,660	100.0%	79,864	100.0%
Occupied	72,574	92.6%	72,726	92.5%	74,093	92.8%
Renter	42,649	54.4%	41,999	53.4%	43,813	54.9%
Owner	29,925	38.2%	30,727	39.1%	30,280	37.9%
Vacant	5,774	7.4%	5,935	7.5%	5,771	7.2%

Owner Occupied Housing Units by Value	2010		2013		2018	
	Number	Percent	Number	Percent	Number	Percent
Total	41,997	100.0%	41,997	100.0%	43,813	100.0%
<\$50,000	100	0.2%	100	0.2%	10	0.0%
\$50,000-\$99,999	496	1.2%	496	1.2%	54	0.1%
\$100,000-\$149,999	774	1.8%	774	1.8%	133	0.3%
\$150,000-\$199,999	1,274	3.0%	1,274	3.0%	578	1.2%
\$200,000-\$249,999	1,487	3.5%	1,487	3.5%	1,044	2.4%
\$250,000-\$299,999	1,950	4.6%	1,950	4.6%	1,350	3.1%
\$300,000-\$399,999	4,471	10.6%	4,471	10.6%	2,058	4.7%
\$400,000-\$499,999	5,174	12.3%	5,174	12.3%	3,673	8.4%
\$500,000-\$749,999	10,148	24.2%	10,148	24.2%	7,400	16.9%
\$750,000-\$999,999	5,231	12.5%	5,231	12.5%	13,774	31.4%
\$1,000,000+	10,892	25.9%	10,892	25.9%	13,789	31.5%
Median Value			\$629,865		\$852,654	
Average Value			\$708,169		\$844,621	

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 13 minutes

Prepared by Robert Goman

Census 2010 Owner Occupied Housing Units by Mortgage Status	Number	Percent
Total	42,649	100.0%
Owned with a Mortgage/Loan	28,737	67.4%
Owned Free and Clear	13,912	32.6%

Census 2010 Vacant Housing Units by Status	Number	Percent
Total	5,774	100.0%
For Rent	1,966	34.0%
Renters: Not Occupied	126	2.2%
For Sale Only	1,051	18.2%
Sold - Not Occupied	229	4.0%
Seasonal/Recreational/Occasional Use	845	14.6%
For Migrant Workers	1	0.0%
Other Vacant	1,563	27.1%

Census 2010 Occupied Housing Units by Age of Householder and Home Ownership	Number	% of Occupied	Owner Occupied Units	% of Occupied
Total	42,650	58.8%	42,650	58.8%
15-24	1,301	10.9%	1,301	10.9%
25-34	9,357	28.0%	9,357	28.0%
35-44	14,386	33.7%	14,386	33.7%
45-54	16,250	38.1%	16,250	38.1%
55-64	12,797	29.9%	12,797	29.9%
65-74	8,475	19.9%	8,475	19.9%
75-84	6,621	15.5%	6,621	15.5%
85+	3,388	7.9%	3,388	7.9%

Census 2010 Occupied Housing Units by Race/Ethnicity of Householder and Home Ownership	Number	% of Occupied	Owner Occupied Units	% of Occupied
Total	42,650	58.8%	42,650	58.8%
White Alone	37,915	89.1%	37,915	89.1%
Black/African American	1,748	4.1%	1,748	4.1%
American Indian/Alaska	191	0.4%	191	0.4%
Asian Alone	3,590	8.4%	3,590	8.4%
Pacific Islander Alone	29	0.1%	29	0.1%
Other Race Alone	4,317	10.1%	4,317	10.1%
Two or More Races	1,480	3.5%	1,480	3.5%
Hispanic Origin	12,195	28.6%	12,195	28.6%

Census 2010 Occupied Housing Units by Size and Home Ownership	Number	% of Occupied	Owner Occupied Units	% of Occupied
Total	42,650	58.8%	42,650	58.8%
1-Person	20,823	48.8%	20,823	48.8%
2-Person	13,321	31.2%	13,321	31.2%
3-Person	6,733	15.8%	6,733	15.8%
4-Person	6,912	16.2%	6,912	16.2%
5-Person	3,447	8.1%	3,447	8.1%
6-Person	1,991	4.7%	1,991	4.7%
7+ Person	561	1.3%	561	1.3%

Data Note: Percent of Hispanic Origin may be of any race. Source: U.S. Census Bureau, Census 2010 Summary File 1





### Housing Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 23 minutes

Prepared by Robert Gorman

Population		Households	
2010 Total Population	1,280,138	2013 Median Household Income	\$62,950
2013 Total Population	1,285,824	2018 Median Household Income	\$76,657
2018 Total Population	1,313,850	2013-2018 Annual Rate	4.02%
2013-2018 Annual Rate	0.43%		

Housing Units by Occupancy Status and Tenure	Census 2010		2013		2018	
	Number	Percent	Number	Percent	Number	Percent
Total Housing Units	511,672	100.0%	515,655	100.0%	526,582	100.0%
Occupied	480,532	93.9%	482,959	93.7%	493,814	93.8%
Owner	242,638	47.4%	240,160	46.6%	252,421	47.9%
Renter	237,894	46.5%	242,799	47.1%	241,393	45.8%
Vacant	31,140	6.1%	32,696	6.3%	32,749	6.2%

Owner Occupied Housing Units by Value	2013		2018	
	Number	Percent	Number	Percent
Total	240,051	100.0%	252,298	100.0%
<\$50,000	1,410	0.6%	190	0.1%
\$50,000-\$99,999	6,567	2.7%	1,342	0.5%
\$100,000-\$149,999	6,306	2.6%	1,840	0.7%
\$150,000-\$199,999	8,407	3.5%	7,879	3.1%
\$200,000-\$249,999	10,573	4.4%	9,863	3.9%
\$250,000-\$299,999	14,379	6.0%	11,576	4.6%
\$300,000-\$399,999	39,260	16.4%	23,583	9.3%
\$400,000-\$499,999	41,834	17.4%	33,603	13.3%
\$500,000-\$749,999	59,270	24.7%	60,250	23.9%
\$750,000-\$999,999	19,574	8.2%	60,481	24.0%
\$1,000,000+	32,471	13.5%	41,691	16.5%
Median Value	\$479,179		\$650,510	
Average Value	\$588,406		\$886,423	

Source: U.S. Census Bureau, Census 2010 Summary File 1, ERI forecasts for 2013 and 2018

April 13, 2014



### Housing Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 23 minutes

Prepared by Robert Gorman

Census 2010 Owner Occupied Housing Units by Mortgage Status	
Total	242,638
Owned with a Mortgage/Loan	167,449
Owned Free and Clear	75,189

Census 2010 Vacant Housing Units by Status	
Total	31,140
For Rent	12,413
Renter- Not Occupied	797
For Sale Only	4,528
Sold - Not Occupied	1,086
Seasonal/Recreational/Occasional Use	3,301
For Migrant Workers	5
Other Vacant	9,029

Census 2010 Occupied Housing Units by Age of Householder and Home Ownership		
	Occupied Units	Owner Occupied Units
Total	480,531	242,637
15-24	10,797	1,293
25-34	66,123	17,073
35-44	79,295	24,446
45-54	107,867	36,107
55-64	87,113	32,066
65-74	47,416	15,716
75-84	30,837	10,885
85+	18,577	

Census 2010 Occupied Housing Units by Race/Ethnicity of Householder and Home Ownership		
	Occupied Units	Owner Occupied Units
Total	480,532	242,638
White Alone	285,600	177,262
Black/African American	117,481	39,851
American Indian/Alaska	2,072	525
Asian Alone	24,091	12,223
Pacific Islander Alone	203	50
Other Races Alone	36,470	8,550
Two or More Races	12,615	4,177
Hispanic Origin	101,165	27,189

Census 2010 Occupied Housing Units by Size and Home Ownership		
	Occupied Units	Owner Occupied Units
Total	480,531	242,638
1-Person	140,255	58,207
2-Person	134,804	73,259
3-Person	79,960	40,738
4-Person	68,520	39,343
5-Person	34,130	19,454
6-Person	13,165	6,959
7+ Person	9,697	4,638

Data Note: Percent of Hispanic Origin may be of any race  
Source: U.S. Census Bureau, Census 2010 Summary File 1

April 13, 2014



## Lifestyle Report

Prepared by Robert Goman  
120 Old Post Rd  
Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 23 minutes

Top 10 Tapestry Segments



### Top 10 Tapestry Segments:

**20. City Lights**  
The City Lights segment is composed of diverse neighborhoods situated primarily in the Northeast. This dense urban market is a mixture of housing, household types, and culture that all share the same city space. Households include families and singles, similar to the U.S. distribution by household type. With a median age of 38.5 years, the population is slightly older than that of the U.S. population, there are fewer children and slightly more people aged 75 or older. The ethnic or racial diversity is slightly higher than the U.S. level, with higher ratios of Asian, Hispanic, and multiracial populations. City Lights residents earn a good living working in white collar and service occupations. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/20\\_city\\_lights.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/20_city_lights.pdf)

**45. City Strivers**  
Residents of this young, relatively diverse urban market have a median age of 33.8 years and a 66 percent mix of family types, such as married couples (54 percent) and singles (30 percent). Many City Strivers have attended college. Education attainment levels are below those of the U.S., approximately 84 percent of residents aged 25 years and older have attended college. Approximately half of employed residents work in the service and health care industry sectors in the city. Twenty-two percent of the residents who are employed are government workers, employed primarily by the local government. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/45\\_city\\_strivers.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/45_city_strivers.pdf)

**01. Top Ring**  
Residents of Top Ring neighborhoods are mature, married, highly educated, and wealthy. The median age is 45.0 years; one-third of the residents are in their peak earning years of 45-64. More than 77 percent of these households are composed of married couples; half of them have children. Except for the presence of children, this is a low-diversity, monoclassic market. Top Ring, the wealthiest consumer market, represents less than 1 percent of the population in the area, but has a median income of \$173,174 is more than nine-and-one-half times that of the U.S. median. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/01\\_top\\_ring.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/01_top_ring.pdf)

**61. High Rise Renters**  
High Rise Renters residents are a diverse mix of race and ethnicity. More than half of the residents are Hispanic, mainly from Puerto Rico or the Dominican Republic. Forty percent of the residents are black, 21 percent are white, and 7 percent are of two or more races. A higher-than-average proportion (28 percent) of other races is also represented. Many residents speak a language other than English. Household types are mainly single person and single person; however, a higher-than-average proportion of other family households is also present. Their median age of 31.9 years is younger than the U.S. median. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/61\\_high\\_rise\\_renters.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/61_high_rise_renters.pdf)

**Data Note:** This report identifies neighborhood segments in the area, and describes the socioeconomic quality of the immediate neighborhood. The index is a comparison of the percent of households or population in the area, by Tapestry segment, to the percent of households or population in the United States, by segment. An index of 100 represents the U.S. average.  
**Source:** Esri

April 13, 2014



## Lifestyle Report

Prepared by Robert Goman  
120 Old Post Rd  
Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 23 minutes

35. International Marketplace

Located primarily in cities in "gateway" states on both U.S. coasts, International Marketplace neighborhoods are developing urban markets with a rich blend of ethnic and cultural influences. The median age is 37 years, and 63 percent of the households are married. Although diversity is negligible, Connoisseurs are second in affluence only to the Top Ring segment. This market is well educated; 63 percent of the population aged 25 years and older hold a bachelor's or graduate degree. Employed residents earn wages from high-paying management, professional, and sales jobs. Many are self-employed; the rate is twice that of the national average. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/35\\_international\\_marketplace.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/35_international_marketplace.pdf)

### 09. Urban Chic

Urban Chic residents are professionals who live a sophisticated, exclusive lifestyle. More than half of these households are married-couple families, similar to the U.S. proportion. Fewer than half of them have children. Unlike the United States, there is a smaller proportion of single parents and a higher proportion of singles and shared households. The median age is 43 years; the diversity index is 48. A median household income of \$91,299 is higher than the national average. Many Urban Chic residents have attended college. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/09\\_urban\\_chic.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/09_urban_chic.pdf)

### 03. Connoisseurs

Residents of Connoisseur neighborhoods are somewhat older, with a median age of 47.7 years. Approximately 70 percent of the population is married. Although diversity is negligible, Connoisseurs are second in affluence only to the Top Ring segment. This market is well educated; 63 percent of the population aged 25 years and older hold a bachelor's or graduate degree. Employed residents earn wages from high-paying management, professional, and sales jobs. Many are self-employed; the rate is twice that of the national average. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/03\\_connoisseurs.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/03_connoisseurs.pdf)

### 44. Urban Melting Pot

Recently settled immigrants live in ethnically rich Urban Melting Pot neighborhoods. More than half of the population is foreign born; half of these have come to the U.S. in the last 10 years. The median age is 36.4 years, slightly younger than the U.S. median of 37.3. Distinctly diverse, more than one in four are Hispanic. Whites represent 47 percent of the population; Asians, 30 percent; and 6 percent are multiracial. Household types are equally diverse; 45 percent are married couple families; 30 percent are singles who live alone; single parents, other family types, and shared households also live in these neighborhoods. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/44\\_urban\\_melting\\_pot.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/44_urban_melting_pot.pdf)

### 05. Wealthy Seaboard Suburbs

Wealthy Seaboard Suburbs are older, established, affluent neighborhoods characteristic of U.S. coastal metropolitan areas. Two-thirds of the population aged 15+ years is married; more than half of the married couples have no children. The median age is 43.3 years. Ethnic diversity is low; most residents are white. Wealthy Seaboard Suburbs neighborhoods are affluent; the median household income is \$99,852. Income is derived from a variety of sources; approximately 60 percent of the households receive supplemental income from interest, dividends, and rental properties; 23 percent collect retirement income. More than half of those who work hold professional or management positions. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/05\\_wealthy\\_seaboard\\_suburbs.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/05_wealthy_seaboard_suburbs.pdf)

### 30. Retirement Communities

Most of the households in Retirement Communities neighborhoods are single seniors who live alone; a fourth is married couples with no children living at home. This older market has a median age of 65.0 years. Over half of the population is white. Most of the residents are white. The median household income for Retirement Communities is \$46,319, slightly below the U.S. median. Nearly half of the households earn income from interest, dividends, and rental properties; 45 percent receive Social Security benefits; and 26 percent receive retirement income. For additional information on this lifestyle, click here:  
[http://www.esri.com~/media/Files/pdfs/data/esri\\_data/pdfs/tapestry-singles/30\\_retirement\\_communities.pdf](http://www.esri.com~/media/Files/pdfs/data/esri_data/pdfs/tapestry-singles/30_retirement_communities.pdf)

**Data Note:** This report identifies neighborhood segments in the area, and describes the socioeconomic quality of the immediate neighborhood. The index is a comparison of the percent of households or population in the area, by Tapestry segment, to the percent of households or population in the United States, by segment. An index of 100 represents the U.S. average.  
**Source:** Esri

April 13, 2014

Top 10 Tapestry Segments



**Top 10 Tapestry Segments:**

01. Top Rung  
Residents of Top Rung neighborhoods are mature, married, highly educated, and wealthy. The median age is 45.0 years; one-third of the residents are in their peak earning years of 45-64. More than 77 percent of these households are composed of married couples; half of them have children. Except for the presence of children, this is a low-diversity, monochromatic market. Top Rung, the wealthiest consumer market, represents less than 1 percent of all U.S. households. The median household income is \$173,172 is more than three-and-one-half times that of the U.S. median. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/01\\_top\\_rung.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/01_top_rung.pdf)

09. Urban Chic  
Urban Chic residents are professionals who live a sophisticated, exclusive lifestyle. More than half of these households are married-couple families, similar to the U.S. proportion. Fewer than half of them have children. Unlike the United States, there is a smaller proportion of single parents and a higher proportion of singles and shared households. The median age is 43 years; the diversity index is 48. A median household income of \$91,298 enables residents of Urban Chic neighborhoods to live in style. They are well educated; more than half of residents aged 25 years and older hold a bachelor's or graduate degree; 80 percent have attended college. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/09\\_urban\\_chic.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/09_urban_chic.pdf)

20. City Lights  
The City Lights segment is composed of diverse neighborhoods situated primarily in the Northeast. This diverse urban market is a mixture of housing, from high-rise apartments to single-family homes. Residents include professionals, the U.S. population, the elderly, and young families. The median age of 38.5 years, the population is slightly older than that of the U.S. compared to the U.S. population, there are fewer children and slightly more people aged 75 or older. The ethnic or racial diversity is slightly higher than the U.S. level, with higher ratios of Asian, Hispanic, and multi-racial populations. City Lights residents earn a good living working in white collar and service occupations. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/20\\_city\\_lights.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/20_city_lights.pdf)

03. Connaisseurs  
Residents of Connaisseurs neighborhoods are somewhat older, with a median age of 47.7 years. Approximately 70 percent of the population is married. Although residents appear closer to retirement than their earning age, 30 percent of the households are married couples with children living at home. Ethnic diversity is negligible; Connaisseurs are second in affluence only to the Top Rung segment. This market is well educated, 63 percent hold a bachelor's or graduate degree, and 80 percent are self-employed; the rate is twice that of the national average. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/03\\_connaisseurs.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/03_connaisseurs.pdf)

Data Note: This report identifies neighborhood segments in the area, and describes the socioeconomic quality of the immediate neighborhood. The index is a comparison of the households or population in the area by Tapestry Segment, to the percent of households or population in the United States, by segment. An index of 100 is the US average.  
Source: Esri

35. International Marketplace

Located primarily in cities in "gateway" states on both U.S. coasts, International Marketplace neighborhoods are developing urban markets with a rich blend of cultures and household types. The population is young, diverse, and diverse. The average family size is 3.7. International Marketplace is the second most diverse of the Tapestry segments. More than half of the total population is Hispanic; 11.8 percent is Asian, and 7 percent is of two or more races. A high proportion of immigrants, including recent arrivals, live in these neighborhoods. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/35\\_international\\_marketplace.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/35_international_marketplace.pdf)

**23. Trendsetters**

On the cutting edge of urban style, Trendsetters residents are young, diverse, and mobile. More than half the households are singles who live alone or share the rent with a roommate. Families comprise the remainder. With a median age of 34.8 years, this segment is slightly younger than the U.S. median. The majority are white, 13.7 percent of the residents are Asian and 23 percent are Hispanic; both percentages are well above those of the U.S. population. These residents are well educated, 63 percent hold a bachelor's or graduate degree, and 73 percent have attended college. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/23\\_trendsetters.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/23_trendsetters.pdf)

**05. Wealthy Seaboard Suburbs**

Wealthy Seaboard Suburbs are older, established, affluent neighborhoods characteristic of U.S. coastal metropolitan areas. Two-thirds of the population aged 15+ years is married; more than half of the married couples have no children. The median age is 43.2 years. Ethnic diversity is low; most residents are white. Wealthy Seaboard Suburbs neighborhoods are affluent; the median household income is \$98,652. Income is derived from a variety of sources; approximately 40 percent of the households receive supplemental income from interest, dividends, and rental properties. 23 percent hold a graduate degree. More than half of those who work hold professional or management positions. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/05\\_wealthy\\_seaboard\\_suburbs.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/05_wealthy_seaboard_suburbs.pdf)

**44. Urban Melting Pot**

Recently settled immigrants live in ethnically rich Urban Melting Pot neighborhoods. More than half of the population is foreign born; half of these have come to the U.S. in the last 10 years. The median age is 36.4 years, slightly younger than the U.S. median of 37.3. Distinctly diverse, more than one in four are Hispanic. Whites represent 47 percent of the population; Asians, 30 percent; and 6 percent are multiracial. Household types are equally diverse: 45 percent are married couple families; 30 percent are singles who live alone; single parents, other family types, and shared households also live in these neighborhoods. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/44\\_urban\\_melting\\_pot.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/44_urban_melting_pot.pdf)

**22. Metropolitan**

Residents of Metropolitan communities prefer to live in older city neighborhoods. Approximately half of these households are singles who live alone or with others; 40 percent are married-couple families. One in four of the residents is aged 20-34 years; the median age is 37.1 years. Diversity is low; most of the population is white. Half of the residents who are employed work in professional or managerial positions. More than 77 percent of the population aged 25 years and older have attended college or completed a degree program. Thirty percent have earned a bachelor's degree, and 22 percent hold a graduate degree. The median household income is \$54,926. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/22\\_metropolitan.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/22_metropolitan.pdf)

**30. Retirement Communities**

Most of the households in Retirement Communities neighborhoods are single seniors who live alone; a fourth is married couples with no children living at home. This older market has a median age of 59.5 years. One-third of the population is aged 75 years or older. Most of the residents are white. The median household income for Retirement Communities is \$48,319, slightly below the U.S. median. Nearly half of the households earn income from interest, dividends, and rental properties; 45 percent receive Social Security benefits; and 26 percent receive retirement income. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/30\\_retirement\\_communities.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/30_retirement_communities.pdf)

Data Note: This report identifies neighborhood segments in the area, and describes the socioeconomic quality of the immediate neighborhood. The index is a comparison of the households or population in the area by Tapestry Segment, to the percent of households or population in the United States, by segment. An index of 100 is the US average.  
Source: Esri




## Lifestyle Report

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

### Top 10 Tapestry Segments



### Top 10 Tapestry Segments:

01. Top Runy  
Residents of Top Runy neighborhoods are mature, married, highly educated, and wealthy. The median age is 45.5 years; one-third of the residents are in their peak earning years of 45-64. More than 77 percent of these households are composed of married couples; half of them have children. Except for the presence of children, this is a low-diversity, monochromatic market. Top Runy, the wealthiest consumer market, represents less than 1 percent of all U.S. households. The median household income of \$173,172 is more than three-and-one-half times that of the U.S. median. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/01\\_top\\_runy.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/01_top_runy.pdf)

09. Urban Chic  
Urban Chic residents are professionals who live a sophisticated, exclusive lifestyle. More than half of these households are married-couple families, similar to the U.S. proportion. Fewer than half of them have children. Unlike the United States, there is a smaller proportion of single parents and a higher proportion of singles and shared households. The median age is 43 years; the diversity index is 48. A median household income of \$91,298 enables residents of Urban Chic neighborhoods to live in style. They are well educated; more than half of residents aged 25 years and older hold a bachelor's or graduate degree; 80 percent have attended college. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/09\\_urban\\_chic.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/09_urban_chic.pdf)

03. Commuters  
Residents of Commuters neighborhoods are somewhat older, with a median age of 47.7 years. Approximately 70 percent of the population is married, and 85 percent are self-employed. Commuters are affluent, with a median household income of \$108,000. They are well educated; 63 percent of the population aged 25 years and older hold a bachelor's or graduate degree. Employed residents earn wages from high-paying management, professional, and sales jobs. Many are self-employed; the rate is twice that of the national average. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/03\\_commuters.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/03_commuters.pdf)

23. Trendsetters  
On the cutting edge of urban style, Trendsetters residents are young, diverse, and mobile. More than half the households are singles who live alone or share the rent with a roommate. Families comprise the remainder. With a median age of 34.8 years, this segment is slightly younger than the U.S. median. ethnically diverse, 13.7 percent of the residents are Asian and 23 percent are Hispanic; both percentages are well above those of the U.S. median. Residents are educated professionals who work in substantive jobs. More than 70 percent have attended college. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/23\\_trendsetters.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/23_trendsetters.pdf)

Data Note: This report identifies neighborhood segments in the area, and describes the socioeconomic quality of the immediate neighborhood. The index is a comparison of the percent of households or population in the area by Tapestry segment, to the percent of households or population in the United States, by segment. An index of 100 is the US average.  
Source: Esri

April 13, 2014



## Lifestyle Report

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, S. 13, 23 DT  
Drive Time: 5 minutes

Prepared by Robert Goman

### 20. City Lights

The City Lights segment is composed of diverse neighborhoods situated primarily in the Northeast. This dense urban market is a mixture of housing, household types, and cultures that all share the same city space. Households include families and singles, similar to the U.S. distribution by household type. With a median age of 36.5 years, the population is slightly older than that of the U.S. Compared to the U.S. population, there are fewer children and slightly more people aged 75 or older. The ethnic or racial diversity is slightly higher than the U.S. level, with higher ratios of Asian, Hispanic, and multiracial populations. City Lights residents earn a good living working in white collar and service occupations. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/20\\_city\\_lights.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/20_city_lights.pdf)

### 35. International Marketplace

Located primarily in cities in "gateway" states on both U.S. coasts, International Marketplace neighborhoods are developing urban markets with a rich blend of cultures and household types. The population is young, with a median age of only 32 years. Approximately 70 percent of the households are headed by young adults, aged 18 to 34. The population is ethnically diverse, with a high proportion of Hispanic, Asian, and Black residents. A high proportion of immigrants, including recent arrivals, live in these neighborhoods. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/35\\_international\\_marketplace.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/35_international_marketplace.pdf)

### 44. Urban Melting Pot

Recently settled immigrants live in ethnically rich Urban Melting Pot neighborhoods. More than half of the population is foreign born; half of these have come to the U.S. in the last 10 years. The median age is 36.4 years, slightly younger than the U.S. median of 37.3. Distinctly diverse, more than one-eighth are Hispanic, Whites represent 47 percent of the population; Asians, 30 percent; and 6 percent are multiracial. Household types are equally diverse: 45 percent are married couple families; 30 percent are singles who live alone; single parents, other family types, and shared households. The population is ethnically diverse, with a high proportion of Hispanic, Asian, and Black residents. For additional information on this lifestyle, click here:  
[http://www.esri.com/~media/Files/Pdfs/data/esri\\_data/pdfs/tapestry-singles/44\\_urban\\_melting\\_pot.pdf](http://www.esri.com/~media/Files/Pdfs/data/esri_data/pdfs/tapestry-singles/44_urban_melting_pot.pdf)

Data Note: This report identifies neighborhood segments in the area, and describes the socioeconomic quality of the immediate neighborhood. The index is a comparison of the percent of households or population in the area by Tapestry segment, to the percent of households or population in the United States, by segment. An index of 100 is the US average.  
Source: Esri

April 13, 2014



### Market Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
<b>Population Summary</b>			
2000 Total Population	15,024	186,613	1,244,533
2010 Total Population	15,771	194,677	1,280,138
2013 Total Population	15,686	195,142	1,285,824
2013 Group Quarters	158	4,418	29,898
2018 Total Population	15,605	198,781	1,313,850
2013-2018 Annual Rate	0.15%	0.37%	0.43%
<b>Household Summary</b>			
2000 Households	5,743	71,508	469,699
2010 Average Household Size	2.60	2.60	2.60
2010 Households	5,898	72,575	480,532
2010 Average Household Size	2.65	2.62	2.60
2013 Households	5,872	72,725	482,959
2013 Average Household Size	2.84	2.82	2.60
2018 Households	5,925	74,093	493,613
2018 Average Household Size	3.26	3.22	3.22
2013-2018 Annual Rate	0.18%	0.27%	0.46%
2019 Average Family Size	4.088	4.732	5.302
2019 Average Family Size	3.26	3.22	3.22
2013 Families	4,060	47,854	316,078
2013 Average Family Size	3.26	3.22	3.22
2018 Families	4,071	48,461	321,151
2018 Average Family Size	3.26	3.23	3.23
2013-2018 Annual Rate	0.05%	0.25%	0.32%
<b>Housing Unit Summary</b>			
2000 Housing Units	5,980	73,982	490,221
Owner Occupied Housing Units	61.8%	56.4%	48.2%
Renter Occupied Housing Units	34.1%	40.2%	47.6%
Vacant Housing Units	4.1%	3.3%	4.2%
2010 Housing Units	6,412	78,349	511,672
Owner Occupied Housing Units	58.1%	54.4%	47.4%
Renter Occupied Housing Units	33.8%	38.2%	46.5%
Vacant Housing Units	8.0%	7.4%	6.1%
2013 Housing Units	6,379	78,600	515,655
Owner Occupied Housing Units	37.6%	33.4%	27.6%
Renter Occupied Housing Units	25.3%	27.5%	27.1%
Vacant Housing Units	3.9%	3.5%	4.1%
2018 Housing Units	6,504	79,864	526,562
Owner Occupied Housing Units	59.0%	54.9%	47.9%
Renter Occupied Housing Units	32.0%	37.9%	45.8%
Vacant Housing Units	9.0%	7.2%	6.2%
<b>Median Household Income</b>			
2013	\$114,475	\$85,864	\$62,950
2018	\$130,946	\$100,543	\$76,657
<b>Median Home Value</b>			
2013	\$703,312	\$629,865	\$479,179
2018	\$930,553	\$852,654	\$650,510
<b>Per Capita Income</b>			
2013	\$67,544	\$50,803	\$38,559
2018	\$76,101	\$61,562	\$45,805
<b>Median Age</b>			
2010	40.0	39.3	38.5
2013	40.3	38.8	38.5
2018	41.1	40.5	39.4

Data Notes: Household population includes persons not residing in group quarters. Average Household Size is the household population divided by total households. Persons in families includes the householder and persons related to the householder by birth, marriage, or adoption. Per Capita Income represents the income received by all persons aged 15 years and over divided by the total population.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018. Est. converted Census 2000 data into 2010 geography.

April 13, 2014



### Market Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
<b>2013 Households by Income</b>			
Household Income Base			
<\$15,000	5,872	72,725	482,959
\$15,000 - \$24,999	4.2%	6.6%	7.1%
\$25,000 - \$34,999	2.9%	4.7%	6.6%
\$35,000 - \$49,999	7.1%	9.8%	12.6%
\$50,000 - \$74,999	13.0%	13.5%	15.7%
\$75,000 - \$99,999	10.1%	10.9%	11.2%
\$100,000 - \$149,999	16.6%	15.8%	14.6%
\$150,000 - \$199,999	10.5%	8.7%	6.8%
\$200,000 +	29.0%	20.0%	11.2%
Average Household Income	\$168,314	\$135,087	\$101,518
<b>2018 Households by Income</b>			
Household Income Base			
<\$15,000	5,925	74,093	493,613
\$15,000 - \$24,999	5.2%	6.2%	10.1%
\$25,000 - \$34,999	2.9%	4.9%	6.1%
\$35,000 - \$49,999	2.5%	6.3%	8.1%
\$50,000 - \$74,999	5.7%	8.5%	11.5%
\$75,000 - \$99,999	9.3%	11.1%	13.1%
\$100,000 - \$149,999	11.4%	12.6%	13.3%
\$150,000 - \$199,999	18.6%	17.7%	16.9%
\$200,000 +	31.8%	21.9%	12.4%
Average Household Income	\$207,993	\$163,973	\$120,756
<b>2013 Owner Occupied Housing Units by Value</b>			
Total	3,676	41,998	240,032
<\$50,000	0.1%	0.2%	0.6%
\$50,000 - \$99,999	0.8%	1.2%	2.7%
\$100,000 - \$149,999	1.6%	1.8%	2.6%
\$150,000 - \$199,999	2.0%	3.0%	3.5%
\$200,000 - \$249,999	2.3%	3.5%	4.4%
\$250,000 - \$299,999	3.6%	4.6%	6.0%
\$300,000 - \$399,999	10.0%	10.6%	16.4%
\$400,000 - \$499,999	10.7%	12.3%	17.4%
\$500,000 - \$749,999	23.2%	24.2%	24.7%
\$750,000 - \$999,999	16.0%	17.5%	8.2%
Average Home Value	\$760,373	\$706,169	\$568,406
<b>2018 Owner Occupied Housing Units by Value</b>			
Total	3,840	43,813	252,300
<\$50,000	0.0%	0.0%	0.1%
\$50,000 - \$99,999	0.0%	0.1%	0.5%
\$100,000 - \$149,999	0.2%	0.3%	0.7%
\$150,000 - \$199,999	0.9%	1.2%	3.1%
\$200,000 - \$249,999	1.5%	2.4%	3.9%
\$250,000 - \$299,999	1.5%	3.1%	4.6%
\$300,000 - \$399,999	1.8%	4.7%	9.3%
\$400,000 - \$499,999	4.7%	8.4%	13.3%
\$500,000 - \$749,999	9.5%	16.9%	23.9%
\$750,000 - \$999,999	41.5%	31.4%	24.0%
Average Home Value	\$939,878	\$844,621	\$686,423

Data Notes: Income represents the preceding year, expressed in current dollars. Household income includes wage and salary earnings, interest dividends, net rents, pensions, SSI and welfare payments, child support, and alimony.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018. Est. converted Census 2000 data into 2010 geography.

April 13, 2014



### Market Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

#### 2010 Population by Age

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,771	194,676	1,280,139
0 - 4	7.0%	6.2%	6.3%
5 - 9	8.9%	6.7%	6.4%
10 - 14	9.0%	6.8%	6.6%
15 - 24	9.9%	11.7%	12.9%
25 - 34	8.5%	13.2%	14.1%
35 - 44	15.3%	14.6%	14.9%
45 - 54	16.8%	15.3%	11.3%
55 - 64	10.0%	7.0%	7.1%
65 - 74	6.5%	5.1%	4.8%
75 - 84	4.9%	2.6%	2.3%
85 +	3.4%	76.1%	76.5%
18 +	70.1%		

#### 2013 Population by Age

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,685	195,142	1,285,822
0 - 4	6.4%	5.9%	6.0%
5 - 9	8.2%	6.6%	6.4%
10 - 14	9.5%	7.1%	6.7%
15 - 24	11.7%	12.2%	13.0%
25 - 34	7.9%	12.1%	12.9%
35 - 44	13.3%	13.8%	13.4%
45 - 54	16.8%	15.1%	14.6%
55 - 64	11.4%	12.2%	12.2%
65 - 74	6.9%	7.6%	7.7%
75 - 84	4.5%	4.8%	4.7%
85 +	3.3%	2.7%	2.4%
18 +	70.8%	76.4%	76.9%

#### 2018 Population by Age

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,807	198,781	1,313,849
0 - 4	6.1%	5.8%	5.9%
5 - 9	7.8%	6.4%	6.2%
10 - 14	9.3%	7.1%	6.8%
15 - 24	12.2%	11.8%	12.5%
25 - 34	8.1%	11.7%	12.7%
35 - 44	11.5%	13.3%	13.0%
45 - 54	16.0%	14.4%	13.6%
55 - 64	13.8%	13.2%	12.9%
65 - 74	7.7%	8.8%	9.0%
75 - 84	4.4%	4.9%	4.9%
85 +	3.0%	2.7%	2.4%
18 +	71.6%	76.5%	77.2%

#### 2010 Population by Sex

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Males	7,557	94,606	606,410
Females	8,204	100,071	673,728

#### 2013 Population by Sex

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Males	7,564	95,201	610,686
Females	8,122	99,941	675,138

#### 2018 Population by Sex

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Males	7,657	97,492	626,258
Females	8,148	101,289	687,592

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018. Est. converted Census 2000 data into 2010 geography.

April 13, 2014



### Market Profile

120 old post rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

#### 2010 Population by Race/Ethnicity

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,771	194,676	1,280,139
White Alone	85.2%	74.3%	55.6%
Black Alone	2.3%	7.5%	24.3%
American Indian Alone	0.2%	0.4%	0.5%
Asian Alone	6.8%	5.8%	6.0%
Pacific Islander Alone	0.0%	0.1%	0.1%
Some Other Race Alone	3.5%	9.0%	10.1%
Two or More Races	2.0%	3.0%	3.3%
Hispanic Origin	11.3%	23.9%	25.6%
Diversity Index	41.6	64.3	77.0

#### 2013 Population by Race/Ethnicity

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,685	195,143	1,285,823
White Alone	84.2%	72.9%	54.7%
Black Alone	2.3%	7.6%	24.2%
American Indian Alone	0.2%	0.4%	0.5%
Asian Alone	7.2%	6.1%	6.3%
Pacific Islander Alone	0.0%	0.1%	0.1%
Some Other Race Alone	3.8%	9.7%	10.5%
Two or More Races	2.2%	3.2%	3.6%
Hispanic Origin	12.4%	25.7%	26.9%
Diversity Index	44.1	66.5	78.0

#### 2018 Population by Race/Ethnicity

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,804	198,782	1,313,849
White Alone	82.5%	70.8%	53.3%
Black Alone	2.4%	7.8%	24.1%
American Indian Alone	0.2%	0.4%	0.6%
Asian Alone	8.0%	6.6%	6.9%
Pacific Islander Alone	0.0%	0.1%	0.1%
Some Other Race Alone	4.4%	10.8%	11.2%
Two or More Races	2.5%	3.5%	3.9%
Hispanic Origin	14.6%	28.8%	29.3%
Diversity Index	48.4	69.8	79.7

#### 2010 Population by Relationship and Household Type

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	15,771	194,677	1,280,138
In Households	99.0%	97.7%	97.7%
In Family Households	86.1%	82.2%	82.2%
Householder	25.4%	24.6%	24.6%
Spouse	21.4%	19.1%	16.4%
Child	35.6%	30.7%	32.5%
Other relative	2.3%	4.9%	6.0%
Nonrelative	1.4%	2.9%	2.7%
In Nonfamily Households	12.9%	15.5%	15.5%
In Group Quarters	1.0%	2.3%	2.3%
Institutionalized Population	0.8%	0.6%	1.0%
Noninstitutionalized Population	0.2%	1.7%	1.3%

Data Note: Persons of Hispanic Origin may be of any race. The Diversity Index measures the probability that two people from the same area will be from different racial/ethnic groups.

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018. Est. converted Census 2000 data into 2010 geography.

April 13, 2014

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

**2013 Population 25+ by Educational Attainment**

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	10,069	133,304	872,305
Less than 9th Grade	2.1%	7.2%	7.6%
9th - 12th Grade, No Diploma	4.0%	5.0%	7.6%
High School Graduate	15.3%	21.2%	24.7%
Some College, No Degree	10.6%	12.3%	15.3%
Associate Degree	6.4%	5.3%	6.5%
Bachelor's Degree	33.7%	24.9%	20.7%
Graduate/Professional Degree	27.9%	24.1%	17.6%

**2013 Population 15+ by Marital Status**

Total	11,502	157,048	1,040,002
Never Married	24.7%	30.8%	36.1%
Married	61.8%	54.8%	48.5%
Widowed	7.3%	6.6%	6.8%
Divorced	6.2%	7.7%	8.6%

**2013 Civilian Population 16+ in Labor Force**

Civilian Employed	90.4%	91.1%	90.0%
Civilian Unemployed	9.6%	8.9%	10.0%

**2013 Employed Population 16+ by Industry**

Total	6,666	95,209	591,245
Agriculture/Mining	0.2%	0.1%	0.1%
Construction	6.4%	6.6%	5.6%
Manufacturing	3.2%	4.9%	4.2%
Wholesale Trade	2.3%	2.5%	2.0%
Retail Trade	8.5%	9.2%	9.8%
Transportation/Utilities	2.6%	3.1%	4.6%
Information	4.8%	2.6%	2.5%
Finance/Insurance/Real Estate	21.5%	13.6%	11.2%
Services	48.2%	54.8%	56.4%
Public Administration	2.2%	2.6%	3.4%

**2013 Employed Population 16+ by Occupation**

Total	6,664	95,210	591,244
White Collar	78.8%	67.5%	64.1%
Management/Business/Financial	28.1%	21.2%	16.8%
Professional	26.3%	23.9%	23.5%
Sales	15.8%	11.6%	10.8%
Administrative Support	8.6%	10.8%	13.0%
Services	13.4%	20.0%	22.1%
Blue Collar	7.8%	12.5%	13.8%
Farming/Forestry/Fishing	0.0%	0.1%	0.1%
Construction/Extraction	3.2%	5.3%	4.7%
Installation/Maintenance/Repair	1.5%	1.4%	2.0%
Production	0.5%	2.6%	2.6%
Transportation/Material Moving	2.7%	3.2%	4.4%

Source: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018. Est. converted Census 2000 data into 2010 geography.

120 Old Post Rd  
120 Old Post Rd, Rye, New York, 10580, 5, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

**2010 Households by Type**

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
Total	5,897	72,576	480,531
Households with 1 Person	27.0%	28.7%	29.2%
Households with 2+ People	73.0%	71.3%	70.8%
Family Households	69.3%	65.0%	65.6%
Husband-wife Families	58.5%	51.1%	43.7%
With Related Children	34.3%	26.1%	21.7%
Other Family (No Spouse Present)	10.8%	14.8%	21.9%
With Related Children	2.8%	4.0%	5.0%
Other Family with Male Householder	1.3%	1.8%	2.3%
With Related Children	8.1%	10.8%	16.9%
Other Family with Female Householder	4.6%	6.0%	10.1%
With Related Children	3.6%	5.3%	8.2%
Nonfamily Households	40.3%	34.2%	34.4%

All Households with Children	34.2%	34.2%	34.4%
Multigenerational Households	1.9%	3.2%	5.0%
Unmarried Partner Households	3.3%	4.6%	5.4%
Male-female	2.8%	4.0%	4.7%
Same-sex	0.4%	0.6%	0.7%

**2010 Households by Size**

Total	5,896	72,576	480,533
1 person Household	27.1%	28.7%	29.2%
2 person Household	25.9%	28.5%	28.1%
3 person Household	15.3%	15.6%	15.6%
4 person Household	18.4%	15.1%	14.3%
5 person Household	9.4%	7.4%	7.1%
6 person Household	2.8%	2.7%	2.7%
7+ person Household	1.1%	2.0%	2.0%

**2010 Households by Tenure and Mortgage Status**

Total	5,896	72,574	480,532
Owner Occupied	63.2%	58.8%	50.3%
Owned with a Mortgage/Loan	42.1%	39.6%	34.6%
Owned Free and Clear	21.1%	19.2%	15.6%
Renter Occupied	36.8%	41.2%	49.5%

Data Note: Households with children includes all households with people under age 18, related or not. Multigenerational households are families with 3 or more parent-child relationships. Unmarried partner households are legally classified as nonfamily households unless there is another member of the household related to the householder. Multigenerational and unmarried partner households are reported only to the tract level. Est. converted Census 2000 data into 2010 geography. Sources: U.S. Census Bureau, Census 2010 Summary File 1. Est. forecasts for 2013 and 2018. Est. converted Census 2000 data into 2010 geography.

**Market Profile**

120 old post rd  
170 Old Post Rd, Rye, New York, 10580, S, 13, 23 DT  
Drive Time: 5, 13, 23 minutes

Prepared by Robert Goman

**Top 3 Tapestry Segments**

	0 - 5 minutes	0 - 13 minutes	0 - 23 minutes
<b>1.</b>	Top Ring	Top Ring	City Lights
<b>2.</b>	Urban Chic	Urban Chic	City Stewers
<b>3.</b>	Commuter's	City Lights	Top Ring
<b>2013 Consumer Spending</b>			
Apparel & Services: Total \$	\$21,043,161	\$24,578,681	\$1,107,360,395
Average Spent	\$3,583.64	\$2,950.55	\$2,292.87
Spending Potential Index	158	130	101
Computers & Accessories: Total \$	\$3,594,245	\$35,789,453	\$177,005,496
Average Spent	\$512.13	\$492.12	\$366.50
Spending Potential Index	246	198	148
Education: Total \$	\$23,809,183	\$238,553,726	\$1,209,900,074
Average Spent	\$4,054.70	\$3,280.22	\$2,505.18
Spending Potential Index	278	225	172
Entertainment/Recreation: Total \$	\$46,092,098	\$453,258,425	\$2,240,208,627
Average Spent	\$7,849.47	\$6,232.50	\$4,638.51
Spending Potential Index	241	192	143
Food at Home: Total \$	\$63,861,629	\$659,730,119	\$3,426,697,578
Average Spent	\$10,675.62	\$9,071.57	\$7,095.21
Spending Potential Index	216	180	141
Food Away from Home: Total \$	\$43,110,309	\$439,390,644	\$2,222,385,619
Average Spent	\$7,341.67	\$6,041.81	\$4,601.60
Spending Potential Index	230	189	144
Health Care: Total \$	\$58,245,351	\$570,430,339	\$2,819,516,811
Average Spent	\$9,919.17	\$7,843.66	\$5,838.00
Spending Potential Index	223	176	131
HH Furnishings & Equipment: Total \$	\$21,872,352	\$215,281,628	\$1,056,815,578
Average Spent	\$3,724.86	\$2,960.21	\$2,188.21
Spending Potential Index	207	164	121
Investments: Total \$	\$56,917,095	\$449,725,178	\$1,687,220,723
Average Spent	\$9,692.97	\$6,183.91	\$3,493.51
Spending Potential Index	467	288	168
Retail Goods: Total \$	\$303,506,741	\$3,022,079,791	\$15,036,417,854
Average Spent	\$51,687.12	\$41,554.90	\$31,138.08
Spending Potential Index	214	172	129
Shelter: Total \$	\$240,936,105	\$2,415,405,134	\$12,207,087,382
Average Spent	\$41,031.35	\$33,212.86	\$25,275.64
Spending Potential Index	252	204	155
TV/Video/Audio Total \$	\$15,985,547	\$164,919,984	\$856,736,321
Average Spent	\$2,722.33	\$2,267.72	\$1,773.93
Spending Potential Index	211	176	138
Travel: Total \$	\$28,946,598	\$273,462,214	\$1,295,737,576
Average Spent	\$4,929.60	\$3,760.22	\$2,682.91
Spending Potential Index	269	205	146
Vehicle Maintenance & Repairs: Total \$	\$14,769,798	\$145,734,314	\$714,080,836
Average Spent	\$2,515.29	\$2,003.91	\$1,478.55
Spending Potential Index	230	183	135

**Data Note:** Consumer spending shows the amount spent on a variety of goods and services by households that reside in the area. Expenditures are shown by broad budget categories that are not mutually exclusive. Consumer spending does not equal business revenue. Total and Average Annual Spend per household represent annual figures. The Spending Potential Index represents the amount spent in the area relative to a national average of 100.

**Source:** Consumer Spending data are derived from the 2010 and 2011 Consumer Expenditure Surveys, Bureau of Labor Statistics. Est. Source: U.S. Census Bureau, Census 2010 Summary File 1. Estimates for 2012 and 2013. Est. converted Census 2000 data into 2010 geography.



# *McCarthy Appraisal / Consulting Svc. Inc.*

1364 Rte 6, Carmel, New York 10512 (914)420-8757

[apprbyedye@comcast.net](mailto:apprbyedye@comcast.net)

---

Alfred Weissman  
c/o: HKP – Harfenist Kraut & Prsltein LLP  
2975 Westchester Avenue  
Suite 415  
Purchase, NY 10577

January 9, 2014

RE: 120 Old Post Road, Rye, NY  
Potential development - Proposed Property Tax Exposure

Dear Mr. Weissman:

As per your request through my conversations with your attorney, Jonathan Kraut, I am respectfully enclosing this report on the potential tax exposure on the proposed development plan located at above noted address. The documentation enclosed, illustrates both the current property taxes and an analysis for the proposed development. As you will see, there is a substantial increase in taxes from the current use. This analysis is based on the required methodology for apartments/condominiums and cooperatives in the New York State Real Property Tax Law.

The analysis and potential tax exposure is based on information received to date and based on the project reaching stabilization. We based our analysis on the following information, and if current proposal changes throughout the approval process, the valuation may change as well.

46 1 Bedroom with 1,215 square feet

89 2 Bedroom with 1,395 square feet

There will be 1.25 parking for each unit which will be included  
in the rental rates.

As can be seen from the enclosed, the rental income was established by gathering information from the most comparable properties in the market place. As this will be a new complex with several amenities, the market rental rates are assumed to be higher than typical within the City of Rye. However, they are included in the report for reference. Therefore we expanded our search to newer developed apartment complexes. The expenses, and capitalization rate were also derived from the market and reliable real estate publications. I will be happy to discuss this with you in further detail if necessary.

Sincerely

Edye McCarthy  
Commercial Real Estate Appraiser/Consultant

# Projected Market Value

First Assessment Year	2014
File No.	
Parcel I.D. S-B-L	146.13-1-7
Property Address	120 Old Post Road
Property Owner	Old Post Rd Assoc.
Property Representative	Kraut
Property Class	

E:\[weissman.x\ls\anal	
Date	01/20/15
Time	05:44 PM
1bdrm	46
2bdrm	89
Total Sq.ft.	135

Sq.Ft.  
1,215  
1,395

## INCOME / EXPENSE WORKSHEET

1bdrm	\$2,800.00
2bdrm	\$3,200.00
Assessment Year	2014
Tax Year	#N/A
Income	
Residential	1,545,600
Commercial	3,417,600
Owner Occupied Space	
Real Estate Tax Escalations	
Operating Escalation Income	
Other Operating Income	
- Vacancy/Collection	5.0%
= Effective Gross Income	248,160
Expenses	4,715,040
Audit/Adjusted Expenses	30%
Management	1,414,512
Amortized/Other Expense Adj.	5.0%
1	235,752
2	
5	
= Total Expenses	1,650,264
Net Operating Income	3,064,776

EZ Expense Data Entry		\$ Amounts
<b>EXPENSES:</b>		<b>2014</b>
a. Fuel		
b. Light and power		
c. Cleaning contract		
d. Wages and payroll		
e. Repairs and maintenance		
f. Management and administration		
g. Insurance (annual)		
h. Water and sewer		
i. Advertising		
j. Interior painting and decorating		
k. Amort. leasing and tenant impr.costs		
l. Miscellaneous expenses		
m. TOTAL EXPENSES		#N/A

## VALUATION CONCLUSIONS

Assessment Year	2014
Net Operating Income	\$3,064,776
Expense / Income Ratio	35%
Capitalization Rate	9.00%
Full Market Value	\$34,053,067
per unit	\$252,244.94
Assessed Valuation	143,100
Equalized Value	\$7,492,147
Under/Over Assessed	\$26,560,920
AV should be	\$650,414

\$615,896

Total Tax Rate \$ 946.93

value per unit \$ 252,245

MLSNumb	PropertyTy	Status	StreetNum	StreetSuffi	ListPrice	ClosePrice	BathsTotal	BedsTotal	SqFtTotal	YearBuilt	DOM	City
94623	Rental	Sold	15	Street	\$ 1,550	\$ 1,450	1	2	980			14 Rye City
85417	Rental	Sold	42	Avenue	\$ 1,200	\$ 1,200	1	1	650	1949		84 Rye City
83638	Rental	Sold	50		\$ 3,200	\$ 2,800	3	3	1800	1981		101 Rye City
89367	Rental	Sold	4	Street	\$ 1,500	\$ 1,400	1	2	852	1954		33 Rye City
85011	Rental	Sold	1	Street	\$ 1,600	\$ 1,450	1	2	950	1954		58 Rye City
84862	Rental	Sold	181	Street	\$ 1,100	\$ 1,050	1	1	500	1954		17 Rye City
72750	Rental	Sold	181	Street	\$ 1,450	\$ 1,400	2	2	900	1954		33 Rye City
69716	Rental	Sold	645	Avenue	\$ 2,500	\$ 2,200	3	2	2000	1985		46 Rye City
70522	Rental	Sold	181	Street	\$ 1,200	\$ 1,200	1	1		1954		27 Rye City
69112	Rental	Sold	3		\$ 1,050	\$ 1,000	1	1	750	1954		41 Rye City
69081	Rental	Sold	5	Street	\$ 1,495	\$ 1,435	1	2	950	1942		24 Rye City
65915	Rental	Sold	181		\$ 1,050	\$ 975	1	1	500	1954		60 Rye City
68592	Rental	Sold	110		\$ 2,450	\$ 2,400	3	2	1300	1987		13 Rye City
63850	Rental	Sold	40		\$ 3,500	\$ 3,500	3	2	1930	1980		67 Rye City
55818	Rental	Sold	130		\$ 1,500	\$ 1,500	1	2	900	1953		56 Rye City
59558	Rental	Sold	14		\$ 3,500	\$ 3,300	3	3	2300	1988		15 Rye City
46316	Rental	Sold	10		\$ 3,200	\$ 3,000	3	2	1800	1989		160 Rye City
55081	Rental	Sold	181		\$ 1,300	\$ 1,250	1	1	700	1954		52 Rye City
55614	Rental	Sold	75		\$ 3,100	\$ 3,000	3	2	1950	1981		46 Rye City
56705	Rental	Sold	100		\$ 1,250	\$ 1,200	1	1	700	1955		29 Rye City
50653	Rental	Sold	130		\$ 1,000	\$ 1,000	1	1	700	1955		48 Rye City
50162	Rental	Sold	599	Avenue	\$ 2,500	\$ 2,350	3	2	1600	1989		10 Rye City
46106	Rental	Sold	6	Avenue	\$ 1,800	\$ 1,700	1	2	1000	1926		47 Rye City
40096	Rental	Sold	39	Avenue	\$ 1,600	\$ 1,500	1	2	900	1949		121 Rye City
41675	Rental	Sold	645	Avenue	\$ 3,200	\$ 3,200	7	2	2100	1987		94 Rye City

**MARKET DATA**

Apartment Site	1 Bedroom			2 Bedroom / 1 Bath			2 Bedroom / 2 Bath		
	average	price range	Sq Ft	average	price range	Sq Ft	average	price range	Sq Ft
<b>Avalon Green</b>									
500 Town Green Drive, Elmsford, NY 10523 / 914-610-4306		NL	642	\$ 2,038	2030-2045	700	\$ 2,668	2655-2680	1192
	\$ 2,025	1920-2130	679-702		n/a	n/a	\$ 2,485	2485	1260
	\$ 2,100	1995-2205	774-841		n/a	n/a	\$ 2,750	2745-2755	1450
	\$ 2,005	1985-2025	870		n/a	n/a		NL	1601-1721
		NL	885		n/a	n/a	\$ 2,715	2715	1361-1372
	\$ 2,313	2275-2350	969-990		n/a	n/a	\$ 2,718	2705-2730	1362
	\$ 2,575	2575	1076		n/a	n/a	\$ 2,720	2715-2725	1421-1436
	\$ 2,500	2300	1103		n/a	n/a		n/a	n/a
		NL	1205		n/a	n/a		n/a	n/a
<b>Average:</b>	<b>\$ 2,220</b>			<b>\$ 2,038</b>			<b>\$ 2,674</b>		
<b>Talleyrand Apartments</b>									
1202 Crescent Drive, Tarrytown, NY 10591 / 914-449-1383	\$ 1,805	1805	658	\$ 2,018	2015-2020	828	\$ 2,028	2025-2030	934
		NL	794	\$ 2,183	2170-2195	971	\$ 2,190	2180-2200	1064
<b>Average:</b>	<b>\$ 1,805</b>			<b>\$ 2,100</b>			<b>\$ 2,100</b>		
<b>Ridgeway Apartments</b>									
32 Nob Hill Drive, Elmsford, NY 10523 / 914-610-4229	\$ 1,637	1587-1637	658	\$ 1,833	1833	828	\$ 1,948	1925-1970	934 (1.5 bath)
<b>Average:</b>	<b>\$ 1,637</b>			<b>\$ 1,833</b>			<b>\$ 1,948</b>		
<b>Various Irvington Apartment Listings</b>									
Irvington Village / South Eckar		n/a	n/a	\$ 1,975	1975	NL, 7 Bath		n/a	n/a
111 North Broadway, Irvington, NY		n/a	n/a		n/a	n/a	\$ 2,100	2100	NL
635 South Broadway, Irvington, NY		n/a	n/a	\$ 3,100	3100	1300		n/a	n/a
Irvington, NY		n/a	n/a	\$ 2,050	2050	900		n/a	n/a
Irvington, NY		n/a	n/a	\$ 1,950	1950	NL		n/a	n/a
86 Main Street, Irvington, NY 10533	\$ 1,250	1250	566		n/a	n/a		n/a	n/a
Irvington, NY		n/a	n/a		NL	1650		n/a	n/a
5 Eckar Street, Irvington, NY 10533		n/a	n/a	\$ 1,975	1975	NL		n/a	n/a
106 Main Street, #1, Irvington, NY 10533		n/a	n/a	\$ 2,750	2750	1000		n/a	n/a
106 Main Street, #2, Irvington, NY 10533		n/a	n/a	\$ 2,200	2200	1000		n/a	n/a
80 S Broadway-carriage House, Irvington, NY 10533		n/a	n/a	\$ 1,800	1800	1100		n/a	n/a
1 S Aster St, #903, Irvington, NY 10533	\$ 2,600	2600	1150		n/a	n/a		n/a	n/a
1 S Aster St, Irvington, NY 10533		2500	850		n/a	n/a		n/a	n/a
1 S Aster St, Irvington, NY 10533		n/a	n/a		n/a	n/a	\$ 3,250	5250	1150
24 S Eckar Street, Irvington, NY 10533		n/a	n/a	\$ 2,000	2000	700		n/a	n/a
36 Hamilton Road, Apt 3, Irvington, NY 10533		n/a	n/a	\$ 2,700	2700	1000		n/a	n/a
2 BR unit with hardwood floors throughout		n/a	n/a	\$ 2,000	2000	850		n/a	n/a
UNFURNISHED in four-family private house		n/a	n/a	\$ 1,800	1800	850		n/a	n/a
<b>Average:</b>	<b>\$ 1,925</b>			<b>\$ 2,192</b>			<b>\$ 2,675</b>		
<b>One City Place</b>									
One City Place, White Plains, NY 10601 / 914-368-9177	\$ 2,877	2401-3352	807	\$ 4,056	3518-4593	1183	\$ 4,222	3678-4765	947
	\$ 3,071	2445-3697	626		n/a	n/a	\$ 4,046	3415-4676	971
	\$ 2,965	2376-3553	827		n/a	n/a	\$ 3,588	3151-4024	1013
	\$ 3,028	2577-3478	641		n/a	n/a	\$ 4,732	3521-4943	1033
	\$ 2,911	2363-3458	644		n/a	n/a	\$ 4,950	3656-5044	1036
	\$ 3,108	2477-3738	652		n/a	n/a	\$ 3,587	2864-4310	1044
	\$ 3,108	2477-3738	653		n/a	n/a	\$ 3,834	3156-4502	1249
		n/a	n/a		n/a	n/a	\$ 3,403	2771-4034	1271
<b>Average:</b>	<b>\$ 3,009</b>			<b>\$ 4,056</b>			<b>\$ 3,908</b>		
<b>Hickstead White Plains Metro North</b>									
84 South Lexington Avenue, White Plains, NY 10606 / 914-449-1355	\$ 2,242	2153-2330	599	\$ 2,816	2595-3037	988	\$ 2,999	2717-3200	809
	\$ 2,274	2124-2423	656		n/a	n/a	\$ 3,271	2912-3629	1039
<b>Average:</b>	<b>\$ 2,256</b>			<b>\$ 2,816</b>			<b>\$ 3,115</b>		
<b>Avalon White Plains</b>									
27 Barker Avenue, White Plains, NY 10601 / 914-368-7166	\$ 2,185	2115-2255	678-711		n/a	n/a	\$ 3,185	3185	1075
	\$ 2,248	2110-2385	694-708		n/a	n/a	\$ 3,205	3205	1193
	\$ 2,268	2155-2360	723-726		n/a	n/a	\$ 3,945	3945	1464
	\$ 2,275	2255-2295	758		n/a	n/a	\$ 3,995	3995	1473
	\$ 2,280	2280	813		n/a	n/a	\$ 4,080	4080	1533
	\$ 2,500	2500	835		n/a	n/a		n/a	n/a
	\$ 2,515	2515	858		n/a	n/a		n/a	n/a
<b>Average:</b>	<b>\$ 2,323</b>						<b>\$ 3,662</b>		

## PROPERTY TAX PROJECTIONS

	Tax Rates 2014/2015	Current Property Taxes	Proposed Development 2014/2015 Property Taxes
CITY	\$ 150.38	\$ 21,519.38	\$ 97,809.19
COUNTY	\$ 187.92	\$ 26,891.35	\$ 122,225.72
SCHOOL	\$ 561.33	\$ 80,326.32	\$ 365,096.65
COUNTY REFUSE	\$ 17.61	\$ 2,519.99	\$ 11,453.78
BLIND BROOK SEWER	\$ 29.69	\$ 4,248.64	\$ 19,310.78
	<u>\$ 946.93</u>	<u>\$ 135,505.68</u>	<u>\$ 615,896.12</u>
Current Assessed Value	143,100		
Proposed Assessed value per analysis	650,414		

7/22/2014					2014 MUNICIPAL COUNTY TAX RATES FOR THE COUNTY GENERAL LEVY				
MUNICIPALITY	SWIS CODE	PARCELS	TAXABLE ASSESSED VALUE	TAX RATE PER \$1,000					
City of Mount Vernon	550800	11,281	151,232,793						101.980000
City of New Rochelle	551000	16,084	267,270,832						123.532000
City of Peekskill	551200	6,395	61,921,656						86.011050
City of Rye	551400	4,935	137,863,523						187.923444
City of White Plains	551700	14,088	276,979,095						100.990000
City of Yonkers	551800	36522	475,391,550						117.860000
Town of Bedford	552000	6,296	577,140,508						32.123240
Town of Cortlandt	552200	15,379	107,009,202						183.970000
Town of Eastchester	552400	9,286	104,755,180						248.241100
Town of Greenburgh	552600	28,629	547,521,601						105.209400
Town of Harrison	552800	6,975	135,255,052						211.545407
Town of Lewisboro	553000	5,822	302,173,880						33.875600
Town of Mamaroneck	553200	8,739	8,686,517,881						3.702300
Town of Mount Kisco	555600	2,796	300,589,735						17.534800
Town of Mount Pleasant	553400	13,982	142,780,965						230.323644
Town of New Castle	553600	6,703	1,065,375,856						17.475340
Town of North Castle	553800	4,793	116,236,017						155.863400
Town of North Salem	554000	2,482	146,582,255						33.102261
Town of Ossining	554200	10,169	257,517,106						58.713265
Town of Pelham	554400	3,691	2,698,331,757						3.676420
Town of Pound Ridge	554600	2,471	368,913,586						20.061500
Town of Rye	554800	11,091	6,141,245,975						3.650718
Town of Scarsdale*	555000	5,955	140,100,756						216.627300
Town of Somers	555200	9,184	497,081,609						26.568026
Town of Yorktown	555400	14,377	126,394,696						133.284000



B	C	D	E	F	G
MUNICIPALITY	DISTRICT CODE	SPECIAL DISTRICT NAME	PARCELS	TAXABLE ASSESSED VALUE OR UNITS	TAX RATE PER \$1,000 OR CHARGE PER UNIT
1	6/2/2014	<b>2014 SPECIAL DISTRICT TAX RATES (CITIES &amp; TOWNS)</b>			
2	CS001	Hutchinson Valley County Sewer District	8,566	150,844,745.00	15.560000
3	CS002	Bronx River County Sewer District	2,715	42,537,257.00	15.560000
4	RF001	County Refuse Disposal District #1	11,281	159,791,272.00	9.020000
5	CR001	County Refuse District	16,057	291,474,408	11.541000
6	CS000	New Rochelle Sewer District	11,805	261,652,893	50.227000
7	CS001	Mamaroneck Sewer District	1,790	33,323,093	19.566000
8	CS002	Hutchinson Valley Sewer District	2,463	40,206,103	20.292000
9	SD001	Peekskill County Sewer District	6,368	120,178,034	14.884500
10	CW001	County Refuse Disposal District #1	6,252	67,965,830	8.042400
11	TXREF	County Refuse Disposal District #1	4,935	140,101,716	17.608906
12	TXBBS	Blind Brook County Sewer District	4,326	140,390,701	29.685684
13	TXMVS	Mamaroneck Valley County Sewer District	609	19,114,965	29.806843
14	GA174	County Refuse Disposal District #1	14,079	296,332,440	9.140000
15	SB171	Bronx Valley County Sewer District	8,239	230,646,314	14.800000
16	SM172	Mamaroneck Valley County Sewer District	5,862	176,588,595	15.530000
17	CW001	County Refuse Disposal District #1	36,461	557,425,596	10.900000
18	CS001	Bronx Valley Sewer District #1	19,525	367,021,443	17.710000
19	CS002	South Yonkers Sewer District #2	3,628	90,891,529	18.380000
20	CS003	Central Yonkers Sewer District #3	3,629	70,329,069	20.700000
21	CS004	North Yonkers County Sewer District #4	4,007	82,741,311	19.540000
22	CS005	Saw Mill Valley County Sewer District #5	5,147	87,249,743	17.790000
23	AM001	Paramedic Dist. No. 1	6,268	583,338,785	0.571560
24	FD030	Bedford Village Fire District	2,063	226,232,257	4.142390
25	PD011	Bedford Village Park District	2,068	226,586,921	2.960040
26	LT010	Bedford Village Lighting Dist	494	41,430,220	0.352160
27	FD031	Bedford Hills Fire District	1,965	173,466,578	11.258570
28	PD012	Bedford Hills Park District	2,030	187,805,234	3.738480
29	LT011	Bedford Hills Light	937	48,441,685	0.724460
30	FD032	Katonah Fire District	2,224	168,938,149	7.613140
31	PD013	Katonah Park District	2,224	168,946,335	4.406220
32	LT012	Katonah Light District	930	50,485,830	0.565370
33	WD039	Cedar Downs Water District	84	3,342,402	13.413710
34	WD040	Consolidated Water District	2,463	126,313,346	12.124360
35	WD042	Farms Water District (Cap)	99	6,138,622	5.422060
36	WD044	Farms Water District (O&M)	95	5,350,673	9.324810
37	WD043	Old Post Road Water District	76	6,107,136	9.174680
38	FD033	Fire Protection District No. 1	79	14,704,401	4.934920
39	SD472	Ossining Sanitary Sewer	2,664	19,776,712	41.200000
40	SD473	Peekskill Sanitary Sewer	1,561	14,277,672	32.480000
41	CW495	County Refuse Disposal #1	14,825	109,964,035	17.350000
42	FD411	Montrose Fire District	1,881	16,719,912	48.180000
43	FD412	Verplank Fire District	862	4,567,636	56.230000
44	FD413	Mohegan Fire District	6,652	44,597,345	93.840000
45	WD430	Montrose Water District	868	5,805,329	23.620000
46	PK481	Cort. Cont. Village Park	253	1,360,810	31.900000
47	FD415	Furnace Dock Road Fire Protection	165	1,369,806	37.560000
48	FD416	Mt. Airy Quaker Br. Rd. Fire Protection	652	6,723,336	56.310000
49	FD418	Continental Village Fire Protection	617	3,205,851	48.680000
50	WD457	Cortlandt Consolidated Water District	9,094	62,733,622	20.070000
51	LT460	Montrose Lighting District	867	5,847,630	15.820000
52	LT451	Verplank Lighting District	856	3,914,988	7.160000
53					

# 2014/2015 SCHOOL DISTRICT TAX RATES

10/15/2014		SCHOOL DISTRICT SWIS CODE	SCHOOL DISTRICT NAME	NUMBER OF PARCELS	TAXABLE ASSESSED VALUE	TAX RATE PER 1,000
<b>MUNICIPALITY</b>						
City of Mount Vernon	550800	Mount Vernon City School District	11,281	124,801,238	880.1500000000	
City of New Rochelle	551000	New Rochelle City School District	16,071	266,740,126	728.6840000000	
City of Peekskill	551200	Peekskill City School District	6,060	56,845,845	668.7733000000	
	552203	Hendrick Hudson CSD	357	5,811,894	468.9451000000	
City of Rye	551400 *	Rye City School District	4,499	124,684,852	561.3280000000	
	554801	Rye Neck UFSD - Homestead	414	13,405,107	847.9877860000	
	554801	Rye Neck UFSD - Non-Homestead	22	307,671	1,096.6779450000	
City of White Plains	551700	White Plains City School District	14,080	278,335,896	600.2200000000	
City of Yonkers	551800	Yonkers City School District	36506	472,896,126	487.9600000000	
Town of Bedford	552002	Bedford CSD	3,962	403,149,715	134.1787120000	
	552001	Katonah-Lewisboro UFSD	1,957	174,104,003	193.3181000000	
	553801	Byram Hills CSD	31	2,166,550	139.6199630000	
Town of Cortlandt	552202	Croton-Harmon SD	3,813	31,839,113	1,145.5400000000	
	552202	Croton-Harmon Library	3,813	31,839,113	24.3300000000	
	552203	Hendrick Hudson CSD	5,324	38,570,674	994.7400000000	
	552203	Hendrick Hudson Library	5,324	38,570,674	19.8800000000	
	555401	Lakeland CSD	5,611	34,653,504	1,400.1300000000	
	552803	Putnam Valley CSD	512	2,585,340	1,316.8700000000	
	555402	Yorktown CSD	119	1,108,437	1,329.8200000000	
Town of Eastchester	552401	Eastchester UFSD	5,115	53,152,077	1,290.5554000000	
	552402	Tuckahoe UFSD	2,227	19,272,855	1,366.8121000000	
	552403	Bronxville UFSD	1,589	2,711,860,473	14.2960000000	
Town of Greenburgh	552601	UFSD of the Tarrytowns	3,129	44,554,911	722.383290196	
	552602	Irvington UFSD	2,824	74,838,217	665.350589467	
	552603	Dobbs Ferry UFSD	2,514	44,712,007	788.018621582	
	552604	Hastings-On-Hudson UFSD	2,823	46,977,407	783.308914417	
	552605	Ardsley UFSD	3,894	67,510,668	735.292598085	
	552606	Edgemont UFSD	2,515	69,852,801	668.360130394	
	552607	Greenburgh Central 7 SD	6,846	112,193,406	493.616733948	
	552609	Elmsford UFSD	2,735	48,240,760	578.463934437	
	553402	Potomac Hills CSD	553	27,961,069	279.170874921	
	553405	Valhalla UFSD	796	14,218,174	585.584036601	
Town of Harrison	552801	Harrison CSD	6,975	135,936,590	732.5836590000	
Town of Lewisboro	553000	Katonah-Lewisboro UFSD	5822	303,998,481	203.9270000000	
Town of Mamaroneck	553201	Mamaroneck UFSD	8,473	8,379,665,708	13.7581200000	
	555001	Scarsdale UFSD	266	345,726,253	16.0206300000	



## 2014 CITY/TOWN TAX RATES

7/22/2014 MUNICIPALITY	SWIS CODE	PARCELS	UNINCORPORATED		GENERAL		GENERAL	
			TAXABLE ASSESSED VAL	TAX RATE PER 1,000	TAXABLE ASSESSED VALUE	TAX RATE PER 1,000	TAXABLE ASSESSED VALUE	TAX RATE PER 1,000
City of Mount Vernon	550800	11,281			152,910,735		367,940,000	
City of New Rochelle	551000	16,084			268,901,252		202,593,000	
City of Peekskill*	551200	6,395			61,839,156		238,371,600	
City of Rye	551400	4,937			138,126,937		150,380,000	
City of White Plains	551700	14,080			276,979,095		196,140,000	
City of Yonkers	551800	36,506			472,896,126		214,222	
Town of Bedford	552000	6,296			577,191,217		19,827,190	
Town of Cortlandt**	552200	15,379	79,781,520	170,79000	106,988,706		31,830,000	
Town of Eastchester	552400	9,286	57,835,125	266,17400	104,760,180		33,441,200	
Town of Greenburgh	552600	28,629	291,103,075	194,89810	254,579,096		15,582,900	
Town of Harrison	552800	6,975			135,603,693		326,594,970	
Town of Lewisboro	553000	5,822			302,173,880		18,299,330	
Town of Mamaroneck	553200	8,739	3,696,089,147	3,62821	8,686,122,513		0,422,350	
Town of Mount Kisco	555600	2,796				See Village Tax Rate Table		
Town of Mount Pleasant	553400	13,982	107,445,134	112,563737	143,258,568		8,938,931	
Town of New Castle	553600	6,703			1,065,375,856		14,091,754	
Town of North Castle	553800	4,793			116,258,878		158,295,000	
Town of North Salem	554000	2,482			146,602,975		38,522,407	
Town of Ossining	554200	10,169	49,509,918	101,179222	258,552,497		12,315,124	
Town of Pelham	554400	3,691			2,334,800,766		0,548,500	
Town of Pound Ridge	554600	2,471			391,340,996		0,744,500	
Town of Rye	554800	11,091			368,913,586		13,666,300	
					4,656,961,386		0,043,754	
Town of Scarsdale	555000	5,955			1,528,272,027		0,063,407	
Town of Somers	555200	9,184				See Village Tax Rate Table		
Town of Yorktown	555400	14,377			497,254,606		13,717,295	
					126,394,411		147,318,100	

\*There is also a City Library tax

Taxable Assessed value	Tax Rate Per 1,000
63,498,073	12,363000

\*\*There is also a town library tax, which applies to the entire town except Village of Croton-on-Hudson.

Taxable Assessed Value	Tax Rate Per 1000
86,495,165	6.880000

Please note that the general town tax rate is charged throughout a town including villages, if any. The unincorporated tax rate is charged in town areas outside of villages in towns that have villages. Therefore, if you live in the unincorporated area of a town that has villages you must add the two rates together to compute your







**FREDERICK P. CLARK ASSOCIATES, INC.**

PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK FAIRFIELD, CONNECTICUT

**DAVID H. STOLMAN**  
AICP, PP  
PRESIDENT

**MICHAEL A. GALANTE**  
EXECUTIVE  
VICE PRESIDENT

41 RUANE STREET  
FAIRFIELD  
CONNECTICUT 06824  
203 255-3100  
FAX: 203 254-2139

RYE, NEW YORK  
914 967-6540

HUDSON VALLEY  
845 297-6056

LONG ISLAND  
516 364-4544

www.fpclark.com

email@fpclark.com

November 25, 2014

Mr. Alfred Weissman  
Mr. Alan Weissman  
Alfred Weissman Real Estate, Inc.  
120 Old Post Road  
Rye, New York 10580

Gentlemen:

As requested, we have completed this Traffic Study for the proposed development of the subject property located at 120 Old Post Road in Rye, New York. The proposal is to demolish the existing, but mostly vacant office building comprising 70,000 square feet and construct a 135-unit residential, age-restricted, development. Access will remain to Playland Access Drive, essentially at the same location, and immediately south of the unsignalized intersection with Old Post Road.

The results of this Traffic Analysis indicate a development of this type and size will generate 27 and 34 vehicle trip ends during a typical weekday morning and weekday afternoon peak hour, respectively. This is based on trip generation rates provided by the Institute of Transportation Engineers (ITE). For comparison purposes, the existing office building, if fully occupied with a variety of commercial tenants, could generate 109 and 104 vehicle trip ends during the same weekday morning and weekday afternoon peak hours, respectively. Therefore, the redevelopment of the subject property as a residential development will result in a significant reduction in site traffic, with a decrease of 82 and 70 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively.

The results of the analyses indicate that area roadways, although certain roadways approaches to intersections experience short-term delays during peak hours, each location will continue to operate with no change in Level of Service, except for an overall decrease in Level of Service at the signalized intersection of Theodore Fremd Avenue and Playland Access Drive from "B" to "C" during the weekday morning peak hour. However, this change in Level of Service will result in an overall increase in average vehicle delay per vehicle of only 0.3 seconds, which is considered insignificant. The results of



## TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	1
INTRODUCTION	4
Project Description	4
EXISTING CONDITIONS	5
Roadways	5
Traffic Volumes	7
Accident Experience	9
Capacity Analysis Procedures	11
Capacity Analysis Results	11
FUTURE TRAFFIC IMPACTS	13
Background Traffic Volumes	13
Site Traffic Generation	14
Site Traffic Distribution and Assignment	15
Combined Traffic Volumes	16
Capacity Analysis Results – Background and Combined Conditions	16
Findings	18
APPENDIX	
Photographs	
Capacity Analysis Procedures	
Turning Movement Counts	
Capacity Analysis Worksheets	

## LIST OF TABLES

	Follows <u>Page</u>
1. 2014 Two-Way Traffic Volumes – Peak Hours	9
2. Accident Experience Summary – Playland Access Road/Old Post Road	11
3. 2014 Existing Conditions – Measure of Effectiveness (MOE) – Peak Hours	12
4. Site Traffic Generation Comparison – Peak Hours	14
5. 2016 Future Conditions – Measure of Effectiveness (MOE) and Impact Assessment – Peak Hours	18

## LIST OF FIGURES

	Follows <u>Page</u>
1. Site Location Map	7
2. Current Street System Characteristics	7
3. 2014 Existing Traffic Volumes – Weekday Morning Peak Hour	9
4. 2014 Existing Traffic Volumes – Weekday Afternoon Peak Hour (4:45 – 5:45 P.M.)	9
5. 2016 Projected Traffic Volumes – Weekday Morning Peak Hour	13
6. 2016 Projected Traffic Volumes- Weekday Afternoon Peak Hour	13
7. Other Developments Traffic Volumes – Weekday Morning Peak Hour	13
8. Other Developments Traffic Volumes – Weekday Afternoon Peak Hour	13
9. 2016 Background Traffic Volumes – Weekday Morning Peak Hour	14
10. 2016 Background Traffic Volumes – Weekday Afternoon Peak Hour	14
11. Site Traffic Distribution	15
12. Site Traffic Generation and Assignment – Weekday Morning Peak Hour	15
13. Site Traffic Generation and Assignment – Weekday Afternoon Peak Hour	15
14. 2016 Combined Traffic Volumes – Weekday Morning Peak Hour	16
15. 2016 Combined Traffic Volumes – Weekday Afternoon Peak Hour	16



## **SUMMARY**

The purpose of this Traffic Report is to provide the City of Rye with a detailed analysis of potential impacts from this proposed development on adjacent roadways and nearby intersections in the designated Study Area. The proposal is to demolish the existing, but mostly vacant, office building comprising 70,000 square feet of space and construct an age-restricted residential development which will have 135 units. Access will remain the same from Playland Access Drive to the immediate south of the Old Post Road STOP sign-controlled intersection.

The Traffic Study is based on traffic volumes obtained in 2012 through 2014. These volumes were obtained by Frederick P. Clark Associates, Inc. and other Traffic Consultants for different nearby projects.

In this Traffic Study it addresses traffic conditions for existing, no-build and build peak hour volumes near the site. It includes the weekday morning and weekday afternoon peak hours. Under the no-build condition it includes other developments, as well as an appropriate growth rate.

The proposal is to demolish the existing, but mostly vacant, office building and construct the age-restricted development, as noted above. To estimate site traffic for the proposed development trip generation rates were obtained from the Institute of Transportation Engineers (ITE) in "Trip Generation," 9th Edition, published 2012. Based on these trip generation rates it is estimated a development of this type and size will generate 27 and 34 vehicle trip ends during the typical weekday morning and weekday afternoon peak hours, respectively. For comparison purposes the current 70,000 square-foot office building, if it was to be fully reoccupied, could generate 109 and 104 vehicle trip ends during the same weekday morning and weekday afternoon peak hours, respectively. Therefore, the proposed residential development would result in a decrease

in site traffic generation of 82 and 70 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively. This is a significant reduction in site traffic generation potential directly related to the change in land use from an office building to a residential development.

The results of the capacity analysis for existing conditions indicate the Theodore Fremd Avenue/Playland Access Drive signalized intersections operates at an acceptable overall Level of Service "B" during peak hours. During the weekday morning peak hour motorists experience delays at the unsignalized intersection of Playland Access Drive /Playland Parkway/Medical Building, Old Post Road at Playland Access Drive and Old Post Road at Thruway Access Drive. All of the Study Area intersections operate at acceptable Levels of Service during the weekday afternoon peak hour. Similar results are found for 2016 background conditions. In both existing and background conditions analyses the office building located on the site is considered vacant.

Under a future combined condition, which includes the proposed residential development, each of these unsignalized intersections will continue to operate at acceptable Levels of Service, except for some Levels of Service "E" or "F" identified in a background condition. A comparison of the background and combined traffic conditions for each of these intersections indicate that Levels of Service will remain unchanged, except for change from an overall Level of Service "B" to "C" at the signalized intersection of Theodore Fremd Avenue at Playland Access Drive, with an insignificant overall delay due to the residential development of 0.3 seconds per vehicle during this one peak hour. Results of the analyses for the weekday afternoon peak hour indicate Levels of Service will remain the same at each of the unsignalized intersections and at each of the lane groups or approaches with minimal, if any, increase in average vehicle delay due to the proposed residential development.

Based on the results of these analyses it is recommended that the current traffic control and pavement markings at each of these locations remain unchanged. The analysis indicates that the added site traffic for a residential development is insignificant and will not change the overall operation of any of the intersections in the Study Area. In addition, there is a significant benefit of converting this office building to a residential development, which results in a significant decrease in site traffic generation during the key weekday morning and weekday afternoon peak hours.

The results of these analyses have been compared to field observations at each of these locations during both the weekday morning and weekday afternoon peak hours. It is noted that motorists do experience short-term delays at the Playland Parkway off ramp to Playland Access Drive and on the Playland Access Drive and Thruway Access Drive approaches to Old Post Road during peak hours. However, based on the results of this analysis each intersection should maintain STOP control. Any consideration for signalization, if warranted, at the Playland Parkway ramps to Playland Access Drive may actually result in an increase in delays, which could impact the mainline of Playland Parkway (southbound lanes).

At the Old Post Road intersection at Playland Access Drive and Thruway Access Drive it is likely that either location would meet the minimum standards for consideration for traffic signals.

## **INTRODUCTION**

The purpose of this report is to provide the City of Rye with an analysis of current operations on the surrounding roadway network and nearby intersections and the potential impact of removing the existing 70,000 square-foot office building and constructing a 135 age-restricted residential unit development at 120 Old Post Road.

This analysis addresses traffic conditions surrounding the subject property for a typical weekday morning and weekday afternoon peak hour condition. It addresses traffic conditions along Playland Access Drive, Old Post Road, Theodore Fremd Avenue and the Access Ramps to Playland Parkway. It includes an evaluation of current and future background and combined traffic volumes at the nearby intersections for both the weekday morning and weekday afternoon peak hours.

### **Project Description**

The existing office building comprises 70,000 square feet of gross floor area. At the time of the traffic counts, the building was mostly vacant, with minimal traffic generated throughout the day.

The proposal is to demolish this building and construct a 135-unit, age-restricted residential development. Access for the existing building will remain unchanged, with full access to Playland Access Drive.

## EXISTING CONDITIONS

This section of the report describes the current traffic volumes obtained through actual manual traffic volume counts and volumes provided by others at nearby intersections. In this section of the report there is a description of existing roadway conditions, traffic control, site access, capacity analysis procedures and the results of these analyses.

### Roadways

The site is located in the northwest corner of the T-type intersection of Playland Access Drive and Old Post Road. The following is a description of the roadways serving the subject property.

1. *Playland Access Drive* – This is a two-lane, County-maintained roadway, beginning to the northwest at the signalized intersection with Theodore Fremd Avenue. It intersects with the southbound ramps for Playland Parkway, provides access to the subject property and terminates at an unsignalized intersection with Old Post Road. It has a posted speed limit of 30 miles per hour, provides a double yellow centerline, curbs and paved shoulders in certain sections. Sidewalks are not provided on this roadway.
2. *Old Post Road* – It is a generally both a north-south and east-west, County-maintained roadway. This roadway begins to the southwest at a Y-type intersection with Boston Post Road (U.S. Route 1), continues in an easterly direction intersecting with Playland Access Drive, the Playland Parkway Northbound Ramps and continues to the northeast terminating again at T-type intersection with Boston Post Road (U.S. Route 1). The section of Old Post Road between the intersection of North Street and northerly intersection with Boston Post Road is a one-way, one-lane roadway limited to westbound movements.

The Old Post Road/southerly intersection with Boston Post Road intersection is controlled with a traffic signal, which is maintained by the City of Rye. Other intersections are controlled with STOP signs at the Playland Access Drive southbound and the Thruway Access Road southbound approaches. The westbound approach of Old Post Road at North Street is controlled with STOP signs on both approaches. The posted speed limit on this roadway is 30 miles per hour. It provides a double yellow centerline, curbing and sidewalks in certain sections.

3. *North Street* – North Street is a north-south, County-maintained roadway, which begins at the Old Post Road intersection immediately north of the Playland Parkway northbound ramps intersection. This road continues in a northerly direction intersecting with Theodore Fremd Avenue, providing an overpass over Interstate 95 and continuing north to the Hutchinson River Parkway. It is a two-lane road maintained by the County to the intersection of Harrison Avenue. From this intersection to the Parkway it is designated New York Route 127. For its entire length it provides a double yellow centerline. It has a posted speed limit of 30 miles per hour in the Study Area.
4. *Theodore Fremd Avenue* – This is an east-west, County-maintained roadway. It provides one travel lane in each direction and a center turning lane for its entire length between the Harrison Village/Town line to the west and the intersections with North Street to the northeast and ends at Purchase Street. It has a posted speed limit of 30 miles per hour, provides sidewalks generally along the southerly side for its entire length, with sidewalks in the vicinity of the North Street intersection on the northerly side. The intersections with North Street and Theodore Fremd Avenue are controlled with traffic signals, which are maintained by the City of Rye.


5. *Playland Parkway* – This is a generally north-south, limited-access arterial, beginning at Interchange 19 on the New England Thruway (Interstate 95) and terminating to the southeast at Playland, which is a County-owned Park. A full-movement interchange provides access to Playland Access Drive and Old Post Road/North Street near the site. Playland Parkway provides two travel lanes in each direction and is median divided to a point south of the Boston Post Road Overpass. There are bridges at Old Post Road and Boston Post Road providing continuous traffic flow on Playland Parkway.
  
6. *New England Thruway (Interstate 95)* – This is a north-south, limited-access, Interstate Highway serving Westchester County. It provides three lanes in each direction and is median divided. The posted speed limit is 55 miles per hour for vehicles and 50 miles per hour for trucks. Access is provided to the Study Area via Interchange 19, which provides ramps in both directions on Interstate 95. These ramps connect directly to Playland Parkway, which provides direct to Playland Access Drive and Old Post Road.

Figure 1 provides a reference of the site location for all of the roads described above. Figure 2 provides the current street system characteristics for each of these roads, as described above. Photographs of the area roads are included in the Appendix of this report.

### **Traffic Volumes**

To identify baseline conditions for area roads, 2014 traffic volumes available in the Traffic Study completed for the proposal to develop 150 North Street were used for the following intersections during the weekday morning peak hour:

- Theodore Fremd Avenue at Playland Access Drive;



**LEGEND**

- STUDY AREA INTERSECTIONS
- KEY ROADWAYS
- - - SITE ACCESS DRIVES
- - - | CLOSED SITE ACCESS DRIVE
- · · · · PROPERTY LINE

**SITE LOCATION MAP**

**AGE-RESTRICTED RESIDENTIAL DEVELOPMENT**  
**120 Old Post Road**  
**Rye, New York**


FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

Not to Scale      Date: 11/3/14










**1**







**LEGEND**

-  TRAFFIC LANE
-  TRAFFIC SIGNAL
-  STOP SIGN
-  NO TURN ON RED
-  BUS STOP (BEE-LINE BUS #61)
- 00 MPH**  SPEED LIMIT
-  SITE ACCESS DRIVE
-  CLOSED SITE ACCESS DRIVE
-  PROPERTY LINE

**CURRENT STREET SYSTEM CHARACTERISTICS**

**AGE-RESTRICTED RESIDENTIAL DEVELOPMENT**  
**120 Old Post Road**  
**Rye, New York**

**FREDERICK P. CLARK ASSOCIATES, INC.**  
 Planning/Development/Environment/Transportation

Not to Scale

Date: 11/3/14



- Playland Access Drive at Playland Parkway Eastbound On/Off Ramps/Medical Office Building Access Drive; and,
- Old Post Road at Playland Parkway Northbound On/Off Ramps.

The 2012 existing traffic volumes from the Office to Hotel Building Conversion Traffic Study prepared by Frederick P. Clark Associates, Inc. were adjusted and balanced to the most recent traffic data for the site access drive. For the intersection of Old Post Road at Playland Access Road, manual turning movement counts were conducted by Frederick P. Clark Associates on Thursday, October 30, 2014 from 7:00 A.M. to 9:00 A.M. These volumes were adjusted where appropriate to the surrounding intersection volumes to generate the 2014 existing traffic volumes for a weekday morning peak hour. The highest volumes found at each intersection were used.

For the weekday afternoon peak hour existing traffic volumes for 2013 obtained from a Playland Traffic Study were used for the four Study Area intersections. The 2012 existing traffic volumes from the Office to Hotel Building Conversion Traffic Study prepared by Frederick P. Clark Associates, Inc. were adjusted, as needed, at the site frontage. A one percent growth rate was applied to these volumes to the baseline year, 2014.

Based on the results of the field surveys, the peak hour volumes were identified to occur during the following time periods:

- Weekday morning – Vary by intersection; and,
- Weekday afternoon – 4:45 to 5:45 P.M.

Old Post Road, east of Playland Parkway Northbound On/Off Ramps, had a two-way volume of 380 and 399 vehicles during the two peak hours noted above. On Old Post Road west of the same intersection the two-way volume was recorded at 878 and

699 vehicles during the same two peak hours. For the section of Old Post Road west of the Playland Access Drive the two-way volume was 665 and 417 vehicles during the two peak hours noted above. Playland Access Drive, north of Old Post Road the two-way volume was 541 and 512 vehicles during the two peak hours noted above

Theodore Fremd Avenue, west of the Playland Access Drive intersection had a two-way volume of 681 and 669 vehicles during the two peak hours noted above. For the section east of the Playland Parkway Access Drive the two-way volume was found to be 628 and 617 vehicles during the same peak hours noted above.

For reference purposes, the medical office building access drive intersection with Playland Access Drive had a driveway volume of 195 and 101 vehicles during the two peak hours. The site driveway had a two-way volume of 4 and 6 vehicles during the two peak hours. Table 1 provides a summary of the volumes noted above. Figures 3 and 4 show the peak hour volumes for the weekday morning and weekday afternoon peak hours, respectively. The field sheets for the 2014 traffic counts at the Old Post Road/Playland Access Road intersection are included in the Appendix of this report

### **Accident Experience**

The latest available accident data was obtained from the City of Rye Police Department for a period beginning January 1, 2011 through December 31, 2013 for Playland Access Road and Old Post Road. For the intersection of Playland Access Road at Theodore Fremd Avenue, there were a total of 7 accidents recorded during this three-year period. Data indicates that 57 percent of the accidents were limited to only property damage and 43 percent involved injuries. The collision types were 86 percent involving a rear-end collision and 14 percent involved a left turn collision. The contributing factors were 44 percent unknown and 14 percent were driver fell asleep, pavement slippery, traffic control disregarded and driver inattention. It was found that 86 percent of the accidents occurred during daylight hours and 57 percent occurred on dry road conditions.

Table 1  
 2014 TWO-WAY TRAFFIC VOLUMES – PEAK HOURS  
 Age-Restricted Residential Development  
 120 Old Post Road  
 Rye, New York

LOCATION	VEHICLES	
	Weekday Morning	Weekday Afternoon
Playland Parkway Northbound On/Off Ramps, North of Old Post Road	800	606
Old Post Road, East of Playland Parkway Northbound On/Off Ramps	380	399
Old Post Road, West Playland Parkway Northbound On/Off Ramps	878	699
Playland Access Drive, North of Old Post Road	541	512
Old Post Road, East of Playland Access Drive	878	699
Old Post Road, West of Playland Access Drive	665	417
Office Building Access Drive, West of Playland Access Drive	4	6
Playland Access Drive, South of Office Building Access Drive	541	512
Playland Access Drive, North of Office Building Access Drive	541	510
Playland Parkway Southbound On/Off Ramp, East of Playland Access Drive	791	448
Medical Office Building Access Drive, West of Playland Access Drive	195	101
Playland Access Drive, South of Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive	541	507
Playland Access Drive, North of Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive	939	622
Playland Access Drive, South of Theodore Fremd Avenue	585	448
Theodore Fremd Avenue, West of Playland Access Drive	681	669
Theodore Fremd Avenue, East of Playland Access Drive	628	617


## Table 1 Cont'd

### Source:

- 1) 2014 traffic volumes from Tim Miller Associates, Inc. Traffic Study for 150 North Street were utilized for the Playland Parkway Southbound Ramps at Playland Access Drive, Theodore Fremd Avenue at Playland Access Drive and Playland Parkway Northbound On/Off Ramps at Old Post Road intersections for the weekday morning peak hour.
- 2) 2012 existing traffic volumes from the office to hotel building conversion traffic study prepared by Frederick P. Clark Associates, Inc. were adjusted and balanced to the Tim Miller Associates, Inc. volumes for the site access drive for the weekday morning peak hour.
- 3) Manual turning movement counts conducted by Frederick P. Clark Associates, Inc. on Thursday, October 30, 2014 from 7:00 A.M. to 9:00 A.M. at the Old Post Road/Playland Access Drive intersection.
- 4) 2013 existing traffic volumes with the park open from Playland, Year One Development Program, prepared by John Meyers Consulting, P.C., October, 2013, were utilized for the weekday afternoon peak hour. These volumes had a one percent growth rate applied to the baseline year, 2014.

**Frederick P. Clark Associates, Inc.**

G:\760.004 120 Old Post Road, Rye\Word\rye14-001.stc.doc  
10/31/14



**Notes:**

- 1- The 2014 Traffic Volumes from Tim Miller Associates, Inc. Traffic Study for 150 North Street, were utilized for the Playland Parkway Southbound Ramps at Playland Access Drive, Theodore Fremd Avenue at Playland Access Drive and Old Post Road at New York State Thruway Access Drive Intersections. Peak Hour of each intersection was used.
- 2- The 2012 Existing Traffic Volumes from the Office To Hotel Building Conversion Traffic Study prepared by Frederick P. Clark Associates, Inc. were adjusted and balanced to the Tim Miller Associates, Inc. volumes for the Site Access Drive.
- 3- Manual turning movement counts conducted by Frederick P. Clark Associates, Inc. on Thursday, October 30, 2014 from 7:00 to 9:00 A.M. for Old Post Road at Playland Access Road. Peak Hour of this intersection is utilized.

**LEGEND**

- PEDESTRIAN TRAFFIC
- SITE ACCESS DRIVE
- CLOSED SITE ACCESS DRIVE

**2014 EXISTING TRAFFIC VOLUMES  
WEEKDAY MORNING PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**




FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK FAIRFIELD, CONNECTICUT

**3**

Not to Scale

Date: 11/3/14



**Notes:**

- 1- 2013 Existing Traffic Volumes with the Park open from Playland, Year One Development Program, prepared by John Meyer Consulting, P.C. October, 2013, were utilized.
- 2- A one percent growth rate was applied to the baseline year, 2014.

**LEGEND**

- SITE ACCESS DRIVE
- CLOSED SITE ACCESS DRIVE

**2014 EXISTING TRAFFIC VOLUMES  
WEEKDAY AFTERNOON PEAK HOUR  
(4:45 - 5:45 P.M.)**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**



FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

For the section of Playland Access Road between Theodore Fremd Avenue and Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive, there were a total of 11 accidents recorded during this three-year period. Data indicates that 82 percent of the accidents were limited to only property damage and 18 percent involved injuries. The collision types were 55 percent involving a rear-end collision, 27 percent were right angle collisions and 9 percent involved left turn and right turn collision. The contributing factors were 55 percent driver inattention and 9 percent were following too closely, failure to grant right-of-way, unknown and view obstructed. It was found that all of the accidents occurred during daylight hours and 55 percent occurred on dry road conditions.

For the intersection of Playland Access Road at Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive, there were a total of 18 accidents recorded during this three-year period. Data indicates that 83 percent of the accidents were limited to only property damage and 17 percent involved injuries. The collision types were 44 percent involving a right angle collision, 21 percent involved left turn collision, 17 percent involved a rear-end collision and 6 percent involved right turn collision, sideswipe in the same direction and backing. The contributing factors were 38 percent for failure to grant right-of-way, 33 percent driver inattention, 11 percent were unknown and 6 percent involved pavement slippery, traffic control disregarded and unsafe backing. It was found that 89 percent of the accidents occurred during daylight hours and on dry road conditions. For the section of Playland Access Road between Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive and Site Access Drive, there were no recorded accidents.

For the intersection of Playland Access Road at Site Access Drive, there were no recorded accidents. For the section of Playland Access Road between Site Access Drive and Old Post Road, there were no recorded accidents.



For the intersection of Old Post Road at Playland Access Road, there were a total of 3 accidents recorded during this three-year period. Data indicates that all of the accidents were limited to only property damage. The collision types were 67 percent involving a rear-end collision and 33 percent involved a left turn collision. The contributing factors were 34 percent for following too closely and 33 percent were failure to grant right-of-way and traffic control disregarded. It was found that 67 percent of the accidents occurred during daylight hours and 33 percent occurred on dry road conditions. For the section of Old Post Road between Playland Access Road and Playland Parkway Northbound On/Off Ramps, there were no recorded accidents.

For the intersection of Old Post Road at Playland Parkway Northbound On/Off Ramps, there were a total of 3 accidents recorded during this three-year period. Data indicates that 67 percent of the accidents were limited to only property damage and 33 percent involved injuries. The collision types were 67 percent involving a rear-end collision and 33 percent involved a left turn collision. The contributing factors were 67 percent for following too closely and 33 percent were failure to grant right-of-way. It was found that all of the accidents occurred during daylight hours and on dry road conditions. Table 2 provides a more detailed summary of the accident data

### **Capacity Analysis Procedures**

Capacity analysis procedures are provided in the Appendix of this report. The analyses follow a SYNCHRO computer model and information provided by the Transportation Research Board (TRB) and the Highway Capacity Manual (HCM) published in 2010.

### **Capacity Analysis Results**

The results of the analysis for the Study Area intersections included in the designated Study Area are described below:



Table 2 Cont'd

ACCIDENT CHARACTERISTICS	PLAYLAND ACCESS ROAD						OLD POST ROAD												
	At Theodore Fremd Avenue		Between Theodore Fremd Avenue and Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive		At Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive		Between Playland Parkway Southbound On/Off Ramp/Medical Office Building Access Drive and Site Access Drive		At Site Access Drive		Between Site Access Drive and Old Post Road		At Playland Access Road		Between Playland Access Road and Playland Parkway Northbound On/Off Ramps		At Playland Parkway Northbound On/Off Ramps		
	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%	Total	%	
<b>Weather Conditions</b>	4	57	5	46	15	83	0	0	0	0	0	0	0	2	67	0	0	2	67
■ Clear	1	14	1	9	3	17	0	0	0	0	0	0	0	0	0	0	0	1	33
■ Cloudy	2	29	4	36	0	0	0	0	0	0	0	0	0	1	33	0	0	0	0
■ Rain	0	0	1	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
■ Snow																			

Source: Rye Police Department

Notes: The latest accident data available is from January 1, 2011 to December 31, 2013.

Frederick P. Clark Associates, Inc.  
 G:\760011\1251 Old Post Road, Rye\Woodhys 1-1-02.ssc.doc  
 11/5/14

1. *Theodore Fremd Avenue at Playland Access Drive* – Results of the analysis of this signalized intersection indicate it is currently operating at an overall Level of Service “B” during both the weekday morning and weekday afternoon peak hours. It includes a fixed time westbound left turn leg, which should be modified.
2. *Playland Access Drive at Playland Parkway Eastbound On/Off Ramp/Medical Office Building Access Drive* – Results of the analysis of this unsignalized intersection indicate it is currently operating at a Level of Service “E” and “C” or better during the weekday morning and weekday afternoon peak hours, respectively.
3. *Playland Access Drive at Office Building Access Drive* – Results of the analysis of this unsignalized intersection indicate it is currently operating at a Level of Service “B” or better during each peak hour analyzed.
4. *Old Post Road at Playland Access Drive* – Results of the analysis of this unsignalized intersection indicate it is currently operating at a Level of Service “F” and “D” or better during the weekday morning and weekday afternoon peak hours, respectively. This reflects conditions exiting from the STOP sign.
5. *Old Post Road at Thruway Access Drive* – Results of the analysis of this unsignalized intersection indicate it is currently operating at a Level of Service “F” and “D” or better during the weekday morning and weekday afternoon peak hours, respectively. This represents conditions exiting the ramp.

Table 3 provides a more detailed summary of the results of the analyses, as described above. This table includes the type of control, lane group/movement, description, the Level of Service, average vehicle per vehicle and the volume to capacity ratio. The capacity analysis worksheets are included in the Appendix of this report.

Table 3  
 2014 EXISTING CONDITIONS – MEASURE OF EFFECTIVENESS (MOE) – PEAK HOURS  
 Age-Restricted Residential Development  
 120 Old Post Road  
 Rye, New York

INTERSECTION	CONTROL TYPE	PHYSICAL UNITS	2014 EXISTING CONDITIONS			
			Weekday Morning		Weekday Afternoon	
			LOS/ Delay	V/C Ratio	LOS/ Delay	V/C Ratio
Theodore Fremd Avenue at Playland Access Drive	Traffic Signal	EB TR	B/18.2	0.48	B/17.6	0.40
		APP.	B/18.2	--	B/17.6	--
		WB L	B/11.4	0.28	A/9.2	0.14
		T	A/9.0	0.18	A/9.3	0.21
		APP.	B/10.1	--	A/9.3	--
		NB LR	C/33.3	0.55	C/33.2	0.54
		APP.	C/33.3	--	C/33.2	--
	Overall	B/19.6	--	B/19.5	--	
Playland Access Drive at Playland Parkway Eastbound On/Off Ramp/Medical Office Building Access Drive	TWSC	EB L	E/37.1	0.33	C/17.5	0.19
		T	E/37.1	0.33	C/17.5	0.19
		R	E/37.1	0.33	C/17.5	0.19
		WB L	D/26.5	0.60	C/20.9	0.43
		T	D/26.5	0.60	C/20.9	0.43
		R	B/13.5	0.58	B/10.2	0.29
		NB L	A/0.2	0.02	A/0.1	0.01
SB L	A/0.3	0.03	A/0.4	0.04		
Playland Access Drive at Office Building Access Drive	TWSC	EB L	B/12.3	0.00	B/11.3	0.01
		R	A/0.0	0.00	B/11.3	0.01
		NB L	A/0.0	0.00	A/0.0	0.00
Old Post Road at Playland Access Drive	TWSC	EB L	A/0.2	0.02	A/0.1	0.01
		SB L	F/51.7	0.92	D/25.6	0.75
		R	F/51.7	0.92	D/25.6	0.75
Old Post Road at Thruway Access Drive	TWSC	EB L	A/4.9	0.46	A/3.9	0.38
		SB L	F/69.8	0.85	D/26.9	0.32
		R	F/69.8	0.85	D/26.9	0.32

Notes:

- Synchro 8.0 is used for capacity analysis.
- Level of Service determining parameter is called the service measure.
- For Signalized Intersections: Level of Service/Average Total delay per vehicle (seconds/vehicle).
- TWSC = Two-Way STOP Control.
- For TWSC Intersections: Level of Service/Average Control delay per vehicle (seconds/vehicle).

### Table 3 Cont'd

- ITE publication for Traffic Access and Impact Studies for site development "A Recommended Practice" indicated that overall Level of Service ratings of A to D are normally considered acceptable for signalized intersections (Level C or better are considered desirable). Levels of Service E and F are normally undesirable.
- V/C ratio indicates the amount of congestion for each Lane Group or Movement. Any V/C ratio greater than or equal to one indicates that the Lane Group or Movement is operating at above capacity.
- Physical Units consist of the following:
  1. Lane Group, Approach and Intersection Overall for Traffic Signal Controlled Intersections.
  2. Movements for TWSC Intersections.

NB = Northbound

EB = Eastbound

SB = Southbound

WB = Westbound

L = Left Turn

T = Through

R = Right Turn

APP. = Approach

**Frederick P. Clark Associates, Inc.**

G:\760.004 120 Old Post Road, Rye\Word\rye14-003.stc.doc

10/31/14

## **FUTURE TRAFFIC IMPACTS**

In this section of the report there is a description of the background and combined traffic volumes for a 2016 condition at each of the intersections included in the designated Study Area for the weekday morning and weekday afternoon peak hours. It includes a description of site traffic generation, distribution and assignment of site traffic and results of capacity analyses for a background and combined condition. A comparison of the results of these analyses indicates the potential impact to area roads and intersections. Capacity analyses were conducted to determine impact and if any mitigation is needed.

### **Background Traffic Volumes**


The baseline traffic volumes for 2014 were expanded to reflect a 2016 condition by applying an annual growth rate of one percent. The volumes for this condition are graphically illustrated in Figures 5 and 6 for the peak hours noted above.

In addition to a general growth rate for traffic in the surrounding area, field observations and discussions with the City of Rye Planning department identified the following other developments:

- 58 Attached Senior Residential units at 150 North Street, Traffic Study prepared by Tim Miller Associates, Inc.;
- Year One Development Program, Playland, Traffic Study prepared by John Meyer Consulting, P.C. October, 2013; and,
- 5,000 square-feet of vacant office space located at 555 Theodore Fremd Avenue. This traffic is included in the growth rate.

For planning purposes no additional traffic was added during the weekday morning peak hour for the Year One Development Program, Playland. Figures 7 and 8

File: G:\1760.004 120 Old Post Road, Rye\AutoCad\Figures\Fig 5



Note: An annual growth rate of one percent was employed to the horizon year 2016.

- LEGEND**
- SITE ACCESS DRIVE
  - - - CLOSED SITE ACCESS DRIVE

**2016 PROJECTED TRAFFIC VOLUMES  
WEEKDAY MORNING PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**




FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**5**

Not to Scale

Date: 11/3/14







File: G:\1760.004 120 Old Post Road\_Rye\AutoCad\Figures\Fig 6

Note: An annual growth rate of one percent was employed to the horizon year 2016.

**LEGEND**

-  SITE ACCESS DRIVE
-  CLOSED SITE ACCESS DRIVE

**2016 PROJECTED TRAFFIC VOLUMES  
WEEKDAY AFTERNOON PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**




FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**6**

Not to Scale

Date: 11/3/14



- Notes: Other Developments include:
- 5,000 Square Feet vacant office space located at 555 Theodore Fremd Avenue. This traffic is included in the growth rate.
  - 58 Attached Senior Residential Units located at 150 North Street from Traffic Study prepared by Tim Miller Associates.

**LEGEND**

**SITE ACCESS DRIVE**

**CLOSED SITE ACCESS DRIVE**

**OTHER DEVELOPMENTS TRAFFIC VOLUMES  
WEEKDAY MORNING PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**




FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**7**

Not to Scale

Date: 11/3/14



**Notes: Other Developments include:**

- 5,000 Square Feet vacant office space located at 555 Theodore Fremd Avenue. This traffic is included in the growth rate.
- 58 Attached Senior Residential Units located at 150 North Street from Traffic Study prepared by Tim miller Associates.
- Year One Development Program, Playland, Traffic Study prepared by John Meyer Consulting, P.C. October 2013.

**LEGEND**

- SITE ACCESS DRIVE
- CLOSED SITE ACCESS DRIVE

**OTHER DEVELOPMENTS TRAFFIC VOLUMES  
WEEKDAY AFTERNOON PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**



FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**8**

Not to Scale

Date: 11/3/14


show the other development traffic volumes for each peak hour. Figures 9 and 10 graphically illustrate the 2016 background traffic volumes for area roads and include the growth rate and traffic related to the other developments. It is important to note that the senior residential development and Playland development are not approved applications.

### **Site Traffic Generation**

To estimate the total number of vehicle trips for the proposed 135 age-restricted residential units, trip generation rates were obtained from the 9<sup>th</sup> Edition of “Trip Generation,” published by the Institute of Transportation Engineers (ITE) in 2012. Using the Senior Adult Housing – Attached Code #252 and applying the average rates available, the expected site traffic is 27 and 34 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively.

The current office building comprises 70,000 square feet of gross floor area. The building is vacant, except for the Owners of the building offices, which currently generates 4 and 6 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively.

To estimate the total number of vehicle trips for this type of building fully occupied with a multi-tenant occupancy, trip generation rates were obtained from the 9<sup>th</sup> Edition of “Trip Generation,” published by the Institute of Transportation Engineers (ITE) in 2012. Using the General Office Code #710 and applying the average rates available for this type of building, the expected estimate for total site traffic is 109 and 104 vehicle trip ends for the weekday morning and weekday afternoon peak hours, respectively. Comparing the current land use to the proposed age-restricted attached residential units, there will be a net decrease in site traffic of 82 and 70 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively. Table 4 provides a more detailed breakdown of previous land use and proposed age-restricted attached residential units site traffic generation.



Note: The 2016 Background Traffic Volumes include the 2016 Projected Traffic Volumes and the Other Developments Traffic Volumes.

**LEGEND**

- SITE ACCESS DRIVE
- CLOSED SITE ACCESS DRIVE

**2016 BACKGROUND TRAFFIC VOLUMES  
WEEKDAY MORNING PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**




FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**9**

Not to Scale

Date: 11/3/14



File: G:\760.004 120 Old Post Road, Rye\AutoCac\Figures\Fig 1C

Note: The 2016 Background Traffic Volumes include the 2016 Projected Traffic Volumes and the Other Developments Traffic Volumes.

**LEGEND**

-  SITE ACCESS DRIVE
-  CLOSED SITE ACCESS DRIVE

**2016 BACKGROUND TRAFFIC VOLUMES  
WEEKDAY AFTERNOON PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**



FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**10**

Not to Scale

Date: 11/3/14

Table 4  
 SITE TRAFFIC GENERATION COMPARISON – PEAK HOURS  
 Age-Restricted Residential Development  
 120 Old Post Road  
 Rye, New York

PROPOSED LAND USE				
LAND USE	SIZE	TRAFFIC DIRECTION	VEHICLE TRIP ENDS	
			Weekday Morning	Weekday Afternoon
Senior Adult Housing – Attached	135 Dwelling Units	Enter	9	18
		Exit	<u>18</u>	<u>16</u>
		Total	27	34

Source: "Trip Generation," 9<sup>th</sup> Edition, published by the Institute of Transportation Engineers (ITE), 2012 using Senior Adult Housing – Attached, Code #252 average rates.

CURRENT LAND USE				
LAND USE	SIZE	TRAFFIC DIRECTION	VEHICLE TRIP ENDS	
			Weekday Morning	Weekday Afternoon
General Office Building	70,000 S.F.	Enter	96	18
		Exit	<u>13</u>	<u>86</u>
		Total	109	104

Source: "Trip Generation," 9<sup>th</sup> Edition, published by the Institute of Transportation Engineers (ITE), 2012 using General Office Building, Code #710 Average Rates.

Frederick P. Clark Associates, Inc.  
 G:\760.004 120 Old Post Road, Rye\Word\rye14-004.stc.doc  
 10/30/14

### **Site Traffic Distribution and Assignment**


To develop the anticipated distribution patterns for the additional site traffic, an evaluation of current patterns at the site access drive and patterns for traffic conditions on area roads were analyzed. Based on the results of this analysis it was determined that for arrivals 60 percent of the site traffic will turn right into the subject driveway from Playland Access Drive. It is anticipated that 20 percent will arrive from the southbound off-ramp of Playland Parkway from Interstate 95, 20 percent from the southwest on Theodore Fremd Avenue and the remaining 20 percent from the northeast on Theodore Fremd Avenue. The remaining 40 percent arriving at the site driveway from the south on Playland Access Drive is expected to breakdown to 20 percent arriving from the northeast on Old Post Road and the remaining 20 percent arriving from the southwest on Old Post Road.

For exiting movements it was found that 60 percent of the site traffic will exit and turn right from the driveway to travel southbound on Playland Access Drive to the intersection with Old Post Road. At Old Post Road 40 percent will turn left to travel northeast on Old Post Road, 20 percent turning left onto the Playland Parkway northbound ramps and the remaining 20 percent continuing northeast on Old Post Road to North Street. The remaining 20 percent traveling southeast on Playland Access Drive will turn right onto Old Post Road to travel to Boston Post Road. For the exiting movements turning left at the access drive 40 percent of the site traffic will continue northwest on Playland Access Drive to Theodore Fremd Avenue, where 20 percent will turn left and the remaining 20 percent will turn right.

Figure 11 graphically shows the distribution patterns anticipated for the additional to be added to area roads during the peak hours. Figures 12 and 13 show the site traffic generation and assignment for the peak hours.



File: G:\760.004\120 Old Post Road, Rye\AutoCad\Figures\Fig 1'



**SITE**

**SITE TRAFFIC**

Enter 00%  
Exit (00%)

**LEGEND**

- SITE ACCESS DRIVE
- CLOSED SITE ACCESS DRIVE

**SITE TRAFFIC DISTRIBUTION**

**AGE-RESTRICTED RESIDENTIAL DEVELOPMENT**  
120 Old Post Road  
Rye, New York




FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**11**

Not to Scale

Date: 11/3/14

File: G:\1760\1760-120 Old Post Road\_Rye\AutoCad\Figures\Fig 12



**SITE TRAFFIC**  
 Enter 9  
 Exit 18  
 Total 27 Vehicle Trip Ends

**LEGEND**  
 - - - - - SITE ACCESS DRIVE  
 - + - - - CLOSED SITE ACCESS DRIVE

**SITE TRAFFIC GENERATION AND ASSIGNMENT  
 WEEKDAY MORNING PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL DEVELOPMENT  
 120 Old Post Road  
 Rye, New York**




FREDERICK P. CLARK ASSOCIATES, INC.  
 PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
 RYE, NEW YORK FAIRFIELD, CONNECTICUT

**12**

Not to Scale

Date: 11/3/14



**SITE TRAFFIC**

Enter 18

Exit (16)

Total 34 Vehicle Trip Ends

**LEGEND**

--- SITE ACCESS DRIVE

---\*--- CLOSED SITE ACCESS DRIVE

**SITE TRAFFIC GENERATION  
AND ASSIGNMENT  
WEEKDAY AFTERNOON PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**



FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**13**

Not to Scale

Date: 11/3/14

## **Combined Traffic Volumes**

The combined traffic volumes were developed by adding the residential-related traffic to the area roadways for both peak periods to develop a 2016 combined traffic volume condition. Results of this combination of volumes, with the background traffic volumes, which are previously described in this report, Figures 14 and 15, were prepared.

## **Capacity Analysis Results – Background and Combined Conditions**

The following is a summary of the results of the analyses of the intersections included in this Study Area for both a background and combined condition for the four peak hours:

1. *Theodore Fremd Avenue at Playland Access Drive*


**Background** – Results of the analysis of this signalized intersection indicate it will operate at an overall Level of Service “B” during both the weekday morning and weekday afternoon peak hours.

**Combined** – Results of the analysis indicate this intersection will continue to operate the same overall Level of Service during the weekday afternoon peak hour. During the weekday morning peak hour there will be an acceptable change in Levels of Service from “B” to “C” with a change in average vehicle delay of 0.3 seconds.

2. *Playland Access Drive at Playland Parkway Southbound On/Off-Ramps/Medical Office Building Access Drive*

**Background** – Results of the analysis of this unsignalized intersection indicate that for the critical movements on the ramp and access drive approaches to the intersection will operate at Level of Service “E” and “C” or better during the weekday morning and weekday afternoon peak hours, respectively. The northbound and southbound critical movements on Playland Access Drive will operate at Level of Service “A” during both peak hours.





Note: The 2016 Combined Traffic Volumes include the 2016 Background Traffic Volumes and the Site Traffic Generation.

**LEGEND**

-  SITE ACCESS DRIVE
-  CLOSED SITE ACCESS DRIVE

**2016 COMBINED TRAFFIC VOLUMES  
WEEKDAY AFTERNOON PEAK HOUR**

**AGE-RESTRICTED RESIDENTIAL  
DEVELOPMENT  
120 Old Post Road  
Rye, New York**



FREDERICK P. CLARK ASSOCIATES, INC.  
PLANNING, TRANSPORTATION, ENVIRONMENT AND DEVELOPMENT  
RYE, NEW YORK      FAIRFIELD, CONNECTICUT

**15**

Not to Scale

Date: 11/3/14

**Combined** - Results of the analysis of this unsignalized intersection indicate that the Level of Service will remain the same for all movements with an increase in average vehicle delay of at most 1.5 seconds.

3. *Playland Access Drive at Office Building Access Drive*

**Background** – Results of the analysis indicate the critical movements will operate at Level of Service “B” or better during both peak hours.

**Combined** – Results of the analysis indicate critical movements at this intersection will continue to operate at Level of Service “B” or better during the two peak hours. The eastbound right turn movement will change from a Level of Service “A” to “B” during the weekday morning peak hour with an increase in average vehicle delay of 11.9 seconds.

4. *Old Post Road at Playland Access Drive*

**Background** – Results of the analysis indicate the critical movements on the southbound approach of Playland Access Drive (STOP sign approach) will operate at Level of Service “F” and “D” during the weekday morning and weekday afternoon peak hours, respectively. Results of the analysis indicate queue lengths totaling an average up to 13 vehicles during the peak hours.

Field observations of this intersection during the peak hours indicate similar vehicle queues and delays; however, these delays typically occur for less than 15 minutes during the peak hours.

**Combined** – Results of the analysis indicate that the critical movements on the southbound approach of this intersection will maintain the same Level of Service during both peak hours with an increase in average vehicle delay of at most 7.2 seconds. Reuse of the existing building will result in longer delays.

5. *Old Post Road at Thruway Access Drive*

**Background** – Results of the analysis of this unsignalized intersection indicate the critical southbound movements from the ramp are operating at Level of Service “F” and “D” during the weekday morning and weekday afternoon peak hours, respectively. The critical movements on Old Post Road are operating at Level of Service “A” during both peak hours.

**Combined** – Results of the analysis indicate that the critical movements on the southbound approach of this intersection will maintain the same Level of Service during both peak hours with an increase in average vehicle delay of at most 5.9 seconds. Again, reuse of the existing building will result in longer delays.

Table 5 provides a more detailed summary of the results of the analysis of each of these intersections with background and combined conditions. Capacity analysis worksheets are included in the Appendix of this report.

**Findings**

The purpose of this Traffic Report is to provide the City of Rye with a detailed analysis of potential impacts from this proposed development on adjacent roadways and nearby intersections in the designated Study Area. The proposal is to demolish the existing, but mostly vacant, office building comprising 70,000 square feet of space and construct an age-restricted residential development which will have 135 units. Access will remain the same from Playland Access Drive to the immediate south of the Old Post Road STOP sign-controlled intersection.

The Traffic Study is based on traffic volumes obtained in 2012 through 2014. These volumes were obtained by Frederick P. Clark Associates, Inc. and other Traffic Consultants for different nearby projects.



Table 5  
 2016 FUTURE CONDITIONS – MEASURE OF EFFECTIVENESS (MOE) AND IMPACT ASSESSMENT – PEAK HOURS  
 Age-Restricted Residential Development  
 120 Old Post Road  
 Rye, New York

INTERSECTION	CONTROL TYPE	STORAGE/LINK LENGTH	PHYSICAL UNITS	2016 BACKGROUND CONDITIONS						2016 COMBINED CONDITIONS						PROJECT IMPACTS		
				Weekday Morning			Weekday Afternoon			Weekday Morning			Weekday Afternoon			Morning		Afternoon
				LOS/ Delay	V/C Ratio	Queue Length (Feet)	LOS/ Delay	V/C Ratio	Queue Length (Feet)	LOS/ Delay	V/C Ratio	Queue Length (Feet)	LOS/ Delay	V/C Ratio	Queue Length (Feet)	LOS/ Delay	V/C Ratio	Queue Length (Feet)
Theodore Fremd Avenue at Playland Access Drive	Traffic Signal	670	EB TR APP	B/18.5	0.49	229	B/17.9	0.42	216	B/18.6	0.49	231	B/17.9	0.42	218	0.1	No	0.0
				B/18.5	0.29	72	A/9.4	0.15	42	B/18.6	0.29	73	B/17.9	0.16	44	0.1	No	0.0
				A/9.0	0.18	86	A/9.3	0.21	100	A/9.0	0.18	86	A/9.3	0.21	100	0.0	No	0.1
				B/10.2	0.56	243	A/9.3	0.56	244	B/10.3	0.56	250	A/9.4	0.58	250	0.1	No	0.0
				C/33.8	0.96	305	C/33.9	0.96	305	C/34.2	0.96	305	C/34.2	0.96	305	0.4	No	0.3
				C/33.8	0.94	201	C/33.9	0.94	201	C/34.2	0.94	201	C/34.2	0.94	201	0.4	No	0.3
Playland Access Drive at Playland Parkway Eastbound On/Off Ramp/Medical Office Building Access Drive	TWSC	245	Overall	B/19.8	0.37	40	B/19.8	0.37	40	C/20.1	0.37	41	B/20.0	0.37	41	1.5	No	0.5
				E/41.0	0.37	40	C/18.7	0.21	20	E/42.5	0.38	41	C/19.2	0.22	20	1.5	No	0.5
				E/41.0	0.37	40	C/18.7	0.21	20	E/42.5	0.38	41	C/19.2	0.22	20	1.5	No	0.5
				D/28.1	0.63	103	C/22.6	0.46	58	D/29.4	0.64	108	C/23.9	0.48	63	1.3	No	1.3
				B/13.8	0.59	100	C/22.6	0.46	58	D/29.4	0.64	108	C/23.9	0.48	63	1.3	No	1.3
				A/0.2	0.02	2	A/0.1	0.01	0	A/0.2	0.02	2	A/0.1	0.01	0	0.2	No	0.1
				A/0.3	0.03	3	A/0.4	0.05	4	A/0.3	0.03	3	A/0.4	0.05	4	0.0	No	0.0
				B/12.4	0.00	0	B/11.4	0.01	0	B/11.9	0.04	3	B/11.8	0.04	3	0.0	No	0.4
				A/0.0	0.00	0	B/11.4	0.01	0	B/11.9	0.04	3	B/11.8	0.04	3	11.9	No	0.4
				A/0.0	0.00	0	A/0.0	0.00	0	A/0.0	0.01	1	A/0.1	0.01	1	0.0	No	0.1
Playland Access Drive at Office Building Access Drive	TWSC	975	EB L	A/0.2	0.02	1	A/0.1	0.01	1	A/0.2	0.02	1	A/0.1	0.01	1	0.0	No	0.0
				F/58.9	0.96	305	D/28.6	0.79	191	F/66.1	0.99	331	D/31.2	0.81	209	7.2	No	2.6
				F/58.9	0.96	305	D/28.6	0.79	191	F/66.1	0.99	331	D/31.2	0.81	209	7.2	No	2.6
				A/5.1	0.47	64	A/4.1	0.39	47	A/5.2	0.47	65	A/4.2	0.39	48	0.1	No	0.1
Old Post Road at Thruway Access Drive	TWSC	240	SB L	F/91.1	0.94	201	D/33.0	0.44	53	F/97.0	0.96	208	D/34.2	0.45	54	5.9	No	1.2
				F/91.1	0.94	201	D/33.0	0.44	53	F/97.0	0.96	208	D/34.2	0.45	54	5.9	No	1.2
				F/91.1	0.94	201	D/33.0	0.44	53	F/97.0	0.96	208	D/34.2	0.45	54	5.9	No	1.2

Notes:

- Synchro 8.0 is used for capacity analysis.
- Level of Service determining parameter is called the service measure.
- For Signalized Intersections Level of Service/Average Total delay per vehicle (seconds/vehicle).
- TWSC = Two-Way STOP Control
- For TWSC Intersections: Level of Service/Average Control delay per vehicle (seconds/vehicle).
- ITE publication for Traffic Access and Impact Studies for site development "A Recommended Practice" indicated that overall Level of Service ratings of A to D are normally considered acceptable for signalized intersections (Level C or better are considered desirable). Levels of Service E and F are normally undesirable.

Table 5 Cont'd

- V/C ratio indicates the amount of congestion for each Lane Group or Movement. Any V/C ratio greater than or equal to one indicates that the Lane Group or Movement is operating at above capacity.
- Synchro 8.0 Macroscopic model is used for storage/queue analysis.
- The Queue Length rows show the 95<sup>th</sup> percentile maximum queue length in feet.
- The Queue Length is for each lane. The total queue length is divided by the number of lanes and the lane utilization factor.
- The 95<sup>th</sup> percentile queue is the maximum back of the queue with the 95<sup>th</sup> percentile traffic volumes.
- **Bolded** 95<sup>th</sup> percentile queue exceeds the storage available.
- Physical Units consist of the following:
  1. Lane Group and Intersection Overall for Traffic Signal Controlled Intersections
  2. Movement for TWSC Intersections.

NB = Northbound EB = Eastbound SB = Southbound WB = Westbound  
 L = Left Turn T = Through R = Right Turn APP = Approach

Frederick P. Clark Associates, Inc.  
 61760 104<sup>th</sup> 120<sup>th</sup> Old First Road, River View, MD 21151-4005  
 1/7/14

In this Traffic Study it addresses traffic conditions for existing, no-build and build peak hour volumes near the site. It includes the weekday morning and weekday afternoon peak hours. Under the no-build condition it includes other developments, as well as an appropriate growth rate.

The proposal is to demolish the existing, but mostly vacant, office building and construct the age-restricted development, as noted above. To estimate site traffic for the proposed development trip generation rates were obtained from the Institute of Transportation Engineers (ITE) in "Trip Generation," 9th Edition, published 2012. Based on these trip generation rates it is estimated a development of this type and size will generate 27 and 34 vehicle trip ends during the typical weekday morning and weekday afternoon peak hours, respectively. For comparison purposes the current 70,000 square-foot office building, if it was to be fully reoccupied, could generate 109 and 104 vehicle trip ends during the same weekday morning and weekday afternoon peak hours, respectively. Therefore, the proposed residential development would result in a decrease in site traffic generation of 82 and 70 vehicle trip ends during the weekday morning and weekday afternoon peak hours, respectively. This is a significant reduction in site traffic generation potential directly related to the change in land use from an office building to a residential development.

The results of the capacity analysis for existing conditions indicate the Theodore Fremd Avenue/Playland Access Drive signalized intersections operates at an acceptable overall Level of Service "B" during peak hours. During the weekday morning peak hour motorists experience delays at the unsignalized intersection of Playland Access Drive/Playland Parkway/Medical Building, Old Post Road at Playland Access Drive and Old Post Road at Thruway Access Drive. All of the Study Area intersections operate at acceptable Levels of Service during the weekday afternoon peak hour. Similar results are found for 2016 background conditions. In both existing and background conditions analyses the office building located on the site is considered vacant.

Under a future combined condition, which includes the proposed residential development, each of these unsignalized intersections will continue to operate at acceptable Levels of Service, except for some Levels of Service “E” or “F” identified in a background condition. A comparison of the background and combined traffic conditions for each of these intersections indicate that Levels of Service will remain unchanged, except for change from an overall Level of Service “B” to “C” at the signalized intersection of Theodore Fremd Avenue at Playland Access Drive, with an insignificant overall delay due to the residential development of 0.3 seconds per vehicle during this one peak hour. Results of the analyses for the weekday afternoon peak hour indicate Levels of Service will remain the same at each of the unsignalized intersections and at each of the lane groups or approaches with minimal, if any, increase in average vehicle delay due to the proposed residential development.

Based on the results of these analyses it is recommended that the current traffic control and pavement markings at each of these locations remain unchanged. The analysis indicates that the added site traffic for a residential development is insignificant and will not change the overall operation of any of the intersections in the Study Area. In addition, there is a significant benefit of converting this office building to a residential development, which results in a significant decrease in site traffic generation during the key weekday morning and weekday afternoon peak hours.

The results of these analyses have been compared to field observations at each of these locations during both the weekday morning and weekday afternoon peak hours. It is noted that motorists do experience short-term delays at the Playland Parkway off ramp to Playland Access Drive and on the Playland Access Drive and Thruway Access Drive approaches to Old Post Road during peak hours. However, based on the results of this analysis each intersection should maintain STOP control. Any consideration for signalization, if warranted, at the Playland Parkway ramps to Playland Access Drive may

actually result in an increase in delays, which could impact the mainline of Playland Parkway (southbound lanes).

At the Old Post Road intersection at Playland Access Drive and Thruway Access Drive it is likely that either location would meet the minimum standards for consideration for traffic signals.

g:\760.004 120 old post road, rye\word\rye14-000.stc.doc: ev: td  
11/3/14

## APPENDIX

**PHOTOGRAPHS**



**SITE ACCESS DRIVE AT PLAYLAND ACCESS DRIVE,  
LOOKING WEST**




**PLAYLAND ACCESS DRIVE AT SITE ACCESS DRIVE,  
LOOKING NORTH**





**PLAYLAND ACCESS DRIVE AT SITE ACCESS DRIVE,  
LOOKING SOUTH**



**PLAYLAND ACCESS DRIVE AT OLD POST ROAD,  
LOOKING NORTH**



**OLD POST ROAD AT PLAYLAND ACCESS DRIVE,  
LOOKING WEST**



**OLD POST ROAD AT PLAYLAND ACCESS DRIVE,  
LOOKING EAST**



**PLAYLAND PARKWAY NORTHBOUND ON/OFF RAMPS  
AT OLD POST ROAD, LOOKING NORTH**




**OLD POST ROAD AT PLAYLAND PARKWAY  
NORTHBOUND ON/OFF RAMPS, LOOKING WEST**





**MEDICAL OFFICE ACCESS DRIVE AT PLAYLAND ACCESS DRIVE,  
LOOKING WEST**



**PLAYLAND ACCESS DRIVE AT MEDICAL OFFICE ACCESS DRIVE/  
PLAYLAND PARKWAY SOUTHBOUND ON/OFF-RAMP, LOOKING SOUTH**

**Frederick P. Clark Associates, Inc.**

**November 2014**

File: L:\700NEW YORK\rd\Office Building 760.000\Exhibit\Exhibit-6

**Exhibit-6**



**PLAYLAND ACCESS DRIVE AT MEDICAL OFFICE ACCESS DRIVE/  
PLAYLAND PARKWAY SOUTHBOUND ON/OFF-RAMPS, LOOKING NORTH**



**PLAYLAND ACCESS DRIVE AT THEODORE FREMD AVENUE,  
LOOKING SOUTH**



**THEODORE FREMD AVENUE AT PLAYLAND ACCESS DRIVE,  
LOOKING WEST**



**THEODORE FREMD AVENUE AT PLAYLAND ACCESS DRIVE,  
LOOKING EAST**

## **CAPACITY ANALYSIS PROCEDURES**



## CAPACITY ANALYSIS PROCEDURES

*Intersections* – Four methods of analysis are needed to evaluate different kinds of intersections. These methods are based on procedures found in the Fifth Edition of the Highway Capacity Manual 2010 and are described below.

### *Signalized Intersections*

This chapter's methodology applies to three-leg and four-leg intersections of two streets or highways where the signalization operates in isolation from nearby intersections.

*Performance Measure* – An intersection's performance is described by the use of one or more quantitative measures that characterize some aspect of the service provided to a specific road user group. Performance measures include automobile volume-to-capacity ratio, automobile delay, queue storage ratio, pedestrian delay, pedestrian circulation area, pedestrian perception score, bicycle delay, and bicycle perception score. LOS is considered a performance measure. It is computed for the automobile, pedestrian, and bicycle travel modes.

*Travel Modes* – There are three methodologies that can be used to evaluate intersection performance from the perspective of motorists, pedestrians, and bicyclists. They are referred to as the automobile methodology, the pedestrian methodology, and the bicycle methodology.

*Lane Groups and Movement Groups* – A separate lane group is established to (a) each lane (or combination of adjacent lanes) that exclusively serves one movement and (b) each lane shared by two or more movements. The concept of movement groups is also established to facilitate data entry. A separate movement group is established for (a) each turn movement with one or more exclusive turn lanes and (b) the through movement (inclusive of any turn movements that share a lane).

*LOS Criteria* – LOS criteria for the automobile mode are different from those for the non-automobile modes. The automobile-mode criteria are based on performance measures that are field measurable and perceivable by travelers. The criteria for the non-automobile modes are based on scores reported by travelers indicating their perception of service quality.

*Automobile Mode* – LOS for Automobile Mode can be characterized for the entire intersection, each intersection approach, and each lane group. Control delay alone is used to characterize LOS for entire intersection or an approach. Control delay and volume-to-capacity ratio are used to characterize LOS for a lane group. Delay quantifies the increase in travel time due to traffic signal control. It is also a surrogate measure of driver discomfort

and fuel consumption. The volume-to-capacity ratio quantifies the degree to which a phase's capacity is utilized by a lane group. The following describes each LOS.

*Level of Service A* – It describes operations with a control delay of 10.0 seconds per vehicle or less and a volume-to-capacity ratio no greater than 1.0. This level is typically assigned when the volume-to-capacity ratio is low and either progression is exceptionally favorable or the cycle length is very short. If it is due to favorable progression, most vehicles arrive during the green indication and travel through the intersection without stopping.

*Level of Service B* – It describes operations with control delay between 10 to 20 seconds per vehicle and a volume-to-capacity ratio no greater than 1.0. This level is typically assigned when the volume-to-capacity ratio is low and either progression is highly favorable or the cycle length is short. More vehicle stop than with LOS A.

*Level of Service C* – It describes operations with control delay between 20 to 35 seconds per vehicle and a volume-to-capacity ratio no greater than 1.0. This level is typically assigned when progression is favorable or the cycle length is moderate. Individual cycle failures (i.e., one or more queued vehicles are not able to depart as a result of insufficient capacity during the cycle) may begin to appear at this level. The number of vehicles stopping is significant, although many vehicles still pass through the intersection without stopping.

*Level of Service D* – It describes operations with control delay between 35 to 55 seconds per vehicle and a volume-to-capacity ratio no greater than 1.0. This level is typically assigned when the volume-to-capacity ratio is high and either progression is ineffective or the cycle length is long. Many vehicles stop and individual cycle failures are noticeable.

*Level of Service E* – It describes operations with control delay between 55 to 80 seconds per vehicle and a volume-to-capacity ratio no greater than 1.0. This level is typically assigned when the volume-to-capacity ratio is high, progression is unfavorable, and the cycle length is long. Individual cycle failures are frequent.

*Level of Service F* – It describes operations with control delay between 55 to 80 seconds per vehicle and a volume-to-capacity ratio no greater than 1.0. This level is typically assigned when the volume-to-capacity ratio is high, progression is unfavorable, and the cycle length is long. Individual cycle failures are frequent.

The LOS thresholds established for automobile mode at a signalized intersection

CONTROL DELAY (SECONDS PER VEHICLE)	LOS BY VOLUME-TO- CAPACITY RATIO	
	≤ 1.0	>1.0
≤ 10	A	F
>10 to 20	B	F
>20 to 35	C	F
>35 to 55	D	F
>55 to 80	E	F
>80	F	F

Note: For approach-based and intersection-wide assessments, LOS is defined by control delay.

### ***Two-Way STOP-Controlled Intersections (TWSC)***

One typical configuration is a four-leg intersection, where the major street is uncontrolled, while the minor street is controlled by STOP signs. The other typical configuration is a three-leg intersection, where the single minor-street approach is controlled by a STOP sign.

*Theoretical Basic* – Gap-acceptance models begin with the recognition that TWSC Intersections give no positive indication or control to the driver on the minor street as to when it is appropriate to leave the stop line and enter the major street. The driver must determine when a gap on the major street is large enough to permit entry and when to enter, on the basis of the relative priority of the competing movements. This decision-making process has been formalized analytically into what is commonly known as gap-acceptance theory. Gap-acceptance theory includes three basic elements: the size and distribution (availability) of gaps on the major street, the usefulness of these gaps to the minor-street drivers, and the relative priority of the various movements at the intersection.

*Critical Headway and Follow-Up Headway* – The *critical headway* is defined as the minimum interval in the major street traffic stream that allows intersection entry for one minor-street vehicle. Thus, the driver's critical headway is the minimum headway that would be acceptable. Critical headway can be estimated on the basis of observations of the largest rejected and smallest accepted headway for a given intersection. The *follow-up headway* is defined as the time between the departure of one vehicle from the minor street

and the departure of the next vehicle using the same major-street headway, under a condition of continuous queuing on the minor street.

Base Critical Headways for TWSC Intersections

VEHICLE MOVEMENT	BASE CRITICAL HEADWAY		
	Two Lanes	Four Lanes	Six Lanes
Left turn from major	4.1	4.1	5.3
U-turn from major	N/A	6.4 (wide) 6.9 (narrow)	5.6
Right turn from minor	6.2	6.9	7.1
Through traffic On major	1-stage:6.5 2-stage, stage I: 5.5 2-stage, Stage II: 5.5	1-stage:6.5 2-stage, stage I: 5.5 2-stage, Stage II: 5.5	1-stage:6.5* 2-stage, stage I: 5.5* 2-stage, Stage II: 5.5*
Left turn from minor	1-stage:7.1 2-stage, stage I: 6.1 2-stage, Stage II: 6.1	1-stage:7.5 2-stage, stage I: 6.5 2-stage, Stage II: 6.5	1-stage:6.4 2-stage, stage I: 7.3 2-stage, Stage II: 6.7

\*Use caution; values estimated

Base Follow-up Headways for TWSC Intersections

VEHICLE MOVEMENT	BASE FOLLOW-UP HEADWAY		
	Two Lanes	Four Lanes	Six Lanes
Left turn from major	2.2	2.2	3.1
U-turn from major	N/A	2.5 (wide) 3.1 (narrow)	2.3
Right turn from minor	3.3	3.3	3.9
Through traffic on major	4.0	4.0	4.0
Left turn from minor	3.5	3.5	3.8

*Level Of Service Criteria* – LOS for a TWSC intersection is determined by the computed or measured control delay. For motor vehicles, LOS is determined for each minor-street movement (or shared movement) as well as major-street left turn. LOS is not defined for the intersection as a whole or for major-street approaches. LOS F is assigned to

the movement if the volume-to-capacity ratio for the movement exceeds 1.0, regardless of the control delay.

*Automobile Mode* – The methodology applies to TWSC intersections with up to three lanes (either shared or exclusive) on the major-street approaches and up to three lanes on the minor-street approaches (with no more than one exclusive lane for each movement on the minor-street approach). Effects from other intersections are accounted for only in situations in which a TWSC intersection is located on an urban street segment between coordinated signalized intersections. In this situation, the intersection can be analyzed by using the procedures in urban street segment.

Level-of Service Criteria for Automobile Mode

CONTROL DELAY (SECONDS PER VEHICLE)	LOS BY VOLUME-TO-CAPACITY RATIO	
	1.0	>1.0
0- 10	A	F
>10 to 15	B	F
>15 to 25	C	F
>25 to 35	D	F
>35 to 50	E	F
>50	F	F

Note: The LOS criteria apply to each lane on a given approach and to each approach on the minor street. LOS is not calculated for major-street approaches or for the intersection as a whole.

g:\760.004 120 old post road, rye\word\cap.doc:

**TURNING MOVEMENT COUNTS**









**CAPACITY ANALYSIS WORKSHEETS**

**CAPACITY ANALYSIS WORKSHEETS**

**Existing Conditions**

CA-1

Lanes, Volumes, Timings  
1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE







120 OLD POST ROAD, RYE, NY  
2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

Lane Group	NWL	NWR	NET	NER	SWL	SWT
Lane Configurations						
Volume (vph)	145	117	181	174	149	181
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%		0%			0%
Storage Length (ft)	0	0		0	150	
Storage Lanes	1	0		0	1	
Taper Length (ft)	25				25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.940		0.934			
Flt Protected	0.973				0.950	
Satd. Flow (prot)	1704	0	1740	0	1770	1863
Flt Permitted	0.973				0.410	
Satd. Flow (perm)	1704	0	1740	0	764	1863
Right Turn on Red		No		Yes		
Satd. Flow (RTOR)			63			
Link Speed (mph)	30		30			30
Link Distance (ft)	375		786			931
Travel Time (s)	8.5		17.9			21.2
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%		0%			0%
Adj. Flow (vph)	159	129	199	191	164	199
Shared Lane Traffic (%)						
Lane Group Flow (vph)	288	0	390	0	164	199
Turn Type	Prot		NA		pm+pt	NA
Protected Phases	4		2		1	5
Permitted Phases					5	
Detector Phase	4		2		1	5
Switch Phase						
Minimum Initial (s)	4.0		4.0		4.0	4.0
Minimum Split (s)	35.0		49.0		16.0	65.0
Total Split (s)	35.0		49.0		16.0	65.0
Total Split (%)	35.0%		49.0%		16.0%	65.0%
Yellow Time (s)	3.5		3.5		3.5	3.5
All-Red Time (s)	0.5		0.5		0.5	0.5
Lost Time Adjust (s)	0.0		0.0		0.0	0.0
Total Lost Time (s)	4.0		4.0		4.0	4.0
Lead/Lag			Lead		Lag	
Lead-Lag Optimize?			Yes		Yes	
Recall Mode	Max		Max		Max	Max
Act Effct Green (s)	31.0		45.0		61.0	61.0
Actuated g/C Ratio	0.31		0.45		0.61	0.61

CA-2

Lanes, Volumes, Timings  
 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR





						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
v/c Ratio	0.55		0.48		0.28	0.18
Control Delay	33.3		18.2		11.4	9.0
Queue Delay	0.0		0.0		0.0	0.0
Total Delay	33.3		18.2		11.4	9.0
LOS	C		B		B	A
Approach Delay	33.3		18.2			10.1
Approach LOS	C		B			B
Queue Length 50th (ft)	152		140		41	51
Queue Length 95th (ft)	236		223		70	83
Internal Link Dist (ft)	295		706			851
Turn Bay Length (ft)					150	
Base Capacity (vph)	528		817		586	1136
Starvation Cap Reductn	0		0		0	0
Spillback Cap Reductn	0		0		0	0
Storage Cap Reductn	0		0		0	0
Reduced v/c Ratio	0.55		0.48		0.28	0.18

Intersection Summary

Area Type: Other  
 Cycle Length: 100  
 Actuated Cycle Length: 100  
 Natural Cycle: 100  
 Control Type: Semi Act-Uncoord  
 Maximum v/c Ratio: 0.55  
 Intersection Signal Delay: 19.6  
 Intersection Capacity Utilization 53.6%  
 Analysis Period (min) 15

Intersection LOS: B  
 ICU Level of Service A

Splits and Phases: 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

 #2	 #1	 #4
 #5		



















CA-3

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D.

2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

												
Lane Group	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (vph)	43	245	66	23	57	25	25	2	26	165	53	503
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12	12	12	12	12	12	12
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		75	0		0
Storage Lanes	0		0	0		0	0		1	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Fr t		0.975			0.968				0.850			0.850
Fl t Protected		0.994			0.989			0.955			0.964	
Satd. Flow (prot)	0	1805	0	0	1783	0	0	1779	1583	0	1796	1583
Fl t Permitted		0.994			0.989			0.955			0.964	
Satd. Flow (perm)	0	1805	0	0	1783	0	0	1779	1583	0	1796	1583
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		563			484			289			91	
Travel Time (s)		12.8			11.0			6.6			2.1	
Confl. Peds. (#/hr)												
Confl. Bikes (#/hr)												
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)												
Mid-Block Traffic (%)		0%			0%			0%			0%	
Adj. Flow (vph)	48	275	74	26	64	28	28	2	29	185	60	565
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	397	0	0	118	0	0	30	29	0	245	565
Sign Control		Free			Free			Stop			Stop	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 50.3%

ICU Level of Service A

Analysis Period (min) 15



















CA-4

HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D.










2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

												
Movement	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (veh/h)	43	245	66	23	57	25	25	2	26	165	53	503
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	48	275	74	26	64	28	28	2	29	185	60	565
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									3			
Median type		None			None							
Median storage (veh)												
Upstream signal (ft)		997										
pX, platoon unblocked												
vC, conflicting volume	92			349			1134	553	312	554	576	78
vC1, stage 1 conf vol												
vC2, stage 2 conf vol												
vCu, unblocked vol	92			349			1134	553	312	554	576	78
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)												
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	97			98			57	99	96	54	85	42
cM capacity (veh/h)	1503			1209			65	418	728	406	405	983
Direction, Lane #	SE 1	NW 1	NE 1	SW 1	SW 2							
Volume Total	398	118	60	245	565							
Volume Left	48	26	28	185	0							
Volume Right	74	28	29	0	565							
cSH	1503	1209	179	406	983							
Volume to Capacity	0.03	0.02	0.33	0.60	0.58							
Queue Length 95th (ft)	2	2	34	96	95							
Control Delay (s)	1.2	1.9	37.1	26.5	13.5							
Lane LOS	A	A	E	D	B							
Approach Delay (s)	1.2	1.9	37.1	17.4								
Approach LOS			E	C								
Intersection Summary												
Average Delay			12.3									
Intersection Capacity Utilization			50.3%		ICU Level of Service				A			
Analysis Period (min)			15									

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

7: OFFICE ACCESS DRIVE & PLAYLAND ACCESS DRIVE/PLAYLAND A.D2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Lane Group	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (vph)	435	1	2	104	1	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)		0	0		0	0
Storage Lanes		0	0		1	0
Taper Length (ft)			25		25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt						
Flt Protected				0.999	0.950	
Satd. Flow (prot)	1863	0	0	1861	1770	0
Flt Permitted				0.999	0.950	
Satd. Flow (perm)	1863	0	0	1861	1770	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	484			139	157	
Travel Time (s)	11.0			3.2	3.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	444	1	2	106	1	0
Shared Lane Traffic (%)						
Lane Group Flow (vph)	445	0	0	108	1	0
Sign Control	Free			Free	Stop	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 33.0%

ICU Level of Service A

Analysis Period (min) 15












CA-6

HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY










7: OFFICE ACCESS DRIVE & PLAYLAND ACCESS DRIVE/PLAYLAND A.D2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Movement	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (veh/h)	435	1	2	104	1	0
Sign Control	Free			Free	Stop	
Grade	0%			0%	0%	
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98
Hourly flow rate (vph)	444	1	2	106	1	0
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type	None			None		
Median storage veh						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume			445		555	444
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol			445		555	444
tC, single (s)			4.1		6.4	6.2
tC, 2 stage (s)						
tF (s)			2.2		3.5	3.3
p0 queue free %			100		100	100
cM capacity (veh/h)			1115		492	614
Direction, Lane #	SE 1	NW 1	NE 1			
Volume Total	445	108	1			
Volume Left	0	2	1			
Volume Right	1	0	0			
cSH	1700	1115	492			
Volume to Capacity	0.26	0.00	0.00			
Queue Length 95th (ft)	0	0	0			
Control Delay (s)	0.0	0.2	12.3			
Lane LOS		A	B			
Approach Delay (s)	0.0	0.2	12.3			
Approach LOS			B			
<b>Intersection Summary</b>						
Average Delay			0.1			
Intersection Capacity Utilization			33.0%	ICU Level of Service		A
Analysis Period (min)			15			

CA-7










Lanes, Volumes, Timings  
 8: OLD POST ROAD & PLAYLAND ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	290	145	19	295	206	87
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.955				0.960	
Flt Protected	0.968			0.997		
Satd. Flow (prot)	1722	0	0	1857	1788	0
Flt Permitted	0.968			0.997		
Satd. Flow (perm)	1722	0	0	1857	1788	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	139			484	335	
Travel Time (s)	3.2			11.0	7.6	
Confl. Peds. (#/hr)			7			7
Confl. Bikes (#/hr)						
Peak Hour Factor	0.92	0.92	0.93	0.93	0.96	0.96
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	315	158	20	317	215	91
Shared Lane Traffic (%)						
Lane Group Flow (vph)	473	0	0	337	306	0
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 62.7% ICU Level of Service B  
 Analysis Period (min) 15

Movement						
	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	290	145	19	295	206	87
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.92	0.92	0.93	0.93	0.96	0.96
Hourly flow rate (vph)	315	158	20	317	215	91
Pedestrians	7					
Lane Width (ft)	12.0					
Walking Speed (ft/s)	4.0					
Percent Blockage	1					
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	625	267	312			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	625	267	312			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	28	79	98			
cM capacity (veh/h)	439	767	1241			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	473	338	305			
Volume Left	315	20	0			
Volume Right	158	0	91			
cSH	512	1241	1700			
Volume to Capacity	0.92	0.02	0.18			
Queue Length 95th (ft)	278	1	0			
Control Delay (s)	51.7	0.6	0.0			
Lane LOS	F	A				
Approach Delay (s)	51.7	0.6	0.0			
Approach LOS	F					
<b>Intersection Summary</b>						
Average Delay			22.1			
Intersection Capacity Utilization			62.7%	ICU Level of Service		B
Analysis Period (min)			15			

CA-9

Lanes, Volumes, Timings  
 9: OLD POST ROAD & NYS THRUWAY ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR










Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	45	136	513	72	157	106
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.899				0.946	
Flt Protected	0.988			0.958		
Satd. Flow (prot)	1655	0	0	1785	1762	0
Flt Permitted	0.988			0.958		
Satd. Flow (perm)	1655	0	0	1785	1762	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	589			335	220	
Travel Time (s)	13.4			7.6	5.0	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	51	153	576	81	176	119
Shared Lane Traffic (%)						
Lane Group Flow (vph)	204	0	0	657	295	0
Sign Control	Stop			Free	Free	

Intersection Summary











Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 67.8% ICU Level of Service C  
 Analysis Period (min) 15

HCM Unsignalized Intersection Capacity Analysis  
 9: OLD POST ROAD & NYS THRUWAY ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	45	136	513	72	157	106
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	51	153	576	81	176	119
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	1470	236	296			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	1470	236	296			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	34	81	54			
cM capacity (veh/h)	76	803	1266			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	203	657	296			
Volume Left	51	576	0			
Volume Right	153	0	119			
cSH	239	1266	1700			
Volume to Capacity	0.85	0.46	0.17			
Queue Length 95th (ft)	170	61	0			
Control Delay (s)	69.8	9.5	0.0			
Lane LOS	F	A				
Approach Delay (s)	69.8	9.5	0.0			
Approach LOS	F					
Intersection Summary						
Average Delay			17.7			
Intersection Capacity Utilization			67.8%	ICU Level of Service		C
Analysis Period (min)			15			







CA-11

Lane Group						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
Lane Configurations						
Volume (vph)	138	121	207	112	77	212
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%		0%			0%
Storage Length (ft)	0	0		0	150	
Storage Lanes	1	0		0	1	
Taper Length (ft)	25				25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.937		0.953			
Flt Protected	0.974				0.950	
Satd. Flow (prot)	1700	0	1775	0	1770	1863
Flt Permitted	0.974				0.459	
Satd. Flow (perm)	1700	0	1775	0	855	1863
Right Turn on Red		No		Yes		
Satd. Flow (RTOR)			35			
Link Speed (mph)	30		30			30
Link Distance (ft)	375		786			931
Travel Time (s)	8.5		17.9			21.2
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%		0%			0%
Adj. Flow (vph)	152	133	227	123	85	233
Shared Lane Traffic (%)						
Lane Group Flow (vph)	285	0	350	0	85	233
Turn Type	Prot		NA		pm+pt	NA
Protected Phases	4		2		1	5
Permitted Phases					5	
Detector Phase	4		2		1	5
Switch Phase						
Minimum Initial (s)	4.0		4.0		4.0	4.0
Minimum Split (s)	35.0		49.0		16.0	65.0
Total Split (s)	35.0		49.0		16.0	65.0
Total Split (%)	35.0%		49.0%		16.0%	65.0%
Yellow Time (s)	3.5		3.5		3.5	3.5
All-Red Time (s)	0.5		0.5		0.5	0.5
Lost Time Adjust (s)	0.0		0.0		0.0	0.0
Total Lost Time (s)	4.0		4.0		4.0	4.0
Lead/Lag			Lead		Lag	
Lead-Lag Optimize?			Yes		Yes	
Recall Mode	Max		Max		None	Max
Act Effct Green (s)	31.0		48.2		61.0	61.0
Actuated g/C Ratio	0.31		0.48		0.61	0.61

CA-12

Lanes, Volumes, Timings  
 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY P.M. PEAK HOUR





Lane Group	 NWL	 NWR	 NET	 NER	 SWL	 SWT
v/c Ratio	0.54		0.40		0.14	0.21
Control Delay	33.2		17.6		9.2	9.3
Queue Delay	0.0		0.0		0.0	0.0
Total Delay	33.2		17.6		9.2	9.3
LOS	C		B		A	A
Approach Delay	33.2		17.6			9.3
Approach LOS	C		B			A
Queue Length 50th (ft)	150		132		20	61
Queue Length 95th (ft)	234		207		40	97
Internal Link Dist (ft)	295		706			851
Turn Bay Length (ft)					150	
Base Capacity (vph)	527		874		631	1136
Starvation Cap Reductn	0		0		0	0
Spillback Cap Reductn	0		0		0	0
Storage Cap Reductn	0		0		0	0
Reduced v/c Ratio	0.54		0.40		0.13	0.21

Intersection Summary

Area Type: Other  
 Cycle Length: 100  
 Actuated Cycle Length: 100  
 Natural Cycle: 100  
 Control Type: Semi Act-Uncoord  
 Maximum v/c Ratio: 0.54  
 Intersection Signal Delay: 19.5  
 Intersection Capacity Utilization 47.0%  
 Analysis Period (min) 15

Intersection LOS: B  
 ICU Level of Service A

Splits and Phases: 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

 p2	 p1	 p4
 p5		

Lane Group	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations		↕			↕			↕	↕		↕	↕
Volume (vph)	47	259	15	6	43	37	29	2	39	123	10	229
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12	12	12	12	12	12	12
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		75	0		0
Storage Lanes	0		0	0		0	0		1	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Fr <sub>t</sub>		0.994			0.942				0.850			0.850
Fl <sub>t</sub> Protected		0.993			0.996			0.955			0.956	
Satd. Flow (prot)	0	1839	0	0	1748	0	0	1779	1583	0	1781	1583
Fl <sub>t</sub> Permitted		0.993			0.996			0.955			0.956	
Satd. Flow (perm)	0	1839	0	0	1748	0	0	1779	1583	0	1781	1583
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		563			484			289			91	
Travel Time (s)		12.8			11.0			6.6			2.1	
Confl. Peds. (#/hr)												
Confl. Bikes (#/hr)												
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)												
Mid-Block Traffic (%)		0%			0%			0%			0%	
Adj. Flow (vph)	59	324	19	8	54	46	36	3	49	154	13	286
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	402	0	0	108	0	0	38	49	0	166	286
Sign Control		Free			Free			Stop			Stop	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 44.5%

ICU Level of Service A

Analysis Period (min) 15





















CA-14

HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY










5: MEDICAL OFFICE A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D. 2014 EXISTING CONDITIONS, WEEKDAY P.M. PEAK HOUR

												
Movement	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (veh/h)	47	259	15	6	43	37	29	2	39	123	10	229
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Hourly flow rate (vph)	59	324	19	8	54	46	36	2	49	154	12	286
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									3			
Median type		None			None							
Median storage (veh)												
Upstream signal (ft)		997										
pX, platoon unblocked												
vC, conflicting volume	100			342			835	566	333	568	552	77
vC1, stage 1 conf vol												
vC2, stage 2 conf vol												
vCu, unblocked vol	100			342			835	566	333	568	552	77
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)												
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	96			99			81	99	93	60	97	71
cM capacity (veh/h)	1493			1217			192	414	709	388	422	984
Direction, Lane #	SE 1	NW 1	NE 1	SW 1	SW 2							
Volume Total	401	108	88	166	286							
Volume Left	59	8	36	154	0							
Volume Right	19	46	49	0	286							
cSH	1493	1217	466	390	984							
Volume to Capacity	0.04	0.01	0.19	0.43	0.29							
Queue Length 95th (ft)	3	0	17	52	30							
Control Delay (s)	1.4	0.6	17.5	20.9	10.2							
Lane LOS	A	A	C	C	B							
Approach Delay (s)	1.4	0.6	17.5	14.1								
Approach LOS			C	B								
Intersection Summary												
Average Delay			8.1									
Intersection Capacity Utilization			44.5%		ICU Level of Service				A			
Analysis Period (min)			15									

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

7: OFFICE ACCESS DRIVE & PLAYLAND ACCESS DRIVE/PLAYLAND A.D2014 EXISTING CONDITIONS, WEEKDAY P.M. PEAK HOUR

						
Lane Group	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (vph)	425	1	2	83	1	2
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)		0	0		0	0
Storage Lanes		0	0		1	0
Taper Length (ft)			25		25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Fr <sub>t</sub>					0.910	
Fl <sub>t</sub> Protected				0.999	0.984	
Satd. Flow (prot)	1863	0	0	1861	1668	0
Fl <sub>t</sub> Permitted				0.999	0.984	
Satd. Flow (perm)	1863	0	0	1861	1668	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	484			139	157	
Travel Time (s)	11.0			3.2	3.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	443	1	2	86	1	2
Shared Lane Traffic (%)						
Lane Group Flow (vph)	444	0	0	88	3	0
Sign Control	Free			Free	Stop	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 32.4%

ICU Level of Service A










Analysis Period (min) 15

CA-16










HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY

7: OFFICE ACCESS DRIVE & PLAYLAND ACCESS DRIVE/PLAYLAND A.D2014 EXISTING CONDITIONS, WEEKDAY P.M. PEAK HOUR

						
Movement	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (veh/h)	425	1	2	83	1	2
Sign Control	Free			Free	Stop	
Grade	0%			0%	0%	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Hourly flow rate (vph)	443	1	2	86	1	2
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type	None			None		
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume			444		534	443
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol			444		534	443
tC, single (s)			4.1		6.4	6.2
tC, 2 stage (s)						
tF (s)			2.2		3.5	3.3
p0 queue free %			100		100	100
cM capacity (veh/h)			1116		506	615
Direction, Lane #	SE 1	NW 1	NE 1			
Volume Total	444	89	3			
Volume Left	0	2	1			
Volume Right	1	0	2			
cSH	1700	1116	573			
Volume to Capacity	0.26	0.00	0.01			
Queue Length 95th (ft)	0	0	0			
Control Delay (s)	0.0	0.2	11.3			
Lane LOS		A	B			
Approach Delay (s)	0.0	0.2	11.3			
Approach LOS			B			
<b>Intersection Summary</b>						
Average Delay			0.1			
Intersection Capacity Utilization			32.4%	ICU Level of Service		A
Analysis Period (min)			15			

CFA-17










						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	322	105	10	190	112	75
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Fr <sub>t</sub>	0.967				0.946	
Fl <sub>t</sub> Protected	0.964			0.998		
Satd. Flow (prot)	1736	0	0	1859	1762	0
Fl <sub>t</sub> Permitted	0.964			0.998		
Satd. Flow (perm)	1736	0	0	1859	1762	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	139			484	335	
Travel Time (s)	3.2			11.0	7.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	366	119	11	216	127	85
Shared Lane Traffic (%)						
Lane Group Flow (vph)	485	0	0	227	212	0
Sign Control	Stop			Free	Free	










Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 49.1% ICU Level of Service A  
 Analysis Period (min) 15

HCM Unsignalized Intersection Capacity Analysis  
 8: OLD POST ROAD & PLAYLAND ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY P.M. PEAK HOUR

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	322	105	10	190	112	75
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Hourly flow rate (vph)	366	119	11	216	127	85
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	409	170	212			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	409	170	212			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	38	86	99			
cM capacity (veh/h)	594	874	1358			
<hr/>						
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	485	227	212			
Volume Left	366	11	0			
Volume Right	119	0	85			
cSH	645	1358	1700			
Volume to Capacity	0.75	0.01	0.13			
Queue Length 95th (ft)	170	1	0			
Control Delay (s)	25.6	0.5	0.0			
Lane LOS	D	A				
Approach Delay (s)	25.6	0.5	0.0			
Approach LOS	D					
<hr/>						
Intersection Summary						
Average Delay			13.5			
Intersection Capacity Utilization		49.1%		ICU Level of Service		A
Analysis Period (min)			15			










						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	25	42	411	101	145	128
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.916				0.937	
Flt Protected	0.982			0.961		
Satd. Flow (prot)	1676	0	0	1790	1745	0
Flt Permitted	0.982			0.961		
Satd. Flow (perm)	1676	0	0	1790	1745	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	589			335	220	
Travel Time (s)	13.4			7.6	5.0	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	29	48	472	116	167	147
Shared Lane Traffic (%)						
Lane Group Flow (vph)	77	0	0	588	314	0
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 57.5% ICU Level of Service B  
 Analysis Period (min) 15

HCM Unsignalized Intersection Capacity Analysis  
 9: OLD POST ROAD & NYS THRUWAY ACCESS DRIVE











120 OLD POST ROAD, RYE, NY  
 2014 EXISTING CONDITIONS, WEEKDAY P.M. PEAK HOUR







						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	25	42	411	101	145	128
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	29	48	472	116	167	147
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	1301	240	314			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	1301	240	314			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	74	94	62			
cM capacity (veh/h)	110	799	1246			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	77	589	314			
Volume Left	29	472	0			
Volume Right	48	0	147			
cSH	240	1246	1700			
Volume to Capacity	0.32	0.38	0.18			
Queue Length 95th (ft)	33	45	0			
Control Delay (s)	26.9	8.5	0.0			
Lane LOS	D	A				
Approach Delay (s)	26.9	8.5	0.0			
Approach LOS	D					
<b>Intersection Summary</b>						
Average Delay			7.2			
Intersection Capacity Utilization			57.5%	ICU Level of Service		B
Analysis Period (min)			15			

**CAPACITY ANALYSIS WORKSHEETS**

**2016 Background Conditions**



Lane Group						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
Lane Configurations						
Volume (vph)	148	121	186	177	153	187
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%		0%			0%
Storage Length (ft)	0	0		0	150	
Storage Lanes	1	0		0	1	
Taper Length (ft)	25				25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.939		0.934			
Flt Protected	0.973				0.950	
Satd. Flow (prot)	1702	0	1740	0	1770	1863
Flt Permitted	0.973				0.402	
Satd. Flow (perm)	1702	0	1740	0	749	1863
Right Turn on Red		No		Yes		
Satd. Flow (RTOR)			63			
Link Speed (mph)	30		30			30
Link Distance (ft)	375		786			931
Travel Time (s)	8.5		17.9			21.2
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%		0%			0%
Adj. Flow (vph)	163	133	204	195	168	205
Shared Lane Traffic (%)						
Lane Group Flow (vph)	296	0	399	0	168	205
Turn Type	Prot		NA		pm+pt	NA
Protected Phases	4		2		1	5
Permitted Phases					5	
Detector Phase	4		2		1	5
Switch Phase						
Minimum Initial (s)	4.0		4.0		4.0	4.0
Minimum Split (s)	35.0		49.0		16.0	65.0
Total Split (s)	35.0		49.0		16.0	65.0
Total Split (%)	35.0%		49.0%		16.0%	65.0%
Yellow Time (s)	3.5		3.5		3.5	3.5
All-Red Time (s)	0.5		0.5		0.5	0.5
Lost Time Adjust (s)	0.0		0.0		0.0	0.0
Total Lost Time (s)	4.0		4.0		4.0	4.0
Lead/Lag			Lead		Lag	
Lead-Lag Optimize?			Yes		Yes	
Recall Mode	Max		Max		Max	Max
Act Effct Green (s)	31.0		45.0		61.0	61.0
Actuated g/C Ratio	0.31		0.45		0.61	0.61





						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
v/c Ratio	0.56		0.49		0.29	0.18
Control Delay	33.8		18.5		11.7	9.0
Queue Delay	0.0		0.0		0.0	0.0
Total Delay	33.8		18.5		11.7	9.0
LOS	C		B		B	A
Approach Delay	33.8		18.5			10.2
Approach LOS	C		B			B
Queue Length 50th (ft)	157		145		43	53
Queue Length 95th (ft)	243		229		72	86
Internal Link Dist (ft)	295		706			851
Turn Bay Length (ft)					150	
Base Capacity (vph)	527		817		579	1136
Starvation Cap Reductn	0		0		0	0
Spillback Cap Reductn	0		0		0	0
Storage Cap Reductn	0		0		0	0
Reduced v/c Ratio	0.56		0.49		0.29	0.18

Intersection Summary

Area Type: Other  
 Cycle Length: 100  
 Actuated Cycle Length: 100  
 Natural Cycle: 100  
 Control Type: Semi Act-Uncoord  
 Maximum v/c Ratio: 0.56  
 Intersection Signal Delay: 19.8  
 Intersection Capacity Utilization 54.7%  
 Analysis Period (min) 15

Intersection LOS: B  
 ICU Level of Service A

Splits and Phases: 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D. 2016 BACKGROUND CONDITIONS, WEEKDAY A.M. PEAK HOUR

Lane Group	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (vph)	45	251	67	23	58	26	26	2	27	167	54	515
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12	12	12	12	12	12	12
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		75	0		0
Storage Lanes	0		0	0		0	0		1	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.975			0.967				0.850			0.850
Flt Protected		0.994			0.989			0.955			0.964	
Satd. Flow (prot)	0	1805	0	0	1781	0	0	1779	1583	0	1796	1583
Flt Permitted		0.994			0.989			0.955			0.964	
Satd. Flow (perm)	0	1805	0	0	1781	0	0	1779	1583	0	1796	1583
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		563			484			289			91	
Travel Time (s)		12.8			11.0			6.6			2.1	
Confl. Peds. (#/hr)												
Confl. Bikes (#/hr)												
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)												
Mid-Block Traffic (%)		0%			0%			0%			0%	
Adj. Flow (vph)	51	282	75	26	65	29	29	2	30	188	61	579
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	408	0	0	120	0	0	31	30	0	249	579
Sign Control		Free			Free			Stop			Stop	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 51.1%

ICU Level of Service A



















Analysis Period (min) 15










CIA-24

HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY










5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D. 2016 BACKGROUND CONDITIONS, WEEKDAY A.M. PEAK HOUR

												
Movement	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (veh/h)	45	251	67	23	58	26	26	2	27	167	54	515
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	51	282	75	26	65	29	29	2	30	188	61	579
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									3			
Median type		None			None							
Median storage (veh)												
Upstream signal (ft)		997										
pX, platoon unblocked												
vC, conflicting volume	94			357			1161	567	320	569	590	80
vC1, stage 1 conf vol												
vC2, stage 2 conf vol												
vCu, unblocked vol	94			357			1161	567	320	569	590	80
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)												
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	97			98			51	99	96	53	85	41
cM capacity (veh/h)	1500			1201			60	410	721	396	397	980
Direction, Lane #	SE 1	NW 1	NE 1	SW 1	SW 2							
Volume Total	408	120	62	248	579							
Volume Left	51	26	29	188	0							
Volume Right	75	29	30	0	579							
cSH	1500	1201	166	396	980							
Volume to Capacity	0.03	0.02	0.37	0.63	0.59							
Queue Length 95th (ft)	3	2	40	103	100							
Control Delay (s)	1.2	1.9	41.0	28.1	13.8							
Lane LOS	A	A	E	D	B							
Approach Delay (s)	1.2	1.9	41.0	18.1								
Approach LOS			E	C								
<b>Intersection Summary</b>												
Average Delay			12.9									
Intersection Capacity Utilization			51.1%		ICU Level of Service				A			
Analysis Period (min)			15									

						
Lane Group	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (vph)	444	1	2	106	1	0
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)		0	0		0	0
Storage Lanes		0	0		1	0
Taper Length (ft)			25		25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frnt						
Flt Protected				0.999	0.950	
Satd. Flow (prot)	1863	0	0	1861	1770	0
Flt Permitted				0.999	0.950	
Satd. Flow (perm)	1863	0	0	1861	1770	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	484			139	157	
Travel Time (s)	11.0			3.2	3.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	453	1	2	108	1	0
Shared Lane Traffic (%)						
Lane Group Flow (vph)	454	0	0	110	1	0
Sign Control	Free			Free	Stop	

Intersection Summary










Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 33.4% ICU Level of Service A  
 Analysis Period (min) 15

						
Movement	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (veh/h)	444	1	2	106	1	0
Sign Control	Free			Free	Stop	
Grade	0%			0%	0%	
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98
Hourly flow rate (vph)	453	1	2	108	1	0
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type	None			None		
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume			454		566	454
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol			454		566	454
tC, single (s)			4.1		6.4	6.2
tC, 2 stage (s)						
tF (s)			2.2		3.5	3.3
p0 queue free %			100		100	100
cM capacity (veh/h)			1107		485	606
Direction, Lane #						
	SE 1	NW 1	NE 1			
Volume Total	454	110	1			
Volume Left	0	2	1			
Volume Right	1	0	0			
cSH	1700	1107	485			
Volume to Capacity	0.27	0.00	0.00			
Queue Length 95th (ft)	0	0	0			
Control Delay (s)	0.0	0.2	12.4			
Lane LOS		A	B			
Approach Delay (s)	0.0	0.2	12.4			
Approach LOS			B			
Intersection Summary						
Average Delay			0.1			
Intersection Capacity Utilization			33.4%		ICU Level of Service	A
Analysis Period (min)			15			

CA-27

Lanes, Volumes, Timings  
8: OLD POST ROAD & PLAYLAND A.D.

120 OLD POST ROAD, RYE, NY  
2016 BACKGROUND CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	296	148	19	301	211	89
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frft	0.955				0.960	
Flt Protected	0.968			0.997		
Satd. Flow (prot)	1722	0	0	1857	1788	0
Flt Permitted	0.968			0.997		
Satd. Flow (perm)	1722	0	0	1857	1788	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	139			484	335	
Travel Time (s)	3.2			11.0	7.6	
Confl. Peds. (#/hr)			7			7
Confl. Bikes (#/hr)						
Peak Hour Factor	0.92	0.92	0.93	0.93	0.96	0.96
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	322	161	20	324	220	93
Shared Lane Traffic (%)						
Lane Group Flow (vph)	483	0	0	344	313	0
Sign Control	Stop			Free	Free	










Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 63.5% ICU Level of Service B  
 Analysis Period (min) 15










CA-28

HCM Unsignalized Intersection Capacity Analysis  
 8: OLD POST ROAD & PLAYLAND A.D.

120 OLD POST ROAD, RYE, NY  
 2016 BACKGROUND CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	296	148	19	301	211	89
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.92	0.92	0.93	0.93	0.96	0.96
Hourly flow rate (vph)	322	161	20	324	220	93
Pedestrians	7					
Lane Width (ft)	12.0					
Walking Speed (ft/s)	4.0					
Percent Blockage	1					
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	638	273	320			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	638	273	320			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	25	79	98			
cM capacity (veh/h)	431	761	1233			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	483	344	312			
Volume Left	322	20	0			
Volume Right	161	0	93			
cSH	504	1233	1700			
Volume to Capacity	0.96	0.02	0.18			
Queue Length 95th (ft)	305	1	0			
Control Delay (s)	58.9	0.6	0.0			
Lane LOS	F	A				
Approach Delay (s)	58.9	0.6	0.0			
Approach LOS	F					
<b>Intersection Summary</b>						
Average Delay			25.1			
Intersection Capacity Utilization			63.5%	ICU Level of Service		B
Analysis Period (min)			15			












						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	47	139	523	74	161	112
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.899				0.945	
Flt Protected	0.987			0.958		
Satd. Flow (prot)	1653	0	0	1785	1760	0
Flt Permitted	0.987			0.958		
Satd. Flow (perm)	1653	0	0	1785	1760	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	589			335	220	
Travel Time (s)	13.4			7.6	5.0	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	53	156	588	83	181	126
Shared Lane Traffic (%)						
Lane Group Flow (vph)	209	0	0	671	307	0
Sign Control	Stop			Free	Free	











Intersection Summary







Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 69.3% ICU Level of Service C  
 Analysis Period (min) 15

HCM Unsignalized Intersection Capacity Analysis  
 9: OLD POST ROAD & NYS THRUWAY ACCESS DRIVE

120 OLD POST ROAD, RYE, NY  
 2016 BACKGROUND CONDITIONS, WEEKDAY A.M. PEAK HOUR

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	47	139	523	74	161	112
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	53	156	588	83	181	126
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	1502	244	307			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	1502	244	307			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	26	80	53			
cM capacity (veh/h)	71	795	1254			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	209	671	307			
Volume Left	53	588	0			
Volume Right	156	0	126			
cSH	223	1254	1700			
Volume to Capacity	0.94	0.47	0.18			
Queue Length 95th (ft)	201	64	0			
Control Delay (s)	91.1	9.7	0.0			
Lane LOS	F	A				
Approach Delay (s)	91.1	9.7	0.0			
Approach LOS	F					
Intersection Summary						
Average Delay			21.5			
Intersection Capacity Utilization			69.3%	ICU Level of Service		C
Analysis Period (min)			15			

						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
Lane Configurations						
Volume (vph)	143	127	214	117	82	218
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%		0%			0%
Storage Length (ft)	0	0		0	150	
Storage Lanes	1	0		0	1	
Taper Length (ft)	25				25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.936		0.952			
Frt Protected	0.974				0.950	
Satd. Flow (prot)	1698	0	1773	0	1770	1863
Frt Permitted	0.974				0.447	
Satd. Flow (perm)	1698	0	1773	0	833	1863
Right Turn on Red		No		Yes		
Satd. Flow (RTOR)			36			
Link Speed (mph)	30		30			30
Link Distance (ft)	375		786			931
Travel Time (s)	8.5		17.9			21.2
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%		0%			0%
Adj. Flow (vph)	157	140	235	129	90	240
Shared Lane Traffic (%)						
Lane Group Flow (vph)	297	0	364	0	90	240
Turn Type	Prot		NA		pm+pt	NA
Protected Phases	4		2		1	5
Permitted Phases					5	
Detector Phase	4		2		1	5
Switch Phase						
Minimum Initial (s)	4.0		4.0		4.0	4.0
Minimum Split (s)	35.0		49.0		16.0	65.0
Total Split (s)	35.0		49.0		16.0	65.0
Total Split (%)	35.0%		49.0%		16.0%	65.0%
Yellow Time (s)	3.5		3.5		3.5	3.5
All-Red Time (s)	0.5		0.5		0.5	0.5
Lost Time Adjust (s)	0.0		0.0		0.0	0.0
Total Lost Time (s)	4.0		4.0		4.0	4.0
Lead/Lag			Lead		Lag	
Lead-Lag Optimize?			Yes		Yes	
Recall Mode	Max		Max		None	Max
Act Effct Green (s)	31.0		48.2		61.0	61.0
Actuated g/C Ratio	0.31		0.48		0.61	0.61





						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
v/c Ratio	0.56		0.42		0.15	0.21
Control Delay	33.9		17.9		9.4	9.3
Queue Delay	0.0		0.0		0.0	0.0
Total Delay	33.9		17.9		9.4	9.3
LOS	C		B		A	A
Approach Delay	33.9		17.9			9.3
Approach LOS	C		B			A
Queue Length 50th (ft)	157		139		22	63
Queue Length 95th (ft)	244		216		42	100
Internal Link Dist (ft)	295		706			851
Turn Bay Length (ft)					150	
Base Capacity (vph)	526		873		620	1136
Starvation Cap Reductn	0		0		0	0
Spillback Cap Reductn	0		0		0	0
Storage Cap Reductn	0		0		0	0
Reduced v/c Ratio	0.56		0.42		0.15	0.21

Intersection Summary

Area Type: Other  
 Cycle Length: 100  
 Actuated Cycle Length: 100  
 Natural Cycle: 100  
 Control Type: Semi Act-Uncoord  
 Maximum v/c Ratio: 0.56  
 Intersection Signal Delay: 19.8  
 Intersection Capacity Utilization 48.6%  
 Analysis Period (min) 15

Intersection LOS: B  
 ICU Level of Service A

Splits and Phases: 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

		
157	139	22
		
244		

Lane Group	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations		↕			↕			↕	↕		↕	↕
Volume (vph)	54	264	15	6	47	38	30	2	40	125	10	238
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12	12	12	12	12	12	12
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		75	0		0
Storage Lanes	0		0	0		0	0		1	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frnt		0.994			0.944				0.850			0.850
Flt Protected		0.992			0.997			0.955			0.956	
Satd. Flow (prot)	0	1837	0	0	1753	0	0	1779	1583	0	1781	1583
Flt Permitted		0.992			0.997			0.955			0.956	
Satd. Flow (perm)	0	1837	0	0	1753	0	0	1779	1583	0	1781	1583
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		563			484			289			91	
Travel Time (s)		12.8			11.0			6.6			2.1	
Confl. Peds. (#/hr)												
Confl. Bikes (#/hr)												
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)												
Mid-Block Traffic (%)		0%			0%			0%			0%	
Adj. Flow (vph)	68	330	19	8	59	48	38	3	50	156	13	298
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	417	0	0	115	0	0	40	50	0	168	298
Sign Control		Free			Free			Stop			Stop	

Intersection Summary



















Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 45.2% ICU Level of Service A  
 Analysis Period (min) 15

CA-34

HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D. 2016 BACKGROUND CONDITIONS, WEEKDAY P.M. PEAK HOUR

												
Movement	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (veh/h)	54	264	15	6	47	38	30	2	40	125	10	238
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Hourly flow rate (vph)	68	330	19	8	59	48	38	2	50	156	12	298
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									3			
Median type		None			None							
Median storage (veh)												
Upstream signal (ft)		997										
pX, platoon unblocked												
vC, conflicting volume	106			349			876	596	339	598	581	82
vC1, stage 1 conf vol												
vC2, stage 2 conf vol												
vCu, unblocked vol	106			349			876	596	339	598	581	82
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)												
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	95			99			79	99	93	58	97	70
cM capacity (veh/h)	1485			1210			176	396	703	368	403	977
Direction, Lane #	SE 1	NW 1	NE 1	SW 1	SW 2							
Volume Total	416	114	90	169	298							
Volume Left	68	8	38	156	0							
Volume Right	19	48	50	0	298							
cSH	1485	1210	427	370	977							
Volume to Capacity	0.05	0.01	0.21	0.46	0.30							
Queue Length 95th (ft)	4	0	20	58	32							
Control Delay (s)	1.6	0.6	18.7	22.6	10.3							
Lane LOS	A	A	C	C	B							
Approach Delay (s)	1.6	0.6	18.7	14.8								
Approach LOS			C	B								
<b>Intersection Summary</b>												
Average Delay			8.6									
Intersection Capacity Utilization			45.2%		ICU Level of Service				A			
Analysis Period (min)			15									

CA-35










Lanes, Volumes, Timings  
 7: OFFICE ACCESS DRIVE & PLAYLAND A.D.

120 OLD POST ROAD, RYE, NY  
 2016 BACKGROUND CONDITIONS, WEEKDAY P.M. PEAK HOUR

Lane Group	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (vph)	434	1	2	88	1	2
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)		0	0		0	0
Storage Lanes		0	0		1	0
Taper Length (ft)			25		25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frnt					0.910	
Flt Protected				0.999	0.984	
Satd. Flow (prot)	1863	0	0	1861	1668	0
Flt Permitted				0.999	0.984	
Satd. Flow (perm)	1863	0	0	1861	1668	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	484			139	157	
Travel Time (s)	11.0			3.2	3.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	452	1	2	92	1	2
Shared Lane Traffic (%)						
Lane Group Flow (vph)	453	0	0	94	3	0
Sign Control	Free			Free	Stop	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 32.9% ICU Level of Service A  
 Analysis Period (min) 15

						
Movement	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (veh/h)	434	1	2	88	1	2
Sign Control	Free			Free	Stop	
Grade	0%			0%	0%	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Hourly flow rate (vph)	452	1	2	92	1	2
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type	None			None		
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume			453		548	453
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol			453		548	453
tC, single (s)			4.1		6.4	6.2
tC, 2 stage (s)						
tF (s)			2.2		3.5	3.3
p0 queue free %			100		100	100
cM capacity (veh/h)			1107		496	607
<b>Direction, Lane #</b>	<b>SE 1</b>	<b>NW 1</b>	<b>NE 1</b>			
Volume Total	453	94	3			
Volume Left	0	2	1			
Volume Right	1	0	2			
cSH	1700	1107	565			
Volume to Capacity	0.27	0.00	0.01			
Queue Length 95th (ft)	0	0	0			
Control Delay (s)	0.0	0.2	11.4			
Lane LOS		A	B			
Approach Delay (s)	0.0	0.2	11.4			
Approach LOS			B			
<b>Intersection Summary</b>						
Average Delay			0.1			
Intersection Capacity Utilization			32.9%		ICU Level of Service	A
Analysis Period (min)			15			












Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	328	108	10	195	122	80
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.967				0.947	
Flt Protected	0.964			0.998		
Satd. Flow (prot)	1736	0	0	1859	1764	0
Flt Permitted	0.964			0.998		
Satd. Flow (perm)	1736	0	0	1859	1764	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	139			484	335	
Travel Time (s)	3.2			11.0	7.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	373	123	11	222	139	91
Shared Lane Traffic (%)						
Lane Group Flow (vph)	496	0	0	233	230	0
Sign Control	Stop			Free	Free	










Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 49.8% ICU Level of Service A  
 Analysis Period (min) 15

HCM Unsignalized Intersection Capacity Analysis  
 8: OLD POST ROAD & PLAYLAND A.D.

120 OLD POST ROAD, RYE, NY  
 2016 BACKGROUND CONDITIONS, WEEKDAY P.M. PEAK HOUR

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	328	108	10	195	122	80
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Hourly flow rate (vph)	373	123	11	222	139	91
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	428	184	230			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	428	184	230			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	36	86	99			
cM capacity (veh/h)	578	858	1338			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	495	233	230			
Volume Left	373	11	0			
Volume Right	123	0	91			
cSH	629	1338	1700			
Volume to Capacity	0.79	0.01	0.14			
Queue Length 95th (ft)	191	1	0			
Control Delay (s)	28.6	0.4	0.0			
Lane LOS	D	A				
Approach Delay (s)	28.6	0.4	0.0			
Approach LOS	D					
<b>Intersection Summary</b>						
Average Delay			14.9			
Intersection Capacity Utilization			49.8%	ICU Level of Service		A
Analysis Period (min)			15			

						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	33	54	419	104	148	134
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Fr <sub>t</sub>	0.916				0.936	
Fl <sub>t</sub> Protected	0.981			0.962		
Satd. Flow (prot)	1674	0	0	1792	1744	0
Fl <sub>t</sub> Permitted	0.981			0.962		
Satd. Flow (perm)	1674	0	0	1792	1744	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	589			335	220	
Travel Time (s)	13.4			7.6	5.0	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	38	62	482	120	170	154
Shared Lane Traffic (%)						
Lane Group Flow (vph)	100	0	0	602	324	0
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 59.8% ICU Level of Service B  
 Analysis Period (min) 15

Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	33	54	419	104	148	134
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	38	62	482	120	170	154
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	1330	247	324			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	1330	247	324			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	64	92	61			
cM capacity (veh/h)	104	792	1236			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	100	601	324			
Volume Left	38	482	0			
Volume Right	62	0	154			
cSH	226	1236	1700			
Volume to Capacity	0.44	0.39	0.19			
Queue Length 95th (ft)	53	47	0			
Control Delay (s)	33.0	8.6	0.0			
Lane LOS	D	A				
Approach Delay (s)	33.0	8.6	0.0			
Approach LOS	D					
<b>Intersection Summary</b>						
Average Delay			8.3			
Intersection Capacity Utilization			59.8%	ICU Level of Service		B
Analysis Period (min)			15			

**CAPACITY ANALYSIS WORKSHEETS**

**2016 Combined Conditions**











CA-41

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

2016 COMBINED CONDITIONS, WEEKDAY A.M. PEAK HOUR







						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
Lane Configurations						
Volume (vph)	151	125	186	179	155	187
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%		0%			0%
Storage Length (ft)	0	0		0	150	
Storage Lanes	1	0		0	1	
Taper Length (ft)	25				25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.939		0.934			
Flt Protected	0.973				0.950	
Satd. Flow (prot)	1702	0	1740	0	1770	1863
Flt Permitted	0.973				0.400	
Satd. Flow (perm)	1702	0	1740	0	745	1863
Right Turn on Red		No		Yes		
Satd. Flow (RTOR)			63			
Link Speed (mph)	30		30			30
Link Distance (ft)	375		786			931
Travel Time (s)	8.5		17.9			21.2
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%		0%			0%
Adj. Flow (vph)	166	137	204	197	170	205
Shared Lane Traffic (%)						
Lane Group Flow (vph)	303	0	401	0	170	205
Turn Type	Prot		NA		pm+pt	NA
Protected Phases	4		2		1	5
Permitted Phases					5	
Detector Phase	4		2		1	5
Switch Phase						
Minimum Initial (s)	4.0		4.0		4.0	4.0
Minimum Split (s)	35.0		49.0		16.0	65.0
Total Split (s)	35.0		49.0		16.0	65.0
Total Split (%)	35.0%		49.0%		16.0%	65.0%
Yellow Time (s)	3.5		3.5		3.5	3.5
All-Red Time (s)	0.5		0.5		0.5	0.5
Lost Time Adjust (s)	0.0		0.0		0.0	0.0
Total Lost Time (s)	4.0		4.0		4.0	4.0
Lead/Lag			Lead		Lag	
Lead-Lag Optimize?			Yes		Yes	
Recall Mode	Max		Max		Max	Max
Act Effct Green (s)	31.0		45.0		61.0	61.0
Actuated g/C Ratio	0.31		0.45		0.61	0.61

11/3/2014

FREDERICK P. CLARK ASSOCIATES, INC. - STC

Synchro 8 Report

Page 1





						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
v/c Ratio	0.57		0.49		0.29	0.18
Control Delay	34.2		18.6		11.8	9.0
Queue Delay	0.0		0.0		0.0	0.0
Total Delay	34.2		18.6		11.8	9.0
LOS	C		B		B	A
Approach Delay	34.2		18.6			10.3
Approach LOS	C		B			B
Queue Length 50th (ft)	161		146		43	53
Queue Length 95th (ft)	250		231		73	86
Internal Link Dist (ft)	295		706			851
Turn Bay Length (ft)					150	
Base Capacity (vph)	527		817		577	1136
Starvation Cap Reductn	0		0		0	0
Spillback Cap Reductn	0		0		0	0
Storage Cap Reductn	0		0		0	0
Reduced v/c Ratio	0.57		0.49		0.29	0.18

Intersection Summary

Area Type: Other  
 Cycle Length: 100  
 Actuated Cycle Length: 100  
 Natural Cycle: 100  
 Control Type: Semi Act-Uncoord  
 Maximum v/c Ratio: 0.57  
 Intersection Signal Delay: 20.1  
 Intersection Capacity Utilization 55.3%  
 Analysis Period (min) 15

Intersection LOS: C  
 ICU Level of Service B

Splits and Phases: 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

 #2	 #1	 #4
 #5		

CA-43

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D.

2016 COMBINED CONDITIONS, WEEKDAY A.M. PEAK HOUR

Lane Group	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations		↔			↔			↔	↔		↔	↔
Volume (vph)	45	255	67	23	65	26	26	2	27	168	54	515
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12	12	12	12	12	12	12
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		75	0		0
Storage Lanes	0		0	0		0	0		1	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.975			0.969				0.850			0.850
Fit Protected		0.994			0.990			0.955			0.964	
Satd. Flow (prot)	0	1805	0	0	1787	0	0	1779	1583	0	1796	1583
Fit Permitted		0.994			0.990			0.955			0.964	
Satd. Flow (perm)	0	1805	0	0	1787	0	0	1779	1583	0	1796	1583
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		563			484			289			91	
Travel Time (s)		12.8			11.0			6.6			2.1	
Confl. Peds (#/hr)												
Confl. Bikes (#/hr)												
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)												
Mid-Block Traffic (%)		0%			0%			0%			0%	
Adj. Flow (vph)	51	287	75	26	73	29	29	2	30	189	61	579
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	413	0	0	128	0	0	31	30	0	250	579
Sign Control		Free			Free			Stop			Stop	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 51.5% ICU Level of Service A  
 Analysis Period (min) 15






















HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D.

2016 COMBINED CONDITIONS, WEEKDAY A.M. PEAK HOUR










													
Movement	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR	
Lane Configurations													
Volume (veh/h)	45	255	67	23	65	26	26	2	27	168	54	515	
Sign Control		Free			Free			Stop			Stop		
Grade		0%			0%			0%			0%		
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	
Hourly flow rate (vph)	51	287	75	26	73	29	29	2	30	189	61	579	
Pedestrians													
Lane Width (ft)													
Walking Speed (ft/s)													
Percent Blockage													
Right turn flare (veh)									3				
Median type		None			None								
Median storage (veh)													
Upstream signal (ft)		997											
pX, platoon unblocked													
vC, conflicting volume	102			362			1174	579	324	581	602	88	
vC1, stage 1 conf vol													
vC2, stage 2 conf vol													
vCu, unblocked vol	102			362			1174	579	324	581	602	88	
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2	
tC, 2 stage (s)													
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3	
p0 queue free %	97			98			49	99	96	51	84	40	
cM capacity (veh/h)	1490			1197			58	403	717	388	391	971	
Direction, Lane #	SE 1	NW 1	NE 1	SW 1	SW 2								
Volume Total	412	128	62	249	579								
Volume Left	51	26	29	189	0								
Volume Right	75	29	30	0	579								
cSH	1490	1197	162	389	971								
Volume to Capacity	0.03	0.02	0.38	0.64	0.60								
Queue Length 95th (ft)	3	2	41	108	102								
Control Delay (s)	1.2	1.8	42.5	29.4	14.0								
Lane LOS	A	A	E	D	B								
Approach Delay (s)	1.2	1.8	42.5	18.7									
Approach LOS			E	C									
Intersection Summary													
Average Delay			13.1										
Intersection Capacity Utilization			51.5%		ICU Level of Service				A				
Analysis Period (min)			15										

Lane Group	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (vph)	444	6	6	106	8	11
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)		0	0		0	0
Storage Lanes		0	0		1	0
Taper Length (ft)			25		25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.998				0.922	
Flt Protected				0.997	0.979	
Satd. Flow (prot)	1859	0	0	1857	1681	0
Flt Permitted				0.997	0.979	
Satd. Flow (perm)	1859	0	0	1857	1681	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	484			139	157	
Travel Time (s)	11.0			3.2	3.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	453	6	6	108	8	11
Shared Lane Traffic (%)						
Lane Group Flow (vph)	459	0	0	114	19	0
Sign Control	Free			Free	Stop	










Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 33.7% ICU Level of Service A  
 Analysis Period (min) 15

CA-46










						
Movement	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (veh/h)	444	6	6	106	8	11
Sign Control	Free			Free	Stop	
Grade	0%			0%	0%	
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98
Hourly flow rate (vph)	453	6	6	108	8	11
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type	None			None		
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume			459		577	456
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol			459		577	456
tC, single (s)			4.1		6.4	6.2
tC, 2 stage (s)						
tF (s)			2.2		3.5	3.3
p0 queue free %			99		98	98
cM capacity (veh/h)			1102		476	604
Direction, Lane #						
	SE 1	NW 1	NE 1			
Volume Total	459	114	19			
Volume Left	0	6	8			
Volume Right	6	0	11			
cSH	1700	1102	543			
Volume to Capacity	0.27	0.01	0.04			
Queue Length 95th (ft)	0	0	3			
Control Delay (s)	0.0	0.5	11.9			
Lane LOS		A	B			
Approach Delay (s)	0.0	0.5	11.9			
Approach LOS			B			
Intersection Summary						
Average Delay			0.5			
Intersection Capacity Utilization			33.7%	ICU Level of Service		A
Analysis Period (min)			15			










CA-47

						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	303	152	21	301	211	91
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Fr <sub>t</sub>	0.955				0.959	
Fl <sub>t</sub> Protected	0.968			0.997		
Satd. Flow (prot)	1722	0	0	1857	1786	0
Fl <sub>t</sub> Permitted	0.968			0.997		
Satd. Flow (perm)	1722	0	0	1857	1786	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	139			484	335	
Travel Time (s)	3.2			11.0	7.6	
Confl. Peds. (#/hr)			7			7
Confl. Bikes (#/hr)						
Peak Hour Factor	0.92	0.92	0.93	0.93	0.96	0.96
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	329	165	23	324	220	95
Shared Lane Traffic (%)						
Lane Group Flow (vph)	494	0	0	347	315	0
Sign Control	Stop			Free	Free	

Intersection Summary










Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 65.8%  
 Analysis Period (min) 15  
 ICU Level of Service C

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	303	152	21	301	211	91
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.92	0.92	0.93	0.93	0.96	0.96
Hourly flow rate (vph)	329	165	23	324	220	95
Pedestrians	7					
Lane Width (ft)	12.0					
Walking Speed (ft/s)	4.0					
Percent Blockage	1					
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	643	274	322			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	643	274	322			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	23	78	98			
cM capacity (veh/h)	427	760	1231			
<b>Direction, Lane #</b>	<b>SE 1</b>	<b>NE 1</b>	<b>SW 1</b>			
Volume Total	495	346	315			
Volume Left	329	23	0			
Volume Right	165	0	95			
cSH	501	1231	1700			
Volume to Capacity	0.99	0.02	0.19			
Queue Length 95th (ft)	331	1	0			
Control Delay (s)	66.1	0.7	0.0			
Lane LOS	F	A				
Approach Delay (s)	66.1	0.7	0.0			
Approach LOS	F					
<b>Intersection Summary</b>						
Average Delay			28.5			
Intersection Capacity Utilization			65.8%	ICU Level of Service		C
Analysis Period (min)			15			

						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	47	139	526	78	163	112
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.899				0.945	
Flt Protected	0.987			0.958		
Satd. Flow (prot)	1653	0	0	1785	1760	0
Flt Permitted	0.987			0.958		
Satd. Flow (perm)	1653	0	0	1785	1760	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	589			335	220	
Travel Time (s)	13.4			7.6	5.0	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	53	156	591	88	183	126
Shared Lane Traffic (%)						
Lane Group Flow (vph)	209	0	0	679	309	0
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 69.8% ICU Level of Service C  
 Analysis Period (min) 15

						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	47	139	526	78	163	112
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Hourly flow rate (vph)	53	156	591	88	183	126
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	1516	246	309			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	1516	246	309			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	24	80	53			
cM capacity (veh/h)	69	793	1252			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	209	679	309			
Volume Left	53	591	0			
Volume Right	156	0	126			
cSH	218	1252	1700			
Volume to Capacity	0.96	0.47	0.18			
Queue Length 95th (ft)	208	65	0			
Control Delay (s)	97.0	9.7	0.0			
Lane LOS	F	A				
Approach Delay (s)	97.0	9.7	0.0			
Approach LOS	F					
<b>Intersection Summary</b>						
Average Delay			22.5			
Intersection Capacity Utilization			69.8%	ICU Level of Service		C
Analysis Period (min)			15			











CA-51

Lanes, Volumes, Timings

120 OLD POST ROAD, RYE, NY

1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

2016 COMBINED CONDITIONS, WEEKDAY P.M. PEAK HOUR

Lane Group						
Lane Group	NWL	NWR	NET	NER	SWL	SWT
Lane Configurations						
Volume (vph)	146	130	214	120	86	218
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%		0%			0%
Storage Length (ft)	0	0		0	150	
Storage Lanes	1	0		0	1	
Taper Length (ft)	25				25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frnt	0.936		0.951			
Flt Protected	0.974				0.950	
Satd. Flow (prot)	1698	0	1771	0	1770	1863
Flt Permitted	0.974				0.444	
Satd. Flow (perm)	1698	0	1771	0	827	1863
Right Turn on Red		No		Yes		
Satd. Flow (RTOR)			37			
Link Speed (mph)	30		30			30
Link Distance (ft)	375		786			931
Travel Time (s)	8.5		17.9			21.2
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%		0%			0%
Adj. Flow (vph)	160	143	235	132	95	240
Shared Lane Traffic (%)						
Lane Group Flow (vph)	303	0	367	0	95	240
Turn Type	Prot		NA		pm+pt	NA
Protected Phases	4		2		1	5
Permitted Phases					5	
Detector Phase	4		2		1	5
Switch Phase						
Minimum Initial (s)	4.0		4.0		4.0	4.0
Minimum Split (s)	35.0		49.0		16.0	65.0
Total Split (s)	35.0		49.0		16.0	65.0
Total Split (%)	35.0%		49.0%		16.0%	65.0%
Yellow Time (s)	3.5		3.5		3.5	3.5
All-Red Time (s)	0.5		0.5		0.5	0.5
Lost Time Adjust (s)	0.0		0.0		0.0	0.0
Total Lost Time (s)	4.0		4.0		4.0	4.0
Lead/Lag			Lead		Lag	
Lead-Lag Optimize?			Yes		Yes	
Recall Mode	Max		Max		None	Max
Act Effect Green (s)	31.0		48.2		61.0	61.0
Actuated g/C Ratio	0.31		0.48		0.61	0.61



Lane Group	NWL	NWR	NET	NER	SWL	SWT
v/c Ratio	0.58		0.42		0.16	0.21
Control Delay	34.2		17.9		9.5	9.3
Queue Delay	0.0		0.0		0.0	0.0
Total Delay	34.2		17.9		9.5	9.3
LOS	C		B		A	A
Approach Delay	34.2		17.9			9.4
Approach LOS	C		B			A
Queue Length 50th (ft)	161		140		23	63
Queue Length 95th (ft)	250		218		44	100
Internal Link Dist (ft)	295		706			851
Turn Bay Length (ft)					150	
Base Capacity (vph)	526		872		617	1136
Starvation Cap Reductn	0		0		0	0
Spillback Cap Reductn	0		0		0	0
Storage Cap Reductn	0		0		0	0
Reduced v/c Ratio	0.58		0.42		0.15	0.21



















Intersection Summary

Area Type: Other  
 Cycle Length: 100  
 Actuated Cycle Length: 100  
 Natural Cycle: 100  
 Control Type: Semi Act-Uncoord  
 Maximum v/c Ratio: 0.58  
 Intersection Signal Delay: 20.0  
 Intersection Capacity Utilization 49.4%  
 Analysis Period (min) 15

Intersection LOS: B  
 ICU Level of Service A

Splits and Phases: 1: THEODORE FREMD AVENUE & PLAYLAND ACCESS DRIVE

35	35	35
35	35	35

												
Lane Group	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (vph)	54	271	15	6	53	38	30	2	40	129	10	238
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12	12	12	12	12	12	12
Grade (%)		0%			0%			0%			0%	
Storage Length (ft)	0		0	0		0	0		75	0		0
Storage Lanes	0		0	0		0	0		1	0		1
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frnt		0.994			0.947				0.850			0.850
Flt Protected		0.992			0.997			0.955			0.956	
Satd. Flow (prot)	0	1837	0	0	1759	0	0	1779	1583	0	1781	1583
Flt Permitted		0.992			0.997			0.955			0.956	
Satd. Flow (perm)	0	1837	0	0	1759	0	0	1779	1583	0	1781	1583
Link Speed (mph)		30			30			30			30	
Link Distance (ft)		563			484			289			91	
Travel Time (s)		12.8			11.0			6.6			2.1	
Confl. Peds. (#/hr)												
Confl. Bikes (#/hr)												
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Growth Factor	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0	0	0	0	0	0	0
Parking (#/hr)												
Mid-Block Traffic (%)		0%			0%			0%			0%	
Adj. Flow (vph)	68	339	19	8	66	48	38	3	50	161	13	298
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	426	0	0	122	0	0	40	50	0	173	298
Sign Control		Free			Free			Stop			Stop	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 45.8%  
 Analysis Period (min) 15  
 ICU Level of Service A



















CA-54

HCM Unsignalized Intersection Capacity Analysis

120 OLD POST ROAD, RYE, NY

5: MEDICAL A.D./PLAYLAND PKWY EB RAMPS & PLAYLAND A.D.










2016 COMBINED CONDITIONS, WEEKDAY P.M. PEAK HOUR










												
Movement	SEL	SET	SER	NWL	NWT	NWR	NEL	NET	NER	SWL	SWT	SWR
Lane Configurations												
Volume (veh/h)	54	271	15	6	53	38	30	2	40	129	10	238
Sign Control		Free			Free			Stop			Stop	
Grade		0%			0%			0%			0%	
Peak Hour Factor	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
Hourly flow rate (vph)	68	339	19	8	66	48	38	2	50	161	12	298
Pedestrians												
Lane Width (ft)												
Walking Speed (ft/s)												
Percent Blockage												
Right turn flare (veh)									3			
Median type		None			None							
Median storage (veh)												
Upstream signal (ft)		997										
pX, platoon unblocked												
vC, conflicting volume	114			358			892	612	348	614	598	90
vC1, stage 1 conf vol												
vC2, stage 2 conf vol												
vCu, unblocked vol	114			358			892	612	348	614	598	90
tC, single (s)	4.1			4.1			7.1	6.5	6.2	7.1	6.5	6.2
tC, 2 stage (s)												
tF (s)	2.2			2.2			3.5	4.0	3.3	3.5	4.0	3.3
p0 queue free %	95			99			78	99	93	55	97	69
cM capacity (veh/h)	1475			1201			171	387	695	358	395	968
Direction, Lane #	SE 1	NW 1	NE 1	SW 1	SW 2							
Volume Total	425	121	90	174	298							
Volume Left	68	8	38	161	0							
Volume Right	19	48	50	0	298							
cSH	1475	1201	414	361	968							
Volume to Capacity	0.05	0.01	0.22	0.48	0.31							
Queue Length 95th (ft)	4	0	20	63	33							
Control Delay (s)	1.6	0.5	19.2	23.9	10.4							
Lane LOS	A	A	C	C	B							
Approach Delay (s)	1.6	0.5	19.2	15.4								
Approach LOS			C	C								
Intersection Summary												
Average Delay			8.8									
Intersection Capacity Utilization			45.8%		ICU Level of Service				A			
Analysis Period (min)			15									

Lane Group	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (vph)	434	12	9	88	7	12
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)		0	0		0	0
Storage Lanes		0	0		1	0
Taper Length (ft)			25		25	
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frnt	0.997				0.915	
Flt Protected				0.996	0.982	
Satd. Flow (prot)	1857	0	0	1855	1674	0
Flt Permitted				0.996	0.982	
Satd. Flow (perm)	1857	0	0	1855	1674	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	484			139	157	
Travel Time (s)	11.0			3.2	3.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	452	13	9	92	7	13
Shared Lane Traffic (%)						
Lane Group Flow (vph)	464	0	0	101	19	0
Sign Control	Free			Free	Stop	

Intersection Summary










Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 33.6% ICU Level of Service A  
 Analysis Period (min) 15










						
Movement	SET	SER	NWL	NWT	NEL	NER
Lane Configurations						
Volume (veh/h)	434	12	9	88	7	12
Sign Control	Free			Free	Stop	
Grade	0%			0%	0%	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Hourly flow rate (vph)	452	12	9	92	7	12
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type	None			None		
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume			465		569	458
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol			465		569	458
tC, single (s)			4.1		6.4	6.2
tC, 2 stage (s)						
tF (s)			2.2		3.5	3.3
p0 queue free %			99		98	98
cM capacity (veh/h)			1097		480	603
Direction, Lane #	SE 1	NW 1	NE 1			
Volume Total	465	101	20			
Volume Left	0	9	7			
Volume Right	12	0	12			
cSH	1700	1097	551			
Volume to Capacity	0.27	0.01	0.04			
Queue Length 95th (ft)	0	1	3			
Control Delay (s)	0.0	0.8	11.8			
Lane LOS		A	B			
Approach Delay (s)	0.0	0.8	11.8			
Approach LOS			B			
<b>Intersection Summary</b>						
Average Delay			0.5			
Intersection Capacity Utilization			33.6%	ICU Level of Service*		A
Analysis Period (min)			15			

						
Lane Group	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (vph)	334	112	13	195	122	84
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.966				0.945	
Flt Protected	0.964			0.997		
Satd. Flow (prot)	1735	0	0	1857	1760	0
Flt Permitted	0.964			0.997		
Satd. Flow (perm)	1735	0	0	1857	1760	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	139			484	335	
Travel Time (s)	3.2			11.0	7.6	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	380	127	15	222	139	95
Shared Lane Traffic (%)						
Lane Group Flow (vph)	507	0	0	237	234	0
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 52.9% ICU Level of Service A  
 Analysis Period (min) 15










Movement						
	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	334	112	13	195	122	84
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Hourly flow rate (vph)	380	127	15	222	139	95
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	438	186	234			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	438	186	234			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	33	85	99			
cM capacity (veh/h)	570	856	1333			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	507	236	234			
Volume Left	380	15	0			
Volume Right	127	0	95			
cSH	622	1333	1700			
Volume to Capacity	0.81	0.01	0.14			
Queue Length 95th (ft)	209	1	0			
Control Delay (s)	31.2	0.6	0.0			
Lane LOS	D	A				
Approach Delay (s)	31.2	0.6	0.0			
Approach LOS	D					
<b>Intersection Summary</b>						
Average Delay			16.3			
Intersection Capacity Utilization			52.9%	ICU Level of Service		A
Analysis Period (min)			15			

Lane Group	 SEL	 SER	 NEL	 NET	 SWT	 SWR
Lane Configurations						
Volume (vph)	33	54	422	107	152	134
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Width (ft)	12	12	12	12	12	12
Grade (%)	0%			0%	0%	
Storage Length (ft)	0	0	0			0
Storage Lanes	1	0	0			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.916				0.937	
Flt Protected	0.981			0.962		
Satd. Flow (prot)	1674	0	0	1792	1745	0
Flt Permitted	0.981			0.962		
Satd. Flow (perm)	1674	0	0	1792	1745	0
Link Speed (mph)	30			30	30	
Link Distance (ft)	589			335	220	
Travel Time (s)	13.4			7.6	5.0	
Confl. Peds. (#/hr)						
Confl. Bikes (#/hr)						
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87
Growth Factor	100%	100%	100%	100%	100%	100%
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%
Bus Blockages (#/hr)	0	0	0	0	0	0
Parking (#/hr)						
Mid-Block Traffic (%)	0%			0%	0%	
Adj. Flow (vph)	38	62	485	123	175	154
Shared Lane Traffic (%)						
Lane Group Flow (vph)	100	0	0	608	329	0
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other  
 Control Type: Unsignalized  
 Intersection Capacity Utilization 60.3% ICU Level of Service B  
 Analysis Period (min) 15



						
Movement	SEL	SER	NEL	NET	SWT	SWR
Lane Configurations						
Volume (veh/h)	33	54	422	107	152	134
Sign Control	Stop			Free	Free	
Grade	0%			0%	0%	
Peak Hour Factor	0.87	0.87	0.87	0.87	0.87	0.87
Hourly flow rate (vph)	38	62	485	123	175	154
Pedestrians						
Lane Width (ft)						
Walking Speed (ft/s)						
Percent Blockage						
Right turn flare (veh)						
Median type				None	None	
Median storage (veh)						
Upstream signal (ft)						
pX, platoon unblocked						
vC, conflicting volume	1345	252	329			
vC1, stage 1 conf vol						
vC2, stage 2 conf vol						
vCu, unblocked vol	1345	252	329			
tC, single (s)	6.4	6.2	4.1			
tC, 2 stage (s)						
tF (s)	3.5	3.3	2.2			
p0 queue free %	63	92	61			
cM capacity (veh/h)	101	787	1231			
Direction, Lane #	SE 1	NE 1	SW 1			
Volume Total	100	608	329			
Volume Left	38	485	0			
Volume Right	62	0	154			
cSH	221	1231	1700			
Volume to Capacity	0.45	0.39	0.19			
Queue Length 95th (ft)	54	48	0			
Control Delay (s)	34.2	8.7	0.0			
Lane LOS	D	A				
Approach Delay (s)	34.2	8.7	0.0			
Approach LOS	D					
<b>Intersection Summary</b>						
Average Delay			8.4			
Intersection Capacity Utilization		60.3%		ICU Level of Service		B
Analysis Period (min)			15			



# CITY COUNCIL AGENDA

NO. 10

DEPT.: City Council

DATE: June 10, 2015

CONTACT: Councilwoman Julie Killian

**AGENDA ITEM:** Presentation on the S.A.F.E. Program (Stuffed Animals for Emergencies, Inc.).

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,  
CHAPTER  
SECTION**

**RECOMMENDATION:**

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:**

The S.A.F.E. Program (Stuffed Animals for Emergencies, Inc.) is a 17-year old non-profit organization run completely by volunteers that provides stuffed animals to police officers and emergency responders to be given to children involved in emergency situations as a way to provide comfort to these children. Rye Neck Student Rachel Cohen started a local chapter of S.A.F.E. which was implemented first with the Village of Mamaroneck Police and as of May 1, 2015 with the City of Rye Police Department. The program is operated completely on a volunteer basis with no expense to the Police Departments; volunteers deliver stuffed animals to the Police Departments on a monthly basis. Rachel Cohen and fellow students will present on the program.





# CITY COUNCIL AGENDA

NO. 11

DEPT.: City Manager's Office

DATE: June 10, 2015

CONTACT: Eleanor M. Militana, Interim City Manager

**AGENDA ITEM:** Discussion on improvements in the Forest Avenue corridor.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:**

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** A request has been made from residents for an extension of sidewalks on Forest Avenue from Apawamis Avenue to Manursing Avenue and along Manursing Avenue from Forest Avenue to Davis Avenue to accommodate pedestrian traffic. The residents have met with the Traffic and Pedestrian Safety Committee and received input from property owners along the proposed site. Representatives from the Resident group as well as the Traffic and Pedestrian Safety Committee will present on the request.



# CITY COUNCIL AGENDA

NO. 12

DEPT.: Engineering

DATE: June 10, 2015

CONTACT: Ryan X. Coyne, PE, City Engineer

**AGENDA ITEM:** Presentation of the City of Rye Stormwater Management Program 2014 Annual Report.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:** Review and comment on the attached Draft Annual Report.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

## **BACKGROUND:**

Pursuant to the requirements of the Phase II Stormwater Regulations, attached is the 2014 annual report indicating the extent to which the City is complying with Stormwater Management Program filed with NYSDEC in 2003. The City is required to file this annual report with the NYSDEC; the report shows the activities that City conducted in 2014 to improve water quality and the activities that will be undertaking/continuing in the future.

The Council should review and comment on the draft report.



### MS4 Annual Report Cover Page

MCC form for period ending March 9, 2015

Provide SPDES ID of each permitted MS4 included in this report.

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A

SPDES ID  
N Y R 2 0 A



















**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

CITY OF RYE

SPDES ID

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**4. Evaluating Progress Toward Measurable Goals MCM 1**

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

**A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.**

The City's goal is to ensure that sufficient information is made available to the public on impairments to stormwater quality and ways in which to contribute to the overall Stormwater Management Program effort. The City once again prepared a Resident's Guide to Public Works for 2015, which includes information about the importance of reducing adverse impacts to stormwater quality.

**B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.**

The City continues to educate contractors and residents that do construction on their homes about stormwater management. Many contractors understand the principles of erosion and sediment control.

**C. How many times was this observation measured or evaluated in this reporting period?**

			1
--	--	--	---

(ex.: samples/participants/events)

**D. Has your MS4 made progress toward this Measurable Goal during this reporting period?**

Yes  No

**E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?**

Yes  No

**F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).**

Continue to educate contractors. Update stormwater informational brochures for posting on the City's web site.





### MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2015

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition CITY OF RYE

SPDES ID  
N Y R 2 0 A 3 8 1

#### 2. URL(s) con't.:

Please provide specific address(es) where notice(s) can be accessed - not home page.

URL  
h t t p : / / w w w . r y e n y . g o v / b o a r d s . c o m m  
i s s i o n s . c f m

URL

URL

URL

URL

URL

URL



### MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2015

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition CITY OF RYE

SPDES ID  
N Y R 2 0 A 3 8 1

### 3. Where can the public access copies of this annual report, Stormwater Management Program SWMP) Plan and submit comments on those documents?

Enter address/contact info and select radio button to indicate which document is available and whether comments may be submitted at that location. Submit additional pages as needed.

- MS4/Coalition Office  Annual Report  SWMP Plan  Comments

Department  
E N G I N E E R I N G D E P A R T M E N T

Address  
1 0 5 1 B O S T O N P O S T R O A D

City R Y E N Y Zip 1 0 5 8 0 -

Phone ( 9 1 4 ) 9 6 7 - 7 6 7 6

- Library  Annual Report  SWMP Plan  Comments

Address

City Zip -

Phone ( ) -

- Other  Annual Report  SWMP Plan  Comments

Address

City Zip -

Phone ( ) -

- Web Page URL:  Annual Report  SWMP Plan  Comments

Please provide specific address of page where report can be accessed - not home page.

- eMail  Comments

### MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**4.a. If this report was made available on the internet, what date was it posted?**

Leave blank if this report was not posted on the internet.

0	5
---	---

 / 

2	6
---	---

 / 

2	0	1	5
---	---	---	---

**4.b. For how many days was/will this report be posted?**

3	6	5
---	---	---

If submitting a report for single MS4, answer 5.a.. If submitting a joint report, answer 5.b..

**5.a. Was an Annual Report public meeting held in this reporting period?**

Yes  No

If Yes, what was the date of the meeting?

0	6
---	---

 / 

1	0
---	---

 / 

2	0	1	5
---	---	---	---

If No, is one planned?

Yes  No

**5.b. Was an Annual Report public meeting held for all MS4s contributing to this report during this reporting period?**

Yes  No

If No, is one planned for each?

Yes  No

**6. Were comments received during this reporting period?**

Yes  No

If Yes, attach comments, responses and changes made to SWMP in response to comments to this report.

**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**7. Evaluating Progress Toward Measurable Goals MCM 2**

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

**A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.**

It is the City's goal that all residents and businesses should have an opportunity to better understand the idea that water quality is an important concern for everyone in Rye and that improving stormwater quality will have a positive impact on the overall quality of life in the City.

**B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.**

Sustainability Committee developed a plan for the City, which includes stormwater requirements and Better Site Design principles. Planning Commission and CC/AC review development projects and the meetings are open to the public. The Planning Commission held 18 meetings and the CC/AC held 6.

**C. How many times was this observation measured or evaluated in this reporting period?**

			1
--	--	--	---

*(ex.: samples/participants/events)*

**D. Has your MS4 made progress toward this measurable goal during this reporting period?**

Yes  No

**E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?**

Yes  No

**F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).**

The Planning Commission and CC/AC will continue to hold public meetings on development projects. Continue meeting with the Sustainability Committee.









**MS4 Annual Report Form**

**This report is being submitted for the reporting period ending March 9,**

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

CITY OF RYE
-------------

SPDES ID

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**12. Evaluating Progress Toward Measurable Goals MCM 3**

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

**A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.**

It is the City's goal to inspect its stormwater conveyance system and to remediate any illicit discharges detected.
---

**B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.**

Number of illicit discharges found and eliminated. Five illicit discharges were identified and eliminated in this reporting period.
---

**C. How many times was this observation measured or evaluated in this reporting period?**

			1
--	--	--	---

(ex.: samples/participants/events)

**D. Has your MS4 made progress toward this measurable goal during this reporting period?**

Yes    No

**E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?**

Yes    No

**F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).**

Continue to inspect outfalls annually. Respond to reports of illicit discharges immediately and take action to mitigate as needed.
--

**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**Minimum Control Measures 4 and 5.**  
**Construction Site and Post-Construction Control**

The information in this section is being reported (check one):

- On behalf of an individual MS4  
 On behalf of a coalition

How many MS4s contributed to this report? 

--	--	--

**1a. Has each MS4 contributing to this report adopted a law, ordinance or other regulatory mechanism that provides equivalent protection to the NYS SPDES General Permit for Stormwater Discharges from Construction Activities?**  Yes  No

**1b. Has each Town, City and/or Village contributing to this report documented that the law is equivalent to a NYSDEC Sample Local Law for Stormwater Management and Erosion and Sediment Control through either an attorney certification or using the NYSDEC Gap Analysis Workbook?**  Yes  No  NT

If Yes, Towns, Cities and Villages provide date of equivalent NYS Sample Local Law.

09/2004  03/2006  NT

**2. Does your MS4/Coalition have a SWPPP review procedure in place?**  Yes  No

**3. How many Construction Stormwater Pollution Prevention Plans (SWPPPs) have been reviewed in this reporting period?**

		1
--	--	---

**4. Does your MS4/Coalition have a mechanism for receipt and consideration of public comments related to construction SWPPPs?**  Yes  No  NT

If Yes, how many public comments were received during this reporting period? 

		0
--	--	---

**5. Does your MS4/Coalition provide education and training for contractors about the local SWPPP process?**  Yes  No

**6. Identify which of the following types of enforcement actions you used during the reporting period for construction activities, indicate the number of actions, or note those for which you do not have authority:**

- Notices of Violation # 

--	--	--	--	--

 No Authority
- Stop Work Orders # 

--	--	--	--	--

 No Authority
- Criminal Actions # 

--	--	--	--	--

 No Authority
- Termination of Contracts # 

--	--	--	--	--

 No Authority
- Administrative Fines # 

--	--	--	--	--

 No Authority
- Civil Penalties # 

--	--	--	--	--

 No Authority
- Administrative Orders # 

--	--	--	--	--

 No Authority
- Enforcement Actions or Sanctions # 

--	--	--	--	--

 No Authority
- Other # 

--	--	--	--	--

 No Authority

**MS4 Annual Report Form**

**This report is being submitted for the reporting period ending March 9,**

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**Minimum Control Measure 4. Construction Site Stormwater Runoff Control**

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report? 

--	--	--

1. How many construction projects have been authorized for disturbances of one acre or more during this reporting period? 

		1
--	--	---

2. How many construction projects disturbing at least one acre were active in your jurisdiction during this reporting period? 

		1
--	--	---

3. What percent of active construction sites were inspected during this reporting period?  NT 

1	0	0
---	---	---

 %

4. What percent of active construction sites were inspected more than once?  NT 

1	0	0
---	---	---

 %

5. Do all inspectors working on behalf of the MS4s contributing to this report use the NYS Construction Stormwater Inspection Manual?  Yes  No  NT

6. Does your MS4/Coalition provide public access to Stormwater Pollution Prevention Plans (SWPPPs) of construction projects that are subject to MS4 review and approval?  Yes  No  NT

If your MS4 is Non-Traditional, are SWPPPs of construction projects made available for public review?  Yes  No

If Yes, use the following page to identify location(s) where SWPPPs can be accessed.

### MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 2015

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition: CITY OF RYE

SPDES ID  
N Y R 2 0 A 3 8 1

6. con't.:

Submit additional pages as needed.

● MS4/Coalition Office

Department

E N G I N E E R I N G   A N D   B U I L D I N G   D E P T S

Address

1 0 5 1   B O S T O N   P O S T   R O A D

City

R Y E

N Y

Zip

1 0 5 8 0 -

Phone

( 9 1 4 ) 9 6 7 - 7 6 7 6

○ Library

Address

City

Zip

-

Phone

( ) -

○ Other

Address

City

Zip

-

Phone

( ) -

○ Web Page URL(s): Please provide specific address where SWPPPs can be accessed - not home page.

URL

URL

**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

CITY OF RYE

SPDES ID

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**7. Evaluating Progress Toward Measurable Goals MCM 4**

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

**A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.**

It is the City's goal to ensure that all construction projects are completed with minimal or no impact to water quality. Where an impact to water quality cannot be avoided, it is the City's intent to ensure that Best Management Practices have been constructed properly and are operated and maintained properly in perpetuity.

**B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.**

one projects underway that include a SWPPP, which is reviewed by the City Engineer for compliance with required stormwater and erosion & sediment control measures.

**C. How many times was this observation measured or evaluated in this reporting period?**

			1
--	--	--	---

(ex.: samples/participants/events)

**D. Has your MS4 made progress toward this measurable goal during this reporting period?**

Yes  No

**E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?**

Yes  No

**F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).**

Continue to administer and monitor all projects underway as per individual SWPPPs and local ordinance.



**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

4a. Are the MS4s contributing to this report involved in a regional/watershed wide planning effort?

Yes  No

4b. Does the MS4 have a banking and credit system for stormwater management practices?

Yes  No

4c. Do the SWMP Plans for each MS4 contributing to this report include a protocol for evaluation and approval of banking and credit of alternative siting of a stormwater management practice?

Yes  No

4d. How many stormwater management practices have been implemented as part of this system in this reporting period?

		0
--	--	---

5. What percent of municipal officials/MS4 staff responsible for program implementation attended training on Low Impace Development (LID), Better Site Design (BSD) and other Green Infrastructure principles in this reporting period?

		0
--	--	---

 %



**MS4 Annual Report Form**

**This report is being submitted for the reporting period ending March 9,**

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**6. Evaluating Progress Toward Measurable Goals MCM 5**

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMPP), including requirements in Part III.C.1. Submit additional pages as needed.

**A. Briefly summarize the Measurable Goal identified in the SWMPP in this reporting period.**

The City's goal is to ensure that all installed Best Management Practices are properly operated and maintained in perpetuity.

**B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.**

0 BMPs installed, inspected, and brought on line during this reporting period.

**C. How many times was this observation measured or evaluated in this reporting period?**

			1
--	--	--	---

(ex.: samples/participants/events)

**D. Has your MS4 made progress toward this measurable goal during this reporting period?**

Yes    No

**E. Is your MS4 on schedule to meet the deadline set forth in the SWMPP?**

Yes    No

**F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).**

Continue to inventory new Best Management Practices brought on line. Continue to require inspection and maintenance of all Best Management Practices inventoried. Develop map of BMPs.

**MS4 Annual Report Form**

**This report is being submitted for the reporting period ending March 9,**

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**Minimum Control Measure 6. Stormwater Management for Municipal Operations**

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report? 

--	--	--

**1. Choose/list each municipal operation/facility that contributes or may potentially contribute Pollutants of Concern to the MS4 system. For each operation/facility indicate whether the operation/facility has been addressed in the MS4's/Coalition's Stormwater Management Program(SWMP) Plan and whether a self-assessment has been performed during the reporting period. A self-assessment is performed to: 1) determine the sources of pollutants potentially generated by the permittee's operations and facilities; 2) evaluate the effectiveness of existing programs and 3) identify the municipal operations and facilities that will be addressed by the pollution prevention and good housekeeping program, if it's not done already.**

<u>Operation/Activity/Facility</u>	<u>Addressed in SWMP?</u>		<u>Self-Assessment Operation/Activity/Facility performed within the past 3 years?</u>	
Street Maintenance.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Bridge Maintenance.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Winter Road Maintenance.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Salt Storage.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Solid Waste Management.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
New Municipal Construction and Land Disturbance..	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Right of Way Maintenance.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Marine Operations.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Hydrologic Habitat Modification.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Parks and Open Space.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Municipal Building.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Stormwater System Maintenance.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Vehicle and Fleet Maintenance.....	<input checked="" type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Other.....	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> Yes	<input checked="" type="radio"/> No

**MS4 Annual Report Form**

**This report is being submitted for the reporting period ending March 9,**

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**2. Provide the following information about municipal operations good housekeeping programs:**

- Parking Lots Swept (Number of acres X Number of times swept) # Acres 

		9	0	0
--	--	---	---	---
- Streets Swept (Number of miles X Number of times swept) # Miles 

	1	2	0	0
--	---	---	---	---
- Catch Basins Inspected and Cleaned Where Necessary # 

		8	5	0
--	--	---	---	---
- Post Construction Control Stormwater Management Practices Inspected and Cleaned Where Necessary # 

--	--	--	--	--
- Phosphorus Applied In Chemical Fertilizer # Lbs. 

--	--	--	--	--
- Nitrogen Applied In Chemical Fertilizer # Lbs. 

--	--	--	--	--
- Pesticide/Herbicide Applied # Acres 

					.	
--	--	--	--	--	---	--

  
 (Number of acres to which pesticide/herbicide was applied X Number of times applied to the nearest tenth.)

**3. How many stormwater management trainings have been provided to municipal employees during this reporting period?**

				1
--	--	--	--	---

**4. What was the date of the last training?**

1	1	/	1	8	/	2	0	1	4
---	---	---	---	---	---	---	---	---	---

**5. How many municipal employees have been trained in this reporting period?**

		2
--	--	---

**6. What percent of municipal employees in relevant positions and departments receive stormwater management training?**

1	0	0
---	---	---

 %

**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

CITY OF RYE

SPDES ID

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

**7. Evaluating Progress Toward Measurable Goals MCM 6**

Use this page to report on your progress and project plans toward achieving measurable goals identified in your Stormwater Management Program Plan (SWMP), including requirements in Part III.C.1. Submit additional pages as needed.

**A. Briefly summarize the Measurable Goal identified in the SWMP in this reporting period.**

Number of stormwater catch basins inspected and cleaned, number of miles of roads swept.

**B. Briefly summarize the observations that indicated the overall effectiveness of this Measurable Goal.**

850 catch basins were inspected, 500 were cleaned, and 25 were repaired. 5,000 feet of storm drains were cleaned, 90 feet of storm drains were repaired.

**C. How many times was this observation measured or evaluated in this reporting period?**

			1
--	--	--	---

*(ex.: samples/participants/events)*

**D. Has your MS4 made progress toward this measurable goal during this reporting period?**

Yes  No

**E. Is your MS4 on schedule to meet the deadline set forth in the SWMP?**

Yes  No

**F. Briefly summarize the stormwater activities planned to meet the goals of this MCM during the next reporting cycle (including an implementation schedule).**

Continue stormwater catch basin cleaning program. Continue infrastructure inspection and maintenance per City SWMP.

### MS4 Annual Report Form

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

### Additional Watershed Improvement Strategy Best Management Practices

The information in this section is being reported (check one):

- On behalf of an individual MS4
- On behalf of a coalition

How many MS4s contributed to this report? 

--	--	--

**MS4s must answer the questions or check NA as indicated in the table below.**

MS4 Description	Answer	Check NA	(POC)
<b>NYC EOH Watershed</b>			
Traditional Land Use	1,2,3,4,5,6,7a-d,8a,8b,9	10,11,12	Phosphorus
Traditional Non-Land Use	1,2,3,4,7a-d,8a,8b,9	5,10,11,12	Phosphorus
Non-Traditional	1,2,77a-d,8a,8b,9	3,4,5,10,11,12	Phosphorus
<b>Onondaga Lake Watershed</b>			
Traditional Land Use	1,6,7a-d,8a,9	2,3,4,5,8b,10,11,12	Phosphorus
Traditional Non-Land Use	1,6,7a-d,8a,9	2,3,4,5,8b,10,11,12	Phosphorus
Non-Traditional	1,6,7a-d,8a,9	2,3,4,5,8b,10,11,12	Phosphorus
<b>Greenwood Lake Watershed</b>			
Traditional Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Traditional Non-Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Non-Traditional	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
<b>Oyster Bay</b>			
Traditional Land Use	1,4,7a-d,9,10,11,12	2,3,5,6,8a,8b	Pathogens
Traditional Non-Land Use	1,4,7a-d,9,10,11,12	2,3,5,6,8a,8b	Pathogens
Non-Traditional	1,4,7a-d,9	2,3,4,5,8a,8b,10,11,12	Pathogens
<b>Peconic Estuary</b>			
Traditional Land Use	1,4,7a-d,8a,9,10,11,12	2,3,5,6,8b	Pathogens and Nitrogen
Traditional Non-Land Use	1,4,7a-d,8a,9,10,11,12	2,3,5,6,8b	Pathogens and Nitrogen
Non-Traditional	1,4,7a-d,8a,9	2,3,4,5,8b,10,11,12	Pathogens and Nitrogen
<b>Oscawana Lake Watershed</b>			
Traditional Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Traditional Non-Land Use	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
Non-Traditional	1,4,6,7a-d,8a,9	2,3,5,8b,10,11,12	Phosphorus
<b>LI 27 Embayments</b>			
Traditional Land Use	1,2,3,4,7a-d,9,10,11,12	5,6,8a,8b	Pathogens
Traditional Non-Land Use	1,2,3,4,7a-d,9,10,11,12	5,6,8a,8b	Pathogens
Non-Traditional	1,2,3,4,7a-d,9	5,6,8a,8b,10,11,12	Pathogens

**1. Does your MS4/Coalition have an education program addressing impacts of phosphorus/nitrogen/pathogens on waterbodies?**  Yes  No  N/A

**2. Has 100% of the MS4/Coalition conveyance system been mapped in GIS?**  Yes  No  N/A

If N/A, go to question 3.

If No, estimate what percentage of the conveyance system has been mapped so far. 

--	--	--

 %

Estimate what percentage was mapped in this reporting period. 

--	--	--

 %

**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition 

CITY OF RYE
-------------

SPDES ID  

N	Y	R	2	0	A	3	8	1
---	---	---	---	---	---	---	---	---

3. Does your MS4/Coalition have a Stormwater Conveyance System (infrastructure) Inspection and Maintenance Plan Program?  Yes  No  N/A

4. Estimate the percentage of on-site wastewater treatment systems that have been inspected and maintained or rehabilitated as necessary in this reporting period? 

--	--	--

 %

5. Has your MS4/Coalition developed a program that provides protection equivalent to the NYSDEC SPDES General Permit for Stormwater Discharges from Construction Activities (GP-0-08-001) to reduce pollutants in stormwater runoff from construction activities that disturb five thousand square feet or more?  Yes  No  N/A

6. Has your MS4/Coalition developed a program to address post-construction stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre that provides equivalent protection to the NYS DEC SPDES General Permit for Stormwater Discharges from Construction Activities (GP-0-08-001), including the New York State Stormwater Design Manual Enhanced Phosphorus Removal Standards?  Yes  No  N/A

7a. Does your MS4/Coalition have a retrofitting program to reduce erosion or phosphorus/nitrogen/pathogen loading?  Yes  No  N/A

7b. How many projects have been sited in this reporting period? 

--	--	--

7c. What percent of the projects included in 7b have been completed in this reporting period? 

--	--	--

 %

7d. What percent of projects planned in previous years have been completed? 

--	--	--

 %

No Projects Planned

8a. Has your MS4/Coalition developed and implemented a turf management practices and procedures policy that addresses proper fertilizer application on municipally owned lands?  Yes  No  N/A

8b. Has your MS4/Coalition developed and implemented a turf management practices and procedures policy that addresses proper disposal of grass clippings and leaves from municipally owned lands?  Yes  No  N/A

**MS4 Annual Report Form**

This report is being submitted for the reporting period ending March 9, 

2	0	1	5
---	---	---	---

If submitting this form as part of a joint report on behalf of a coalition leave SPDES ID blank.

Name of MS4/Coalition

CITY OF RYE

SPDES ID

N Y R 2 0 A 3 8 1

- 9. Has your MS4/Coalition developed and implemented a program of native planting?  
 Yes    No    N/A
  
- 10. Has your MS4/Coalition enacted a local law prohibiting pet waste on municipal properties and prohibiting goose feeding?  
 Yes    No    N/A
  
- 11. Does your MS4/Coalition have a pet waste bag program?  
 Yes    No    N/A
  
- 12. Does your MS4/Coalition have a program to manage goose populations?  
 Yes    No    N/A







# CITY COUNCIL AGENDA

NO. 13

DEPT.: City Council

DATE: June 10, 2015

CONTACT: Councilwoman Julie Killian

**AGENDA ITEM:** Presentation by the Sustainability Committee on the Climate Smart Communities Pledge.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

**CHAPTER**

**SECTION**

**RECOMMENDATION:**

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** The Climate Smart Communities (CSC) program is a network of New York communities engaged in reducing greenhouse gas emissions and improving climate resilience. A presentation will be made by Ana Hagerup, a representative from the Climate Smart Communities. To become a Climate Smart Community the City must adopt the Climate Smart Communities Pledge and notify the NYS DEC that it has been adopted. Additional information on CSC is available at: <http://www.dec.ny.gov/energy/50845.html>

The following communities in Westchester County are Climate Smart Communities: City of New Rochelle; City of Peekskill; City of White Plains; City of Yonkers; Town of Bedford; Town of Cortlandt; Town of Greenburgh; Town of Lewisboro; Town of Mamaroneck; Town of New Castle; Town of North Castle; Town of North Salem; Town of Ossining; Town of Pound Ridge; Town of Somers; Town of Yorktown; Village of Ardsley; Village of Dobbs Ferry; Village of Croton-on-Hudson; Village of Hastings-on-Hudson; Village of Irvington; Village of Larchmont; Village of Mamaroneck; Village of Mount Kisco; Village of Ossining; Village of Port Chester; Village of Tarrytown; Village of Sleepy Hollow

See attached Climate Smart Communities Pledge.

# Climate Smart Communities Pledge

## Summary Text

The Climate Smart Communities Pledge contains all the elements of a successful local climate program.

To become a recognized Climate Smart Community, the municipality's governing body must adopt a resolution that explicitly includes all ten elements of the [Model Pledge](#). Additional pledge elements or legislative findings may be added. The required ten elements of the pledge are as follows:

1. **Pledge to be a Climate Smart Community.**
2. **Set goals, inventory emissions, plan for climate action.**
3. **Decrease community energy use.**
4. **Increase community use of renewable energy.**
5. **Realize benefits of recycling and other climate-smart solid waste management practices.**
6. **Reduce greenhouse gas emissions through use of climate-smart land-use tools.**
7. **Enhance community resilience and prepare for the effects of climate change.**
8. **Support development of a green innovation economy.**
9. **Inform and inspire the public.**
10. **Commit to an evolving process of climate action.**

## Model Resolution for Community Adoption

Council member \_\_\_\_\_ moved and Council member \_\_\_\_\_ seconded that:

*WHEREAS, the Town/Village/City/County of \_\_\_\_\_ (hereinafter "local government") believes that climate change poses a real and increasing threat to our local and global environments and is primarily due to the burning of fossil fuels; and*

*WHEREAS, the effects of climate change will endanger our infrastructure, economy and livelihoods; harm our farms, orchards, and ecological communities, including native fish and wildlife populations; spread invasive species and exotic diseases; reduce drinking water supplies and recreational opportunities; and pose health threats to our citizens; and*

*WHEREAS, we believe that our response to climate change provides us with an unprecedented opportunity to save money, and to build livable, energy-independent and secure communities, vibrant innovation economies, healthy and safe schools, and resilient infrastructures; and*

*WHEREAS, we believe the scale of greenhouse gas (GHG) emissions reductions required for climate stabilization will require sustained and substantial efforts; and*

*WHEREAS, we believe that even if emissions were dramatically reduced today, communities would still be required to adapt to the effects of climate change for decades to come,*

*IT IS HEREBY RESOLVED that Town/Village/City/County of \_\_\_\_\_, in order to reduce greenhouse gas emissions and adapt to a changing climate, adopts the New York State Climate Smart Communities Pledge, which comprises the following ten elements:*

1. Pledge to be a Climate Smart Community.
2. Set goals, inventory emissions, plan for climate action.
3. Decrease community energy use.
4. Increase community use of renewable energy.
5. Realize benefits of recycling and other climate-smart solid waste management practices.
6. Reduce greenhouse gas emissions through use of climate-smart land-use tools.
7. Enhance community resilience and prepare for the effects of climate change.
8. Support development of a green innovation economy.
9. Inform and inspire the public.
10. Commit to an evolving process of climate action.



# CITY COUNCIL AGENDA

NO. 15

DEPT.: City Manager

DATE: June 10, 2015

CONTACT: Eleanor M. Militana, Interim City Manager

**AGENDA ITEM:** Resolution to amend the City of Rye's FOIL procedures.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:** That the City Council amend the current FOIL procedures per the proposed changes.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** The following changes are proposed to the City's FOIL Procedures:

- The Corporation Counsel will be the sole designated Records Access Officer.
- The City Manager would be the appeals officer for all appeals of FOIL requests.

See attached revised procedures.



Procedures for Public Access to the Records of the City of Rye  
(Effective July 1, 2015)

**Section 1. Purpose and Scope**

- (a) These regulations are established pursuant to Article 6 of the Public Officers Law, known as the Freedom of Information Law.
- (b) These regulations provide the procedures by which records of the City of Rye may be obtained.
- (c) Personnel of the City of Rye shall furnish to the public the information and records required by law and those which were furnished to the public prior to the enactment of the Freedom of Information Law, subject to the conditions contained in subdivision 2 of Section 87 of the Freedom of Information Law, or other provisions of Law.

**Section 2. Designation of records access officer.**

- (a) The Corporation Counsel, shall be the Records Access Officer responsible for assuring compliance with the FOIL regulations.
- (b) The records access officer shall be responsible for assuring appropriate responses to public requests for access to records. The records access officer shall assure that appropriate personnel are adequately instructed in and properly perform the functions described in Sections 6 and 7 of these regulations and shall supervise the administration of these regulations.

Deleted: City Clerk

**Section 3. Designation of fiscal officer.**

The City Comptroller is designated the fiscal officer, who shall certify the payroll and respond to requests for an itemized record setting forth the name, address, title and salary of every officer or employee of the City of Rye.

**Section 4. Location.**

Records shall be available for public inspection and copying at the office of the records access officer at City Hall, Boston Post Road, Rye, New York, or at the location where they are kept.

**Section 5. Hours for public inspection.**

Requests for public access to records shall be accepted and records produced during all hours City Hall is regularly open for business except that all records must be returned to their proper custodian at least 30 minutes before closing time.

**Section 6. Request for public access to records.**

- (a) Requests for records shall be in writing (hard copy or electronically) in accordance with New York Public Officers Law. The custodian of the records has discretion to waive the requirement for written requests in appropriate circumstances.
- (b) If records are maintained on the internet, the requestor shall be informed that the records are accessible via the internet and in printed form either on paper or other information storage medium.
- (c) Officials shall respond to a request for records no more than five (5) business days after receipt of the request. This response will acknowledge receipt of request and indicate that the requestor will receive a response within twenty (20) business days unless otherwise noted. Any electronic requests received after 5:00 P.M. will be considered received by the City on the next business day.
- (d) A request for access to records should be sufficiently detailed to identify the records. Where possible, the requestor should supply information regarding dates, titles, file designations or other information which may help identify the records.
- (e)
  - 1. A current list, by subject matter, of all records produced and retained in accordance with the Department of Education's State Archives Schedule MU-1, shall be maintained by the City Clerk and shall be available for public inspection and copying. The list shall be sufficiently detailed to permit the requestor to identify the file category of the records sought.
  - 2. The subject matter list shall be updated periodically and the date of the most recent updating shall appear on the first page. The updating of the subject matter list shall not be less than semiannual.
  - 3. A duplicate copy of such current subject matter list shall be filed by each department with the City Clerk who shall consolidate and maintain all such current lists.
- (f) Appropriate personnel of the City of Rye shall assist the requestor in identifying requested records.
- (g) Upon locating the requested records, the appropriate personnel of the City of Rye shall, as promptly as possible, and within the time limits set in subsection (b) above, either:

(1) Make the records available by either, (i) indicating a time and date when the records are available for review and inspection, or (ii) send the records electronically if the request was for electronic copies and the records can be sent electronically, or

(2) Deny access in whole or in part, and explain in writing the reasons therefore.

(h) Upon failure to locate records, the appropriate official shall certify that:

1. The City of Rye is not the legal custodian of the requested records; or,
2. The requested records, after diligent search, cannot be found.

**Section 7. Inspection and copying of records.**

(a) A person who has requested access to the public records of the City of Rye shall be given full opportunity to see and inspect such records unless access is denied as provided in Section 8 herein.

(b) The requestor may also make a copy of the records he/she inspects. No record may be removed from the office where it is located without written permission of the person in charge of the office at that time.

(c) Upon request and payment of the established fee, if any, the appropriate officer or employee shall prepare and deliver a transcript of such records.

(d) Upon request and payment of the established fee, if any, an appropriate official of the City of Rye shall certify as correct a transcript prepared by the custodian of the records.

**Section 8. Denial of access to records.**

(a) Denial of access to records shall be in writing stating the reason(s) therefore and advising the requestor of the right to appeal to the City ~~Manager~~ within thirty (30) days of the denial. ~~Appeals heard by the City Manager are final determinations.~~

(b) If requested records are not provided promptly, as required in Section 6 (c) of these regulations, such failure shall also be deemed a denial of access. In such cases, appeals must be filed within thirty (30) days of the date by which the records were to be made available.

(c) The time for deciding an appeal by the City ~~Manager~~ shall commence upon receipt of a written appeal identifying:

1. The date of the appeal.
2. The date and location of the original record request.
3. The records to which the requestor was denied access.

- Deleted: Council
- Deleted: However, if the City Council does not meet within the statutory ten (10)
- Deleted: business days following receipt of the appeal, the individual filing the appeal will be asked
- Deleted: to waive the ten (10) day statutory period for hearing the appeal. If the individual agrees
- Deleted: to waive, the appeal will be heard at the next regularly scheduled City Council meeting. If
- Deleted: the individual does not waive the ten (10) day statutory period then the Corporation
- Deleted: Counsel will hear the appeal
- Deleted: either
- Deleted: Council or
- Deleted: Corporation Counsel
- Deleted: (i.e. a City Council's determination in an
- Deleted: appeal cannot be reheard by the Corporation Counsel or vice versa).
- Deleted: Council

4. Whether the denial of access was in writing or by failing to provide records in accordance with the applicable time periods.
5. A copy of the written denial, if any.
6. The name and return address (or email address) of the requestor.

- (d) The appeal shall be determined by the City Manager within ten (10) business days of the receipt of the appeal. If the appeal is submitted via email, any emails received after 5:00 P.M. will be considered received on the next business day. Written notice of the determination shall be served upon the person requesting the record and the Committee on Open Government.
- (e) A person requesting an exception from disclosure, or an agency denying access to record, shall in all appeal proceedings have the burden of proving entitlement to the exception.
- (f) A proceeding to review an adverse determination upon appeal may be commenced pursuant to Article 78 of the Civil Practice Law and Rules in accordance with all applicable provisions of the law.

Deleted: Council or Corporation Counsel

### **Section 9. Fees.**

- (a) Except as otherwise specifically authorized by law, or by established practice prior to September 1, 1974, there shall be no fee charged for:
1. Inspection of records;
  2. Search for records;
  3. Any certification pursuant to this part.
- (b) The fee for a photocopy transcript of records shall be 25 cents per single sided page for pages not exceeding 9 by 14 inches. The City has the authority to redact portions of a paper record in accordance with the Public Officers Law and does so prior to the disclosure of the record by making a photocopy from which the proper redactions are made.
- (c) The fee for photocopies of records exceeding 9 by 14 inches per page or any non-paper format (such as computer disk, microfilm, etc.) shall be the actual costs of reproduction, which shall be deemed to be the average unit cost for making such a photocopy, excluding fixed costs such as operator salaries, except when a different rate is otherwise prescribed by statute.
- (d) The fee for a transcript that is typed, handwritten, or otherwise prepared by hand shall cover the clerical time involved in making the transcript, including comparison for accuracy.
- (e) The fee the City may charge for a copy of any other record is based on the actual cost of reproduction and may include only the following:



- (1) an amount equal to the hourly salary attributed to the lowest paid employee who has the necessary skill required to prepare a copy of the requested record, but only when more than two hours of the employee's time is necessary to do so; and
  - (2) the actual cost of the storage devices or media provided to the person making the request in complying with such request; or
  - (3) the actual cost to the agency of engaging an outside professional service to prepare a copy of a record, but only when an agency's information technology equipment is inadequate to prepare a copy, and if such service is used to prepare the copy.
- (f) The City shall inform a person requesting a record of the estimated cost of preparing a copy of the record if more than two hours of an agency employee's time is needed, or if it is necessary to retain an outside professional service to prepare a copy of the record.
- (g) A person requesting a record shall pay the City the required fee for copying or reproducing the record in advance of the City preparing such copy.

**Section 10. Public Notice.**

A notice containing the job title or name and business address of the records officer and the appeal body shall be posted in the Office of the City Clerk. A copy of these rules will be kept in the custody of the records officer and be made available for inspection upon request.

**Section 11. Severability.**

If any provision of these regulations or the application thereof to any person or circumstances is adjudged invalid by a court of competent jurisdiction, such judgment shall not affect or impair the validity of the other provisions of these regulations or the application thereof to other persons and circumstances.



# CITY COUNCIL AGENDA

NO. 16      DEPT.: City Manager      DATE: June 10, 2015

CONTACT: Eleanor M. Militana, Interim City Manager

**AGENDA ITEM:** Bid Award for the Rye Free Reading Room Interior Renovations contract.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:** That the bid be awarded to Optimus Installation, in the amount of two hundred fifty-seven thousand four hundred seventy-four dollars (\$257,474.00).

**IMPACT:**    Environmental    Fiscal    Neighborhood    Other:

**BACKGROUND:** The funding for the Rye Free Reading Room Interior Renovations project was approved by voters under Proposition 1 in the Bond Vote on November 6, 2012 in the amount of \$176,000. The project will cover an expansion of the fire alarm and sprinkler system so that the historic building is covered. It will also include additional ADA access, adding automatic doors to the parking lot, as well as improved sidewalk access. The Rye Free Reading Room will provide the funds to cover the costs which exceed the \$176,000 Bond amount. The City Council approved an Inter-Municipal Agreement (IMA) with the Rye Free Reading Room regarding the receipt and disbursement of bond funds for library projects at their July 10, 2013 meeting. The IMA stipulates that the City Council must approve the Bid Award and can consider the waiver of any permit fees that may apply.

See attached Bid Proposal and IMA between the City and the Rye Free Reading Room.

BID PROPOSAL  
INTERIOR RENOVATIONS TO  
RYE FREE READING ROOM  
RYE NEW YORK 10580

SUBMITTED FOR: CONTRACT: #1

SUBMITTED BY: Company: Around The Clock Inc. d/b/a Optimus Installation

Address: 2 Tuckahoe Road

Yonkers NY 10710

Phone: 914-349-9444

Fax No.: 914-349-9446

Contact Name: Michael Masullo

Email Address: mmasullo@optimusinstallation.com

TO:

Rye Free Reading Room  
1601 Boston Post Road  
Rye, New York 10580

1. Pursuant to and in accordance with the invitation for proposals for Interior Renovations to the Rye Free Reading Room in Rye, New York, and having familiarized myself with the conditions of the site, the drawings and specifications (including instructions to Bidders, form of bid bond, form of Contract, the general conditions with modifications thereto, and the technical specifications) if any, as prepared by Peter Gisolfi Associates, Architect, and Werner E. Tietjen, P.E., MEP Engineers, and addenda, if any, hereby propose to furnish all labor, material, equipment, and services required to construct and complete the work as follows:

Contract No. 1 – General Construction

Submit price for all labor, materials and equipment necessary to complete the Renovations to the Rye Free Reading Room as shown on the drawings and as described in the specifications.

Base Bid

The sum of Two hundred fifty seven thousand four hundred and seventy four dollars  
Dollars (\$ 257,474 ).

For all Contracts

2. Bid Security, based on the Base Bid amount(s) listed above, in the sum of Twelve Thousand Eight hundred Seventy three dollars and seventy cents Dollars (\$ 12,873.70 ) in the form of Bond is attached herewith in accordance with the Specifications.

3. In submitting this Proposal, I have received and included in this Proposal the following Addenda:

<u>ADDENDUM NO.</u>	<u>DATED</u>
_____	_____
_____	_____
_____	_____

4. The undersigned hereby certifies that he has full authority to make the Proposal and does further declare that he, she, or they are the only person or persons interested in the Proposal and has not entered into any collusion in preparing the Proposal.

5. The undersigned acknowledges that there will be no cost to the Owner pertaining to the submission of this Proposal and the Owner(s) has the right to reject any and all bids.

6. The undersigned agrees that no bid will be withdrawn within sixty (60) days and the Owner(s) shall be permitted to accept this Proposal within sixty (60) days of bid date.

7. The undersigned acknowledges that he is fully aware of the time constraints and coordination required as outlined in the information for bidders and will be prepared to submit a construction schedule and schedule of values upon receipt of letter of intent.

8. The undersigned acknowledges that he has reviewed and will comply with requirements of State of New York Department of Labor included in these specifications.

9. The undersigned acknowledges that he is aware that, at the Board's discretion, Contracts will be awarded as described in the Information for Bidders, or the proposals will be rejected within sixty (60) days of the date of opening proposals, subject, however, to the discretionary right reserved by the Board of Education to waive any informalities in any proposal, or to reject any or all proposals, if, in its opinion, the best interest of the School District will thereby be promoted.

Respectfully submitted,

Dated 5/11/15

By Around The Clog Inc. d/b/a Optimus Installation  
Name of Firm  
[Signature]  
Signature  
Arceardo Dos Anjos  
Printed/Typed Name  
V.P.  
Title

Non-Collusive Form

BID PROPOSAL CERTIFICATIONS

Firm Name Around The Clog Inc. d/b/a Optimus Installation

Business Address  
2 Tuckahoe Road Yonkers NY 10710

Telephone Number 914.349.9444 Date of Bid May 12, 2015

I. General Bid Certification

The bidder certifies that he will furnish, at the prices quoted, the materials, equipment and/or services as proposed on this Bid.

II. Non-Collusive Bidding Certification

By submission of this bid proposal, the bidder certifies that he is complying with Section 103-d of the General Municipal Law as follows:

Statement of non-collusion in bids and proposals to political subdivision of the state. Every bid or proposal hereafter made to a political subdivision of the state or any public department, agency or official thereof where competitive bidding is required by statute, rule, regulation, or local law, for work or services performed or to be performed or goods sold or to be sold, shall contain the following statement subscribed by the bidder and affirmed by such bidder as true under the penalties of perjury:

Non-collusive bidding certification.

"(a) By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:

(1) The prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

(2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and

(3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.'


(b) A bid shall not be considered for award nor shall any award be made where (a) (1) (2) and (3) above have not been complied with; provided, however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the reasons therefor. Where (a) (1) (2) and (3) above have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department agency or official thereof to which the bid is made or his designee, determines that such disclosure was not made for the purpose of restricting competition.

The fact that a bidder (a) has published price lists, rates, or tariffs covering items being procured, (b) has informed prospective customers of proposed or pending publication of new or revised price lists for such items, or (c) has sold the same items to other customers at the same prices being bid, does not constitute, without more, a disclosure within the meaning subparagraph one (a).

2. Any bid hereafter made to any political subdivision of the state or any public department, agency or official thereof by a corporate bidder for work or services performed or to be performed or goods sold or to be sold, where competitive bidding is required by statute, rule, regulation, or local law, and where such bid contains the certification referred to in subdivision one of the sections, shall be deemed to have been authorized by the board of directors of the bidder, and such authorization shall be deemed to have been authorized by the board of directors of the bidder, and such authorization shall be deemed to include the signing, and submission of the bid and the inclusion therein of the certificate as to non-collusion as the act and deed of the corporation.

Signature (Authorized) \_\_\_\_\_

Title \_\_\_\_\_

  
*V.P.*

REFERENCES - PRIME CONTRACTOR

List below all requested information for at least five projects. Projects are to be similar in scope of work and contract amount to this project. This Reference List is to be completed with the bid proposal.

1. Project Name (or Description) 1745 Fillmore Properties  
 Contract Amount \$380,000 Completion Date 2014  
 Owner 1745 Fillmore Properties  
 Contact Name 1745@Gmail.Com Telephone 914-384-8112  
 Architect/Engineer \_\_\_\_\_  
 Contact Name \_\_\_\_\_ Telephone \_\_\_\_\_
  
2. Project Name (or Description) Prince holdings  
 Contract Amount Ongoing 1.3 million Completion Date Ongoing  
 Owner Cameron Development  
 Contact Name Eric Alderman Telephone (315) 362-8810  
 Architect/Engineer Cybul and Cybul  
 Contact Name \_\_\_\_\_ Telephone \_\_\_\_\_
  
3. Project Name (or Description) Phamco (Renovation of 36 Apartments)  
 Contract Amount \$300,000 Completion Date 2013  
 Owner John Colangelo  
 Contact Name John Colangelo Telephone 646-435-1897  
 Architect/Engineer \_\_\_\_\_  
 Contact Name \_\_\_\_\_ Telephone \_\_\_\_\_
  
4. Project Name (or Description) Ludlow Hotel (Fixed 270 Bathrooms)  
 Contract Amount \$432,000 Completion Date 2013  
 Owner \_\_\_\_\_  
 Contact Name Cava Construction Telephone 1-212-888-0574  
 Architect/Engineer \_\_\_\_\_  
 Contact Name \_\_\_\_\_ Telephone \_\_\_\_\_
  
5. Project Name (or Description) Tiffany Maintenance (Renovation of 18 Apartments)  
 Contract Amount \$145,000 Completion Date 2014  
 Owner \_\_\_\_\_  
 Contact Name Billy Devito Telephone 1(917)570-1793  
 Architect/Engineer \_\_\_\_\_  
 Contact Name \_\_\_\_\_ Telephone \_\_\_\_\_

STATEMENT OF BIDDER'S QUALIFICATIONS

QUALIFICATIONS:

Qualifications must be presented, on the forms provided in the Bid, giving evidence of successful completion of at least five previously performed construction projects similar to the Contract Work and performed within the last five (5) years. Evidence shall include at a minimum, job name, location, brief description, dollar amount, and reference names with telephone numbers of the Owner and the Engineer or Architect.

**The bidder bears the sole responsibility for any Sub-contractors he may employ for any parts of this Work. The bidder is advised to utilize similar qualification standards against which he will be judged, when using the services of any Sub-contractors or suppliers. Failure by default or any other means of any of the Contractors suppliers or Sub-contractors will not be reason for the Contractor to complete the Work of this Contract in the time allotted or with the quality of workmanship required.**

**The Owner may make such investigations as it deems necessary to determine the qualifications of the Bidder to perform the Work and the Bidder shall furnish to the Owner all such information and data for this purpose as the Owner may request. The Owner reserves the right to reject any Bid if the evidence submitted by, or investigation of, such Bidder fails to satisfy the Owner the such Bidder is properly qualified to carry out the obligations of the Contract, and to complete the Work contemplated therein. Conditional Bids will not be accepted.**



STATEMENT OF BIDDER'S QUALIFICATIONS (Cont'd)

1. **Name of Bidder:** Around The Clog Inc. d/b/a Optimus Installation

2. **Type of Business:**  Wholly-owned Company  
 Partnership  
 **Corporation:** **Date of Incorporation:** 2007  
**Place of Incorporation:** New York

3. **How many years has the bidder done business under its present name?** 8 years

4. **List the names of the persons who are directors, officers, owners, managerial employees or partners in the bidder's business:**

Ricardo Dos Anjos - Owner  
Liberio Bellomo - Owner  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

5. **During the three-year period preceding the submission of this bid, has the bidder been found guilty of any OSHA violations?**

Yes  No

**If Yes, please describe the nature of the OSHA violation(s) and indicate the remediation or other steps taken regarding such violations(s):**

<u>Violation</u>	<u>Remediation</u>

6. **During the five-year period preceding the submission of this bid, has the bidder been the subject of proceedings before the Department of Labor for alleged violations of the Labor Law as it relates to the payment of prevailing wages and/or supplemental payment requirements?**

Yes  No

**If Yes, please list each instance of the commencement of a Department of Labor proceeding, the project for which it was commenced, and the status of the proceeding at the time of submission of this bid:**

<u>Proceeding</u>	<u>Project</u>	<u>Disposition</u>

STATEMENT OF BIDDER'S QUALIFICATIONS (Cont'd)

7. *During the five-year period preceding the submission of this bid, has the bidder been the subject of proceedings involving allegation that it violated the Workers' Compensation Law including but not limited to the failure to provide proof of worker's compensation or disability coverage and/or any lapses thereof?*

Yes  No


If Yes, please list each instance of the claimed violation and the status of the claim at the time of submission of this bid:

Violation	Remediation

Sworn to before me this 11<sup>th</sup> Day of MAY 2015

Maria C. Dimeglio

MARIA C. DIMEGLIO  
Notary Public - State of New York  
No. 01D6068369  
Qualified in Westchester County  
My Commission Expires Dec. 31, 2017

  
Ricardo Das Anjos V.P.



# Document A310™ – 2010

Conforms with The American Institute of Architects AIA Document 310

## Bid Bond

### CONTRACTOR:

(Name, legal status and address)  
Around the Clog, Inc.  
d/b/a Optimus Installation  
2 Tuckahoe Road  
Yonkers NY 10710

### SURETY:

(Name, legal status and principal place of business)  
Liberty Mutual Insurance Company  
175 Berkeley Street  
Boston, MA 02116

### Mailing Address for Notices

Liberty Mutual Insurance Company  
Attention: Surety Claims Department  
1001 4th Avenue, Suite 1700  
Seattle, WA 98154

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

### OWNER:

(Name, legal status and address)  
Town of Rye  
1051 Boston Post Road,  
Rye, NY 10580

**BOND AMOUNT:** 5% of Bid Amount      Five Percent of Bid Amount

### PROJECT:

(Name, location or address, and Project number, if any)  
Interior Renovations to the Rye Free Reading Room  
1061 Boston Post Road, Rye, NY

The Contractor and Surety are bound to the Owner in the amount set forth above, for the payment of which the Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, as provided herein. The conditions of this Bond are such that if the Owner accepts the bid of the Contractor within the time specified in the bid documents, or within such time period as may be agreed to by the Owner and Contractor, and the Contractor either (1) enters into a contract with the Owner in accordance with the terms of such bid, and gives such bond or bonds as may be specified in the bidding or Contract Documents, with a surety admitted in the jurisdiction of the Project and otherwise acceptable to the Owner, for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof; or (2) pays to the Owner the difference, not to exceed the amount of this Bond, between the amount specified in said bid and such larger amount for which the Owner may in good faith contract with another party to perform the work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect. The Surety hereby waives any notice of an agreement between the Owner and Contractor to extend the time in which the Owner may accept the bid. Waiver of notice by the Surety shall not apply to any extension exceeding sixty (60) days in the aggregate beyond the time for acceptance of bids specified in the bid documents, and the Owner and Contractor shall obtain the Surety's consent for an extension beyond sixty (60) days.

If this Bond is issued in connection with a subcontractor's bid to a Contractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.


When this Bond has been furnished to comply with a statutory or other legal requirement in the location of the Project, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

Signed and sealed this 12th day of May 2015

  
(Witness)

Around the Clog, Inc. d/b/a Optimus Installation  
(Principal)  (Seal)

(Title) Liborio G. Bellomo

Liberty Mutual Insurance Company  
(Surety)  (Seal)

(Title) David L. Hussey  
Attorney-in-Fact

**THIS POWER OF ATTORNEY IS NOT VALID UNLESS IT IS PRINTED ON RED BACKGROUND.**

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated.

Certificate No. 6499827

American Fire and Casualty Company  
The Ohio Casualty Insurance Company

Liberty Mutual Insurance Company  
West American Insurance Company

**POWER OF ATTORNEY**

KNOWN ALL PERSONS BY THESE PRESENTS: That American Fire & Casualty Company and The Ohio Casualty Insurance Company are corporations duly organized under the laws of the State of New Hampshire, that Liberty Mutual Insurance Company is a corporation duly organized under the laws of the State of Massachusetts, and West American Insurance Company is a corporation duly organized under the laws of the State of Indiana (herein collectively called the "Companies"), pursuant to and by authority herein set forth, does hereby name, constitute and appoint, David L. Hussey; Linda Bycholski; Michael E. Watts; Paul A. Simeon

all of the city of West Hartford, state of CT each individually if there be more than one named, its true and lawful attorney-in-fact to make, execute, seal, acknowledge and deliver, for and on its behalf as surety and as its act and deed, any and all undertakings, bonds, recognizances and other surety obligations, in pursuance of these presents and shall be as binding upon the Companies as if they have been duly signed by the president and attested by the secretary of the Companies in their own proper persons.

IN WITNESS WHEREOF, this Power of Attorney has been subscribed by an authorized officer or official of the Companies and the corporate seals of the Companies have been affixed thereto this 26th day of March, 2014.


American Fire and Casualty Company  
The Ohio Casualty Insurance Company  
Liberty Mutual Insurance Company  
West American Insurance Company

By: David M. Carey  
David M. Carey, Assistant Secretary

STATE OF PENNSYLVANIA ss  
COUNTY OF MONTGOMERY

On this 26th day of March, 2014, before me personally appeared David M. Carey, who acknowledged himself to be the Assistant Secretary of American Fire and Casualty Company, Liberty Mutual Insurance Company, The Ohio Casualty Insurance Company, and West American Insurance Company, and that he, as such, being authorized so to do, execute the foregoing instrument for the purposes therein contained by signing on behalf of the corporations by himself as a duly authorized officer.

IN WITNESS WHEREOF, I have hereunto subscribed my name and affixed my notarial seal at Plymouth Meeting, Pennsylvania, on the day and year first above written.



COMMONWEALTH OF PENNSYLVANIA  
Notarial Seal  
Teresa Pastella, Notary Public  
Plymouth Twp., Montgomery County  
My Commission Expires March 28, 2017  
Member, Pennsylvania Association of Notaries

By: Teresa Pastella  
Teresa Pastella, Notary Public

This Power of Attorney is made and executed pursuant to and by authority of the following By-laws and Authorizations of American Fire and Casualty Company, The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company which resolutions are now in full force and effect reading as follows:

**ARTICLE IV – OFFICERS** – Section 12. Power of Attorney. Any officer or other official of the Corporation authorized for that purpose in writing by the Chairman or the President, and subject to such limitation as the Chairman or the President may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Corporation to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Corporation by their signature and execution of any such instruments and to attach thereto the seal of the Corporation. When so executed, such instruments shall be as binding as if signed by the President and attested to by the Secretary. Any power or authority granted to any representative or attorney-in-fact under the provisions of this article may be revoked at any time by the Board, the Chairman, the President or by the officer or officers granting such power or authority.

**ARTICLE XIII – Execution of Contracts – SECTION 5. Surety Bonds and Undertakings.** Any officer of the Company authorized for that purpose in writing by the chairman or the president, and subject to such limitations as the chairman or the president may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company. When so executed such instruments shall be as binding as if signed by the president and attested by the secretary.

**Certificate of Designation** – The President of the Company, acting pursuant to the Bylaws of the Company, authorizes David M. Carey, Assistant Secretary to appoint such attorneys-in-fact as may be necessary to act on behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations.

**Authorization** – By unanimous consent of the Company's Board of Directors, the Company consents that facsimile or mechanically reproduced signature of any assistant secretary of the Company, wherever appearing upon a certified copy of any power of attorney issued by the Company in connection with surety bonds, shall be valid and binding upon the Company with the same force and effect as though manually affixed.

I, Gregory W. Davenport, the undersigned, Assistant Secretary, of American Fire and Casualty Company, The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy of the Power of Attorney executed by said Companies, is in full force and effect and has not been revoked.


IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seals of said Companies this 12th day of May, 20 15.



By: Gregory W. Davenport  
Gregory W. Davenport, Assistant Secretary

Not valid for mortgage, note, loan, letter of credit, currency rate, interest rate or residual value guarantees.

To confirm the validity of this Power of Attorney call 1-610-832-8240 between 9:00 am and 4:30 pm EST on any business day.



**Optimus Installation**

2 Tuckahoe Road  
Yonkers, NY 10710  
Phone: (914) 349-9444  
Fax: (914) 349-9446

May 12, 2015

To Whom It May Concern:

An alternate price was requested. The alternate would be foam insulation and the cost would be \$245,398.50.

## MEMORANDUM OF AGREEMENT

This Memorandum of Agreement (“MOA”) dated this 20th day of August, 2013 between the City of Rye (the “City”) and the Rye Free Reading Room (the “RFRR”) outlines the agreement between the City and RFRR regarding the receipt and disbursement of bond money approved by the voters of the City of Rye of up to \$176,000 (including preliminary costs) to finance the installation of sprinklers, flood control measures and improvements to comply with the Americans with Disabilities Act (“ADA”) (the “Projects”) at the property located at 1061 Boston Post Road, Rye, New York, 10580. The bond money will be reimbursed to the RFRR once the following conditions have been met:

- 1) The City cannot pay any current trustee or other library official for any work that may be performed with respect to any of the Projects.
- 2) The RFRR shall engage an architect and/or engineer to draw up the required bid specifications/requirements and advertise and solicit bids in accordance with the General Municipal Law and all other applicable laws and regulations.
- 3) Once the bids are received, the RFRR Board of Trustees shall award the bid to the lowest responsible bidder subject to City Council approval of such award. Such approval from the City Council shall occur prior to the contract being signed.
- 4) Any contract shall be substantially similar to the City’s standard construction contract, including the necessary insurances, payment bonds, and performance bonds.
- 5) Once the City Council considers a bid award, it will also consider the waiver of any permit fees that may apply.

6) As the RFRR incurs costs as part of the Projects, the bills (with the appropriate supporting material) shall be submitted to the City Manager's office for reimbursement. The City will then issue the necessary funds directly to the RFRR.

7) If any of the costs incurred by the RFRR conflict and/or are inconsistent with any of the Projects, the City is not obligated to pay the RFRR for such costs.

8) At all times, the RFRR is solely responsible for paying any invoices in a timely manner and in accordance with the terms of the contract.

9) The City is not obligated to reimburse the RFRR for any expenses above the \$176,000 associated with the Projects.


10) The RFRR shall have full responsibility for all maintenance of and operating costs attributable to the Projects.

11) This MOA shall not be amended or otherwise modified unless it is written and agreed to by both the RFRR and the City.

By signing this MOA, the RFRR acknowledges that it has the ability to raise or otherwise obtain the necessary funds to fulfill its obligations under this MOA.


Agreed to as of the first day written above:

**City of Rye**



By: Scott Pickup  
City Manager

**Rye Free Reading Room**



By: Francis Rodillosso  
President, Board of Trustees

## Rye Free Reading Room Interior Renovations Project

Building Department fees would be approximately calculated at \$30 per \$1,000 as follows:

\$7,710 Permit Fees

175 CO fees

200 Engineering Review

\$8,085 Total





# CITY COUNCIL AGENDA

NO. 17

DEPT.: City Manager

DATE: June 10, 2015

CONTACT: Eleanor M. Militana, Interim City Manager

**AGENDA ITEM:** Resolution to amend the 2015 Adopted Fees and Charges for the Rye Golf Club Enterprise Fund.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE:**

CHAPTER  
SECTION

**RECOMMENDATION:** That the Council amend the 2015 Adopted Fees and Charges for the Rye Golf Club Enterprise Fund.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** Due to turf issues on the Rye Golf Club putting greens, Rye Golf Club General Manager Jim Buonaiuto has proposed the following temporary changes to fees and charges until the greens return to playable conditions:

- 1) Guest fees would be reduced to \$35.00
- 2) Golf Cart fees would be reduced as follows: Regular Cart fee to \$10.00  
Senior Cart fee to \$5.00

The 2015 Adopted Fees and Charges for the Rye Golf Club Enterprise Fund must be amended to reflect these revised charges.

See attached 2015 Adopted Fee Schedule for the Rye Golf Club Enterprise Fund

CITY OF RYE, NEW YORK  
 RYE GOLF CLUB ENTERPRISE FUND  
 ANNUAL BUDGET  
 FOR FISCAL YEAR ENDING DECEMBER 31, 2015  
 FEE SCHEDULE

FEE DESCRIPTION	Adopted 2014	Budget 2015
<b><u>MISC:</u></b>		
Returned Check Fee - Rye City Fee	20.00	20.00
Returned Check Fee - Rye Golf Club Fee	30.00	30.00
Non-Resident City Surcharge	75.00	75.00
<b><u>GOLF:</u></b>		
Hand Cart	\$ 10.00	\$ 10.00
1/2 cart	20.00	20.00
1/2 Cart Senior Member	15.00	15.00
Junior Guest Fee - Weekday	25.00	25.00
Junior Guest Fee - Weekend	30.00	30.00
Guest Fee - Weekday	75.00	75.00
Guest Fee - Weekend & Holidays	95.00	95.00
Guest Fee - Golf 12-Pack (Use at any time)	840.00	840.00
Locker	150.00	150.00
<b><u>POOL:</u></b>		
Guest Fee - Weekday	8.00	8.00
Guest Fee - Weekend & Holidays	12.00	12.00
Guest Fee - Pool 12-Pack (Use at any time)	120.00	120.00
Locker	35.00	35.00
<b><u>MEMBERSHIP:</u></b>		
<b>Renewal fee applies to renewal memberships from prior year only and must be paid prior to the deadline date</b>		
<b>Membership fees to be paid by check. Credit card payments of membership fees will incur a 3% convenience fee</b>		
Non-resident Renewal - Comprehensive (by deadline date)	8,000.00	8,000.00
Non-resident - Comprehensive	9,200.00	9,200.00
Non-resident Renewal - Individual Daily Golf (by deadline date)	5,600.00	5,600.00
Non-resident - Individual Daily Golf	6,440.00	6,440.00
Non-resident Renewal - Individual Weekday Golf (by deadline date)	3,400.00	3,400.00
Non-resident - Individual Weekday Golf	3,910.00	3,910.00
Non-Resident Renewal - Family Pool (by deadline date)	2,500.00	2,500.00
Non-Resident - Family Pool	2,875.00	2,875.00
Non-Resident Renewal - Individual Pool (by deadline date)	1,200.00	1,200.00
Non-Resident - Individual Pool	1,380.00	1,380.00

CITY OF RYE, NEW YORK  
 RYE GOLF CLUB ENTERPRISE FUND  
 ANNUAL BUDGET  
 FOR FISCAL YEAR ENDING DECEMBER 31, 2015  
 FEE SCHEDULE

FEE DESCRIPTION	Adopted 2014	Budget 2015
<b><u>MEMBERSHIP: (continued)</u></b>		
Non-Resident Renewal - Pool For Two (by deadline date)	2,200.00	2,200.00
Non-Resident - Pool For Two *	2,350.00	2,350.00
Non-Resident - House	N/A	425.00
Resident Renewal - Comprehensive - Discount (by deadline date)	4,500.00	4,500.00
Resident - Comprehensive	5,175.00	5,175.00
Resident Renewal - Individual Daily Golf - Discount (by deadline date)	3,100.00	3,100.00
Resident - Individual Daily Golf	3,565.00	3,565.00
Resident Renewal - Individual Weekday Golf - Discount (by deadline date)	1,900.00	1,900.00
Resident - Individual Weekday Golf	2,185.00	2,185.00
Resident Renewal - Family Pool - Discount (by deadline date)	1,450.00	1,450.00
Resident - Family Pool	1,668.00	1,668.00
Resident Renewal - Individual Pool - Discount (by deadline date)	750.00	750.00
Resident - Individual Pool	863.00	863.00
Resident Renewal - Pool For Two - Discount (by deadline date)	1,180.00	1,180.00
Resident - Pool For Two *	1,357.00	1,357.00
Resident - House	400.00	400.00
Legacy - Comprehensive	700.00	700.00
Legacy - Pool	300.00	300.00
<b><u>ADD ON MEMBERSHIP</u></b>		
Child Care Provider	425.00	425.00
Early Morning Lap Swim (16 Weeks)	200.00	200.00
Golf	155.00	155.00
Pool	20.00	20.00
Junior (New in 2012)	600.00	600.00



# CITY COUNCIL AGENDA

NO. 18

DEPT.: City Manager

DATE: June 10, 2015

CONTACT: Eleanor M. Militana, Interim City Manager

**AGENDA ITEM:** Consideration of a request by Wendy Baruchowitz for the use of City streets for a 1 mile run/walkathon for the Dysautonomia International Fund on Sunday, October 4, 2015 from 10:00 a.m. to 12:00 p.m.

**FOR THE MEETING OF:**

June 10, 2015

**RYE CITY CODE,**

CHAPTER

SECTION

**RECOMMENDATION:** That the Council consider granting the request.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:**

Wendy Baruchowitz is requesting the Council approve the use of City streets for a 1-mile run/walkathon to raise money for the Dysautonomia International Fund on Sunday, October 4, 2015 from 10:00 a.m. to 12:00 p.m.

See attached letter from Wendy Baruchowitz.

June 1, 2015

TO: Rye City/Town Hall

PROPOSAL: 1 mile run/walk fundraiser

To Whom It May Concern:

In 2011, I was diagnosed with a debilitating autonomic disorder called Dysautonomia/POTS (Postural Tachycardia Syndrome), which impacted my (and those afflicted) ability to stand and walk. When I was initially diagnosed, I could not get around without the use of a walker. I needed to constantly sit or squat because standing and walking was such a challenge. Today, I am able to walk longer distances unassisted and stand for much longer periods of time. With a tremendous amount of hard work and dedication through exercise and diet, my health has improved. I now want to help others afflicted with this crippling illness. Sadly, there is not enough awareness and/or research throughout the medical community to diagnose Dysautonomia/POTS. There are far too many people suffering without a diagnosis or a misdiagnosis. I have partnered with The Dysautonomia International Network with the goal to raise awareness and money to help fund research, which will hopefully lead to a cure.

I would like to host a 1 mile run/walkathon on October 4, 2015 at 10:00am to help raise funds for this important cause.

Attached please find the map of the run/walk course, which Rye Recreation helped me create. Since my priority is to ensure the event goes smoothly, I am flexible to any changes or amendments to the course route as you see fit.


If you need any further information or have any questions, please contact me at 917-494-5819.

Thank you for your time and consideration.

Sincerely,



Wendy Baruchowitz  
Rye Resident



Blind Brook

ture Center

Rye Recreation Park

\* Start/Finish

Community Synagogue of Rye

Billington Ct

Platt Ln

Eve Ln

Apawamis Ave

Milton Rd

Milton Rd

Palisade Rd

Midland Av



# CITY COUNCIL AGENDA

NO. 19 DEPT.: City Manager DATE: June 10, 2015  
CONTACT: Eleanor M. Militana, Interim City Manager

<b>AGENDA ITEM:</b> Appeal of denial of FOIL request by Timothy Chittenden.	<b>FOR THE MEETING OF:</b> June 10, 2015 <b>RYE CITY CODE,</b> CHAPTER SECTION
---	--

**RECOMMENDATION:** That the Council make a decision on the FOIL appeal.

**IMPACT:**  Environmental  Fiscal  Neighborhood  Other:

**BACKGROUND:** The following FOIL Request was appealed by the requestor:

**FOIL # 8550881158:** requested “All documents, including but not limited to, all depositions, all correspondence, all e-mails, all reports and any other records reviewed by City Manager Culross, Police Commissioner William Pease, Corporation Counsel Kristen Wilson, Labor Attorney Vincent Toomey, any member of the Rye Police Association of the City of Rye, Inc and any other City of Rye employee, appointed official or elected official with regard to the review into the alleged misconduct committed by Lt. Robert Falk in the Caspi litigation. All correspondence including e-mails to and from City Manager Culross, Police Commissioner William Pease, Corporation Counsel Kristen Wilson, Labor Attorney Vincent Toomey, any member of the Rye Police Association of the City of Rye, Inc and any other City of Rye employee, appointed official or elected official with regard to this review.”

**FOIL Status:** The Foil Request was denied with the response: “The records requested are denied under POL 87(2)(a). This was a police internal affairs matter not subject to disclosure under section 50-a of the NY Civil Rights Law. In addition the communication among personnel and counsel fall under inter agency and or attorney client privileged communications (under the NY CPLR) and are denied under POL 87(2)(g) and 87(2)(a) respectively. You may appeal this decision to the City Council.”

**FOIL Appeal Reason:** The requestor is appealing the denial.

See attached FOIL request.

# Work Order Form

## FOIL

Tracking Number: 8550881158  
Date Time Received: 4/27/2015 11:58AM  
Created By: Timothy Chittenden (Citizen)

## Contact Information

First Name: Timothy

Last Name: Chittenden

Business Name:

Email: [REDACTED]

Daytime Phone: [REDACTED]

Fax:

Address: [REDACTED]

City: Rye

State: NY

Zip: 10580

Country:

## Issue Location

Street:

Unit:

City: Rye

State: NY

Zip: 10580

Comments:

## Request Details

Is this a request for commercial purposes?

No

Describe records being sought - One request per submission.

All documents, including but not limited to, all depositions, all correspondence, all e-mails, all reports and any other records reviewed by City Manager Culross, Police Commissioner William Pease, Corporation Counsel Kristen Wilson, Labor Attorney Vincent Toomey, any member of the Rye Police Association of the City of Rye, Inc and any other City of Rye employee, appointed official or elected official with regard to the review into the alleged misconduct committed by Lt. Robert Falk in the Caspi litigation.

All correspondence including e-mails to and from City Manager Culross, Police Commissioner William Pease, Corporation Counsel Kristen Wilson, Labor Attorney Vincent Toomey, any member of the Rye Police Association of the City of Rye, Inc and any other City of Rye employee, appointed official or elected official with regard to this review.

Please indicate your preference:

Electronic Copies

Please note, if more than two hours are spent in preparing records, the requestor will be charged for the additional time at the hourly rate of the lowest paid employee who has the skill level required to accomplish the task. You will be informed of any charges exceeding \$10.00. Any charges due must be paid within five (5) business days of the City notifying you. If you fail to pay fees from prior FOILs, any future FOIL requests will not be processed until all outstanding fees are paid. By



# Work Order Form

## FOIL

Tracking Number: 8550881158  
Date Time Received: 4/27/2015 11:58AM  
Created By: Timothy Chittenden (Citizen)

submitting this request, I agree to pay costs related to this FOIL request up to \$10 without further notification.

## Request Activity

6/04/2015 9:18 AM -- Rye Foil - RESOLVED

-----Note to Citizen: The records requested are denied under POL 87(2)(a). This was a police internal affairs matter not subject to disclosure under section 50-a of the NY Civil Rights Law. In addition the communication among personnel and counsel fall under inter agency and or attorney client privileged communications (under the NY CPLR) and are denied under POL 87(2)(g) and 87(2)(a) respectively. You may appeal this decision to the City Council.

-----Internal Note: This FOIL is complete.

6/03/2015 10:51 AM -- Preflight Foil - INPROGRESS

-----Internal Note: The records requested are denied under POL 87(2)(a). This was a police internal affairs matter not subject to disclosure under section 50-a of the NY Civil Rights Law. In addition the communication among personnel and counsel fall under inter agency and or attorney client privileged communications (under the NY CPLR) and are denied under POL 87(2)(g) and 87(2)(a) respectively. <br /> This item has been re-assigned to Rye Foil.

4/27/2015 12:07 PM -- Rye Foil - INPROGRESS

-----Note to Citizen: Your FOIL request has been forwarded to the pertinent department for response.

-----Internal Note: Please respond to this FOIL request.<br /> This item has been re-assigned to Law Foil.

4/27/2015 11:58AM -- Timothy Chittenden (Citizen) - SUBMITTED